

SENSORY ACTIVITIES WORKBOOK

For Kids with Autism & Sensory Processing Needs

Practical Activities, Sensory Diets, and Tracking Tools
for Parents, Therapists, and Educators

By Daniel Tesfamariam

SENSORY ACTIVITIES WORKBOOK

Copyright 2025 Daniel Tesfamariam

All rights reserved.

This workbook is for educational purposes only and does not
replace professional occupational therapy evaluation or treatment.

UNDERSTANDING SENSORY PROCESSING

Every moment, our brains receive information from our senses and decide how to respond. For children with Sensory Processing Disorder (SPD) or autism, this system works differently.

WHAT IS SENSORY PROCESSING?

The brain's ability to receive, organize, and respond to sensory input.

When this system is not working well, children may be:

SENSORY SEEKING (Hypo-sensitive / Under-responsive):

- Craves intense input (spinning, crashing, loud noises)
- Seems to never get enough stimulation
- May appear hyperactive or 'wild'
- Has high pain tolerance

SENSORY AVOIDING (Hyper-sensitive / Over-responsive):

- Overwhelmed by sounds, textures, lights, or movements
- May cover ears, refuse certain foods, avoid touch
- Can seem anxious, rigid, or have frequent meltdowns
- Has low pain tolerance

MIXED PATTERN:

- Many children are seekers in SOME areas and avoiders in others
- The same child may crave deep pressure but hate light touch

KEY PRINCIPLE: Behavior is COMMUNICATION.

When a child is 'misbehaving,' they may be telling you their sensory needs are not being met. This workbook helps you understand and meet those needs proactively.

THE 8 SENSORY SYSTEMS EXPLAINED

1. VISUAL (Sight)

Processing light, color, movement, and spatial information

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

2. AUDITORY (Hearing)

Processing sounds, volume, tone, and auditory patterns

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

3. TACTILE (Touch)

Processing textures, temperature, pressure, and pain

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

4. GUSTATORY (Taste)

Processing flavors, textures, and temperatures of food

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

5. OLFACTORY (Smell)

Processing odors and scents in the environment

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

6. VESTIBULAR (Balance/Movement)

Processing head position, gravity, and motion (inner ear)

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

7. PROPRIOCEPTIVE (Body Awareness)

Processing input from muscles and joints about body position

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

8. INTEROCEPTION (Internal Signals)

Processing internal body signals (hunger, bathroom, temperature)

My child is: ☐ Seeking ☐ Avoiding ☐ Mixed ☐ Typical

Signs I notice: _____

SENSORY PROFILE WORKSHEET

Child's Name: _____ Age: ____ Date: ____/____/____

Rate each area: 1=Under-responsive 3=Typical 5=Over-responsive

TOUCH

Light touch (being brushed against):	1	2	3	4	5
Clothing textures (tags, seams):	1	2	3	4	5
Messy play (paint, glue, sand):	1	2	3	4	5
Haircuts/nail trimming:	1	2	3	4	5
Hugs/physical affection:	1	2	3	4	5

SOUND

Loud environments (cafeteria, assemblies):	1	2	3	4	5
Unexpected sounds (alarms, dogs):	1	2	3	4	5
Background noise:	1	2	3	4	5
Specific sounds (chewing, humming):	1	2	3	4	5
Music volume preference:	1	2	3	4	5

MOVEMENT

Swings/spinning:	1	2	3	4	5
Car rides:	1	2	3	4	5
Climbing/heights:	1	2	3	4	5
Being upside down:	1	2	3	4	5
Sitting still:	1	2	3	4	5

VISUAL

Bright lights/fluorescents:	1	2	3	4	5
Busy visual environments:	1	2	3	4	5
Screen time tolerance:	1	2	3	4	5
Eye contact:	1	2	3	4	5
Finding objects in clutter:	1	2	3	4	5

SENSORY DIET BUILDER

A 'sensory diet' is a personalized plan of activities throughout the day to keep your child regulated. Fill in activities for each time period.

MORNING ROUTINE (before school)

Activity 1:	_____	System:	_____
Activity 2:	_____	System:	_____
Activity 3:	_____	System:	_____
Activity 4:	_____	System:	_____
Activity 5:	_____	System:	_____

SCHOOL DAY (request from teacher/therapist)

Activity 1:	_____	System:	_____
Activity 2:	_____	System:	_____
Activity 3:	_____	System:	_____
Activity 4:	_____	System:	_____

AFTER SCHOOL (transition home)

Activity 1:	_____	System:	_____
Activity 2:	_____	System:	_____
Activity 3:	_____	System:	_____
Activity 4:	_____	System:	_____
Activity 5:	_____	System:	_____

EVENING (before bed)

Activity 1:	_____	System:	_____
Activity 2:	_____	System:	_____
Activity 3:	_____	System:	_____
Activity 4:	_____	System:	_____

CALMING ACTIVITIES (for overstimulation):

1. _____ 2. _____ 3. _____

ALERTING ACTIVITIES (for under-arousal):

1. _____ 2. _____ 3. _____

ACTIVITY 1: HEAVY WORK OBSTACLE COURSE

Sensory System Targeted: Proprioceptive

MATERIALS NEEDED:

- Couch cushions or pillows
- A laundry basket with books inside
- A blanket for crawling under
- Tape for floor markers
- Timer (optional)

STEP-BY-STEP INSTRUCTIONS:

1. Set up pillows as 'mountains' to climb over
2. Place laundry basket at one end to push or pull across room
3. Lay blanket as a tunnel to army-crawl through
4. Mark spots on floor for jumping (frog jumps, star jumps)
5. Have child complete course 3-5 times, varying speed

MODIFICATIONS:

Add weighted backpack for extra input. Reduce steps if overwhelmed. Time the course for motivation.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 2: SENSORY BIN EXPLORATION

Sensory System Targeted: Tactile

MATERIALS NEEDED:

- Large plastic bin
- Base material (rice, beans, water beads, or kinetic sand)
- Small toys or objects to find
- Scoops, cups, funnels
- Towel for cleanup

STEP-BY-STEP INSTRUCTIONS:

1. Fill bin with chosen base material (start with dry if tactile-sensitive)
2. Hide 5-10 small objects in the material
3. Have child find objects using only their hands
4. Name each object found and sort by category
5. Allow free exploration for 5-10 minutes after structured activity

MODIFICATIONS:

For avoiders: start with tools (spoons) before hands. Offer a towel nearby.
Never force.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 3: DEEP PRESSURE BURRITO ROLL

Sensory System Targeted: Proprioceptive + Tactile

MATERIALS NEEDED:

- Large blanket or yoga mat
- Pillows for 'toppings'
- Soft music (optional)
- Timer

STEP-BY-STEP INSTRUCTIONS:

1. Lay blanket flat on floor
2. Have child lie at one end, arms at sides
3. Roll them snugly in blanket (not covering face)
4. Add pillow 'toppings' with gentle pressure on top
5. Hold for 30-60 seconds, ask 'more pressure or less?'

MODIFICATIONS:

Never cover face. Let child unroll themselves. Great for calming before transitions.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 4: SPINNING & VESTIBULAR PLAY

Sensory System Targeted: Vestibular

MATERIALS NEEDED:

- Sit-and-spin toy, office chair, or swing
- Timer
- Mat for safety
- Bucket (some children feel nauseous)
- Calm-down space nearby

STEP-BY-STEP INSTRUCTIONS:

1. Start with SLOW spinning (10-15 seconds)
2. Spin in ONE direction, then pause 30 seconds
3. Observe child's response (eyes, balance, mood)
4. If seeking: gradually increase duration
5. If avoiding: try linear movement (rocking) first

MODIFICATIONS:

Watch for nausea, pale skin, or glazed eyes - stop immediately. Vestibular input is POWERFUL.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 5: ORAL MOTOR ACTIVITIES

Sensory System Targeted: Gustatory + Proprioceptive

MATERIALS NEEDED:

- Chewy tube or food-safe chew toy
- Thick smoothie with straw
- Crunchy snacks (carrots, pretzels)
- Bubble blowing supplies
- Vibrating toothbrush (optional)

STEP-BY-STEP INSTRUCTIONS:

1. Start with blowing bubbles (3 minutes of sustained blowing)
2. Offer crunchy snack and encourage loud crunching
3. Have child drink thick smoothie through thin straw
4. Practice 'mouth exercises': pucker, smile, tongue push-ups
5. End with chewing activity (chewy tube or gum) for 2 minutes

MODIFICATIONS:

Oral seekers may chew clothing/objects - redirect to appropriate chewies.
Check for food allergies.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 6: WEIGHTED LAP PAD TIME

Sensory System Targeted: Proprioceptive

MATERIALS NEEDED:

- Weighted lap pad (1-2 lbs for young children)
- Calm activity (coloring, puzzles)
- Timer set for 15-20 minutes
- Comfortable seating
- Soft background music (optional)

STEP-BY-STEP INSTRUCTIONS:

1. Place weighted pad on child's lap during seated activity
2. Set timer for 15-20 minutes maximum
3. Observe if child becomes calmer and more focused
4. Remove if child pushes it away or seems uncomfortable
5. Use during homework, meals, or circle time

MODIFICATIONS:

Weight should be ~10% of child's body weight. Remove every 20 min. Never use on chest/face.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 7: WATER PLAY STATION

Sensory System Targeted: Tactile + Visual

MATERIALS NEEDED:

- Plastic bins (various sizes)
- Warm and cool water
- Cups, funnels, turkey baster
- Sponges and washcloths
- Food coloring (optional)
- Towels and smock

STEP-BY-STEP INSTRUCTIONS:

1. Fill bins with different temperature water
2. Provide tools for pouring and squeezing
3. Add food coloring for visual interest
4. Practice squeezing sponges (hand strength)
5. Allow free exploration with gradually messier materials

MODIFICATIONS:

Start with tools if tactile-defensive. Gradually introduce hands. Warm water is calming, cool is alerting.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 8: BODY SOCK ACTIVITIES

Sensory System Targeted: Proprioceptive + Vestibular

MATERIALS NEEDED:

- Body sock (lycra sensory sack)
- Open floor space
- Soft music or audiobook
- Visual timer

STEP-BY-STEP INSTRUCTIONS:

1. Help child step into body sock
2. Stretch into shapes (star, ball, airplane)
3. Practice slow movements inside sock
4. Play 'freeze' game - move then hold still
5. Use for calming: lie still inside for 2-3 minutes

MODIFICATIONS:

Supervise at all times. Ensure face opening is always accessible. Great for body awareness.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 9: SOUND EXPLORATION

Sensory System Targeted: Auditory

MATERIALS NEEDED:

- Various noise makers (bells, drums, shakers)
- Noise-canceling headphones (for breaks)
- Recording device (phone)
- Quiet space available
- Visual timer

STEP-BY-STEP INSTRUCTIONS:

1. Start in quiet environment
2. Introduce ONE sound at a time, from soft to loud
3. Let child control the volume (they make the sound)
4. Practice identifying sounds with eyes closed
5. End with quiet time or preferred calming sound

MODIFICATIONS:

For sound-sensitive kids: always give warning before sounds. Allow headphones. Never force.

OBSERVATIONS / NOTES:

Date tried: ___/___/___ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 10: PROPRIOCEPTIVE WALL PUSHES

Sensory System Targeted: Proprioceptive

MATERIALS NEEDED:

- A wall (any sturdy wall)
- Timer
- Visual instruction card
- Stickers for reward (optional)
- None - can do anywhere!

STEP-BY-STEP INSTRUCTIONS:

1. Stand arm's length from wall
2. Place both palms flat on wall at shoulder height
3. Push HARD for 10 seconds (like trying to push wall down)
4. Rest 5 seconds, repeat 5-10 times
5. Try with back against wall, pushing with shoulders

MODIFICATIONS:

Great for calming before transitions. Can be done at school, home, or stores.
No equipment needed!

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 11: TEXTURE COLLAGE ART

Sensory System Targeted: Tactile + Visual

MATERIALS NEEDED:

- Various texture materials (sandpaper, cotton, foil, fabric)
- Glue stick and liquid glue
- Cardstock or thick paper
- Scissors (supervised)
- Labels for naming textures

STEP-BY-STEP INSTRUCTIONS:

1. Lay out texture samples for child to explore
2. Ask child to sort: 'like touching' vs 'do not like touching'
3. Choose 5+ textures to glue onto paper
4. Label each texture with a describing word
5. Display finished art - celebrate brave touching!

MODIFICATIONS:

Never force touching. Use tweezers for textures child dislikes. Process matters more than product.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 12: BALANCE BEAM WALKING

Sensory System Targeted: Vestibular + Proprioceptive

MATERIALS NEEDED:

- Painter's tape (for floor line)
- Low balance beam or 2x4 board
- Beanbags to carry
- Pillows alongside for safety
- Preferred music

STEP-BY-STEP INSTRUCTIONS:

1. Start with tape line on floor (widest, easiest)
2. Walk forward, backward, and sideways
3. Add challenge: carry beanbag on head
4. Progress to raised beam (only 2-3 inches off ground)
5. End with 'statue' balance on one foot (count how long)

MODIFICATIONS:

Always spot the child. Start LOW and wide. Barefoot provides more sensory feedback.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 13: FIDGET AND FOCUS TOOLS

Sensory System Targeted: Tactile + Proprioceptive

MATERIALS NEEDED:

- Various fidgets (putty, spinner, tangle)
- Resistance bands for chair legs
- Wobble cushion for seating
- Velcro strip under desk
- Checklist for tracking focus

STEP-BY-STEP INSTRUCTIONS:

1. Introduce ONE fidget tool at a time
2. Teach rules: fidget helps focus, not distract
3. Try tool during quiet work time (10 minutes)
4. Rate: Did this help me focus? Yes / A little / No
5. Rotate tools weekly to maintain novelty

MODIFICATIONS:

Fidgets should be silent and non-distracting to others. Remove if it becomes a toy instead of a tool.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 14: CALMING YOGA POSES

Sensory System Targeted: Vestibular + Proprioceptive + Interoception

MATERIALS NEEDED:

- Yoga mat or soft surface
- Visual pose cards
- Calm music
- Timer (hold each pose 30 seconds)
- Stuffed animal for breathing buddy

STEP-BY-STEP INSTRUCTIONS:

1. Start with deep breaths (place stuffed animal on belly to watch it rise)
2. Child's pose: curl into ball, forehead on floor (60 seconds)
3. Cat-cow: arch and round back slowly (5 times)
4. Tree pose: balance on one foot (30 seconds each side)
5. End in savasana: lie flat, breathe, eyes closed (2 minutes)

MODIFICATIONS:

Use visual cards for non-readers. Keep sessions SHORT (5-10 min). Do consistently same time daily.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

ACTIVITY 15: SENSORY WALK / NATURE EXPLORATION

Sensory System Targeted: All 8 Systems!

MATERIALS NEEDED:

- Shoes appropriate for terrain
- Collection bag
- Magnifying glass (optional)
- Camera/phone for photos
- Sensory checklist to fill out

STEP-BY-STEP INSTRUCTIONS:

1. Walk slowly - this is NOT exercise, it is exploring
2. Stop and notice: 5 things I see, 4 I hear, 3 I feel, 2 I smell, 1 I taste
3. Collect natural items with different textures
4. Walk on different surfaces: grass, gravel, mulch, concrete
5. End with sitting quietly in nature for 2 minutes

MODIFICATIONS:

Follow child's pace and interests. Bring preferred snack and water. Have exit plan if overwhelmed.

OBSERVATIONS / NOTES:

Date tried: ____/____/____ Duration: _____ minutes

Child's response: ☐ Loved it ☐ Tolerated it ☐ Refused ☐ Meltdown

Regulation level BEFORE (1-5): ____ AFTER (1-5): ____

Notes: _____

CALM-DOWN CORNER SETUP GUIDE

Every child needs a SAFE SPACE to regulate. A calm-down corner is not punishment - it is a tool for self-regulation.

LOCATION REQUIREMENTS:

- Quiet area away from high-traffic zones
- Low lighting (lamp instead of overhead fluorescents)
- Enclosed feeling (tent, canopy, or corner with cushions)
- Visible to adults (safety) but feels private to child

ESSENTIAL ITEMS (check off as you gather):

- ☐ Soft seating (beanbag, cushion, or weighted blanket)
- ☐ Noise-canceling headphones
- ☐ Fidget tools (putty, tangle, stress ball)
- ☐ Visual timer (so child knows when to try returning)
- ☐ Feelings chart or emotion cards
- ☐ Breathing technique visual (poster or card)
- ☐ Favorite calming book or magazine
- ☐ Weighted stuffed animal or lap pad
- ☐ Dim lamp or fairy lights
- ☐ Sensory bottle (glitter jar to watch settle)

RULES FOR THE CALM-DOWN CORNER:

1. Anyone can use it anytime (it is NOT time-out)
2. You can ask to go, or an adult can suggest it
3. Stay until your body feels calm (use the visual timer)
4. Take care of the items inside
5. One person at a time

SENSORY BREAK REQUEST CARDS

Cut out these cards for your child to use when they need a sensory break.

I NEED A BREAK

Laminate for durability. Teach child to hand card to adult.

My body feels too much right now. I need to go to my calm space.

I NEED TO MOVE

My body needs to move. Can I take a movement break?

IT IS TOO LOUD

The sounds are too much. Can I use my headphones or go somewhere quiet?

I NEED A SQUEEZE

My body needs deep pressure. Can I have a hug or use my weighted blanket?

I FEEL OVERWHELMED

Everything feels like too much. I need help calming down.

I NEED A FIDGET

My hands need something to do. Can I use my fidget tool?

I NEED A DRINK/SNACK

My body might need fuel. Can I have water or a crunchy snack?

I AM DOING OKAY!

My body feels regulated right now! I am ready to work/play.

WEEKLY SENSORY LOG - WEEK 1

Monday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Tuesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Wednesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Thursday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Friday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Saturday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Sunday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

WEEKLY SENSORY LOG - WEEK 2

Monday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Tuesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Wednesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Thursday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Friday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Saturday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Sunday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

WEEKLY SENSORY LOG - WEEK 3

Monday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Tuesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Wednesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Thursday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Friday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Saturday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Sunday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

WEEKLY SENSORY LOG - WEEK 4

Monday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Tuesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Wednesday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Thursday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Friday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Saturday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____

Sunday

Morning regulation (1-5): ____ Activities used: _____
Afternoon regulation (1-5): ____ Meltdowns/shutdowns: ____ Trigger: _____
Evening regulation (1-5): ____ What helped: _____
Sleep quality: Good / Fair / Poor Notes: _____