

Lab: Using Views

Estimated time needed: 10 minutes

In this lab, you will learn about using views. In SQL, a view is an alternative way of representing data that exists in one or more tables. Just like a real table, it contains rows and columns. The fields in a view are fields from one or more real tables in the database. Though views can be queried like a table, views are dynamic; only the definition of the view is stored, not the data.

How does the syntax of a CREATE VIEW statement look?

```
CREATE VIEW view_name AS
SELECT column1, column2, ...
FROM table_name
WHERE condition;
```

How does the syntax of a REPLACE VIEW statement look?

```
CREATE OR REPLACE VIEW view_name AS
SELECT column1, column2, ...
FROM table_name
WHERE condition;
```

How does the syntax of a DROP VIEW statement look?

```
DROP VIEW view_name;
```

Software Used in this Lab


In this lab, you will use IBM DB2 Database. DB2 is a Relational Database Management System (RDBMS) from IBM, designed to store, analyze and retrieve the data efficiently.

To complete this lab you will utilize a DB2 database service on IBM Cloud. If you did not already complete this lab task earlier in this module, you will not yet have access to DB2 on IBM Cloud, and you will need to follow the lab below first:

- [Hands-on Lab: Sign up for IBM Cloud, Create DB2 service instance and Get started with the DB2 console](#)

Database Used in this Lab

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called EMPLOYEES, JOB_HISTORY, JOBS, DEPARTMENTS and LOCATIONS. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:



NOTE: This lab requires you to have all 5 of these tables of the HR database populated with sample data on DB2. If you don't have the tables above populated with sample data on DB2, please go through the lab below first:

- [Hands-on Lab: Create tables using SQL scripts and Load data into tables](#)

Objectives

After completing this lab, you will be able to:

- Create a View and show a selection of data for a given table
- Update a View to combine two or more tables in meaningful ways
- Drop a created View

Instructions

When you approach the exercise in this lab, follow the instructions to run the queries on DB2:

- Go to the [Database Lab](#) of IBM Cloud by logging in where you can find the DB2 service instance that you created in a previous lab under **Network** section. Click on the **DB2-xx** service. Next, open the DB2 Console by clicking on **Open Console** button. Click on the 3-bar menu icon in the top left corner and go to the **Run SQL** page. The Run SQL tool enables you to run SQL statements.
- If needed, follow [Hands-on Lab: Sign up for IBM Cloud, Create DB2 service instance and Get started with the DB2 console](#)

Exercise 1: Create a View

In this exercise, you will create a View and show a selection of data for a given table.

1. Let's create a view called **EMP_SALARY** to display salary along with some basic sensitive data of employees from the HR database. To create the **EMP_SALARY** view from the **EMPLOYEES** table, copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
CREATE VIEW EMP_SALARY AS
SELECT EMP_ID, F_NAME, L_NAME, E_MAIL, SEX, SALARY
FROM EMPLOYEES;
```

2. Using **SELECT**, query the **EMP_SALARY** view to retrieve all the records. Copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
SELECT * FROM EMP_SALARY;
```

Result: Dec 14, 2023 11:...

EMP_ID	F_NAME	L_NAME	E_MAIL	SEX	SALARY
E1001	John	Thomas	1797-01-09	M	60000.00
E1002	Alice	Jarvis	1972-07-11	F	80000.00
E1003	Steve	Meeks	1980-09-10	M	60000.00
E1004	Spartan	Kumar	1985-07-09	M	60000.00
E1005	Alonso	Herrera	1981-01-04	M	70000.00
E1006	Nancy	Allen	1979-02-06	F	60000.00
E1007	Mary	Thames	1975-05-05	F	60000.00
E1008	Bharath	Gupta	1985-05-06	M	60000.00
E1009	Adena	Jones	1980-07-09	F	70000.00
E1010	Alex	Jacob	1982-03-30	F	70000.00

Show Logs

Exercise 2: Update a View

In this exercise, you will update a View to combine two or more tables in meaningful ways.

1. It is now time that the **EMP_SALARY** view we created in exercise 1 doesn't contain enough salary information, such as max/min salary and the job title of the employees. Let's update the **EMP_SALARY** view:
 - combining two tables **EMPLOYEES** and **JOBS** so that we can display our desired information from the HR database
 - including the columns **JOB_TITLE**, **MIN_SALARY**, **MAX_SALARY** of the **JOBS** table as well as including the **SALARY** column of the **EMPLOYEES** table.

Copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
CREATE OR REPLACE VIEW EMP_SALARY AS
SELECT EMP_ID, F_NAME, L_NAME, E_MAIL, SEX, JOB_TITLE, MIN_SALARY, MAX_SALARY, SALARY
FROM EMPLOYEES, JOBS;
```

NOTE: Don't worry if you don't understand how to combine two tables using implicit inner join. You will learn more about joins later on. For now, just think of you are combining the data of two different tables, **EMPLOYEES** and **JOBS** by connecting their respective columns **JOB_ID** and **JOB_IDENT** since both the columns contain unique data. You can have a look at the diagram (at the beginning of the lab) showing the tables for the HR database to observe how the **JOB_ID** and **JOB_IDENT** columns from the **EMPLOYEES** and **JOBS** tables respectively contain common unique data.

```
CREATE OR REPLACE VIEW EMP_SALARY AS
SELECT EMP_ID, F_NAME, L_NAME, E_MAIL, SEX, JOB_TITLE, MIN_SALARY, MAX_SALARY, SALARY
FROM EMPLOYEES, JOBS;
```

2. Using **SELECT**, query the updated **EMP_SALARY** view to retrieve all the records. Copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
SELECT * FROM EMP_SALARY;
```

Result: Dec 14, 2023 11:...

EMP_ID	F_NAME	L_NAME	E_MAIL	SEX	JOB_TITLE	MIN_SALARY	MAX_SALARY	SALARY
E1001	John	Thomas	1797-01-09	M	Analyst	60000.00	100000.00	60000.00
E1002	Alice	Jarvis	1972-07-11	F	Software Engineer	60000.00	80000.00	80000.00
E1003	Steve	Meeks	1980-09-10	M	Software Engineer	60000.00	80000.00	60000.00
E1004	Spartan	Kumar	1985-07-09	M	Software Engineer	60000.00	80000.00	60000.00
E1005	Alonso	Herrera	1981-01-04	M	Software Engineer	60000.00	80000.00	70000.00
E1006	Nancy	Allen	1979-02-06	F	Analyst	60000.00	100000.00	60000.00
E1007	Mary	Thames	1975-05-05	F	Software Engineer	60000.00	80000.00	60000.00
E1008	Bharath	Gupta	1985-05-06	M	Software Engineer	60000.00	80000.00	60000.00
E1009	Adena	Jones	1980-07-09	F	Software Engineer	60000.00	80000.00	70000.00
E1010	Alex	Jacob	1982-03-30	F	Software Engineer	60000.00	80000.00	70000.00

Exercise 3: Drop a View

In this exercise, you will drop a created View.

1. Let's delete the created **EMP_SALARY** view. Copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
DROP VIEW EMP_SALARY;
```

2. Using **SELECT**, you can verify whether the **EMP_SALARY** view has been deleted or not. Copy the code below and paste it to the text area of the **Run SQL** page. Click **Run all**.

```
SELECT * FROM EMP_SALARY;
```

Result: Dec 14, 2023 11:...

Error Message

SQLSTATE=42034: Table EMP_SALARY does not exist.

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- [Sandeep Sahu](#)

