



MoneyGram OUTBOUND ON TELEGRAM

– API DOCUMENTATION

PPH Application Program Interface

Abstract

Web API documentation describing the interface for integration of third-party platforms to
Broker for IMT (MoneyGram) transaction

Rolland Ashiteye
nii-amarh@pces.mk

Document Information

Document title	MoneyGram Telegram channel API's
Issued by	PCES
Issue date	06.05.2024
Revision	N/A

Change Control

Version	Date	Revised by	Changes
1.0	06.05.2024	Rolland	MoneyGram Telegram channel API's

Reference Documents

Version	Date	Owner	Document name	Location

1.1. Introduction

This document describes the application program interface of PCES PaymentHub (Web API) and provides information for third parties integrating to IMTs on Telegram Channel.

Pre-requisite to access the PCES Web API services:

- IP Whitelisting
- VPN connection
- UserID (will be provided by PCES)
- Password (will be provided by PCES)

1.2. Access Details

IP Whitelisting	Contact Bank IT
URL(live)	Contact Bank IT
UserID	Contact Bank IT
Password	Contact Bank IT
URL(Test)	Contact Bank IT
Port(Test)	Contact Bank IT

1.3. Authentication

All endpoints are secured with *OAuth 2.0* and so before accessing any secured endpoints, you will require a bearer token.

The endpoint path to get an access token is: `/token` and expected payload configurations are:

Method: Post

```
"headers": {"content-type": "application/x-www-form-
urlencoded"} Parameters: grant_type (value should be
password) username (your
username) password (your password)
```

The response for this request is:

```
{
  "access_token": accesstokenvalue
  "token_type": "bearer",
  "expires_in": 86399
}
```

Once a token is obtained, it can be used in subsequent requests by parsing it to the Authorization Key in your header.

```
"headers" : {"authorization": "token_type accesstokenvalue"}
```

Note the space between `"token_type"` and `"accesstokenvalue"`

1.4. General Response Format

For responses, the PPH return *HttpResponseMessage* and use the *StatusCode* property of the same to indicate a success or failure of the request. The payload/response value is contained within the Content property of the response.

For successful response, HTTP status code is “200” or “OK” and the opposite is true for a failed response. In case of a failed response, the content property contains the following structure:

```
{  
    "Code": integer denoting what kind of failure this is  
    "Message": Brief information about the failure  
    "Description": In some cases, this includes detailed information about the error  
}
```

1.5. Response Codes

The code part of responses are the following in the table below.

Code	Description
100	Pending
200	Success
300	AuthenticationError
400	MissingParameter
500	SystemError
600	NotFound
700	ValidationError

1.6. API Methods

This section provides details of the RESTFULL API of PPH. The methods calls are made in the form of standard HTTP request using POST. All endpoints require authentication

MoneyGram

1.1 Check country is supported by MoneyGram

Path: GET api/mg/checkcountry/<iso3code>

This method takes the iso3code and returns whether the country is supported by MoneyGram or not.

Example Request

/api/mg/checkcountry/GHA

Response Information

application/json, text/json

Sample:

```
{
  "supported": true,
  "corridors": [
    "MONEYGRAM"
  ]
}
```

Name	Type	Description
supported	boolean	This indicates whether the country is supported by MoneyGram or not.
corridors	Array of Strings	This is the IMT type

From response, it can be determined if country is supported.

1.3 Quotation Request

Path: POST api/mg/quote

Request Formats

application/json, text/json

Sample:

```
{
  "rrn": "8381728234",
  "referenceNumber": "2846528234",
  "mode": "THUNES",
  "transactionType": "C2C",
  "source": {
    "currency": "KES",
    "amount": "7500.00",
    "accountNumber": "0110100205683",
    "additionalProperties": {}
  },
  "destination": {
    "countryCode": "KEN",
    "bicWallet": "BOGGGB21XXX",
    "currency": "USD",
    "amount": "30.00",
    "accountNumber": "DE05975683053163247100",
    "sortCode": "",
    "bankAccountType": "",
    "bankCode": "",
    "receivingBankName": "BOUSSARD AND GAVAUDAN GESTION",
    "additionalProperties": {}
  },
  "status": "CREATED",
  "responseCode": "00",
  "responseDesc": "A quotation to All Banks / GBR / UK Faster Payment",
  "transactionId": "19214315",
  "channel": "WEBB_APP",
  "charge": {
    "amount": "1000.00",
    "currency": "KES",
    "additionalProperties": {}
  },
  "thunesFees": {
    "amount": "1.5",
    "currency": "USD",
    "additionalProperties": {}
  },
  "signature":
    "pBl/m3f48KtsAlr13sDoIcYrgSb0zmhnNwFsbEHBaA6990HNaaNx8OxqQNahRPZQrAMkFW1Z6KgbOMiIVO1X
    Zu3uYI5QB3zzRnivxlMAdMRU+rtbhmSxBgmbm/fm97+jSRjH0wSH5SQjBalZBYJW6hctHwMbmhHRp8CKXUxLH
    dmQXj95b4CzXjVskdlyez6hk7mynJJTnTL8otB25fPRnEho/TCjLqyF4U1R2anVsl8ss1s5eTmEj8gX/SAmWQ
```

```
CyHIWjjn97KRWhW3a92ZypLufwmolc9n3bMlJMsBYpNZJSUtfJ5MPHzPgps/lnyoBtsJzB9Iggkqrx4FMdym0
U4Q==",
  "providerGL": "0541100405807",
  "payerName": "All Banks / GBR / UK Faster Payment",
  "additionalProperties": {}
}
```

Name	Type	Description
destination.countryCode	string	Iso3 country code. This is retrieved from country check API response
destination.amount	string	This is the amount for the transaction

Response Information

application/json, text/json

```
{
  "rrn": "8381728234",
  "referenceNumber": "2846528234",
  "mode": "MONEYGRAM",
  "transactionType": "C2C",
  "source": {
    "bankId": null,
    "currency": "KES",
    "amount": "7500.00",
    "accountNumber": "0110100205683",
    "additionalProperties": {}
  },
  "destination": {
    "countryCode": "KEN",
    "bicWallet": "BOGGGB21XXX",
    "currency": "USD",
    "amount": "30.00",
    "accountNumber": "DE05975683053163247100",
    "sortCode": "",
    "bankAccountType": "",
    "bankCode": "",
    "receivingBankName": "BOUSSARD AND GAVAUDAN GESTION",
    "additionalProperties": {}
  },
}
```

```

"status": "CREATED",
"responseCode": "00",
"responseDesc": "A quotation to KEN",
"transactionId": "2846528234",
"channel": "WEBB_APP",
"charge": null,
"thunesFees": null,
"signature":
"pB1/m3f48KtsA1r13sDoIcYrgSb0zmhnNwFsbEHBaA6990HNaaNx80xqQNahRPZQrAMkfw1Z
6Kgb0MiIV01XZu3uYI5QB3zzRnivxlMAdMRU+rtbhmSxBgmbm/fM97+jSRjH0wSH5SQjBalZB
YJW6hctHwMbmhHRp8CKXUxLHdmQXj95b4CzXjVskd1yez6hk7mynJJTnTL8otB25fPRnEho/T
CjLqyF4U1R2anVsl8ss1s5eTmEj8gX/SAmWQCyHIwjn97KRWhW3a92ZypLufwmo1c9n3bM1J
MsBYpNZJSUtfJ5MPHzPgps/lnoyBtsJzB9Iggkqrx4FMdym0U4Q==",
"providerGL": null,
"payerName": null,
"additionalProperties": null,
"mgFeeLookUpRes": {
  "feeInfo": [
    {
      "validReceiveAmount": 4330.0,
      "validReceiveCurrency": "KES",
      "validExchangeRate": 144.342,
      "estimatedReceiveAmount": 0.0,
      "estimatedReceiveAmountSpecified": true,
      "estimatedReceiveCurrency": null,
      "estimatedExchangeRate": 0.0,
      "estimatedExchangeRateSpecified": true,
      "totalAmount": 35.81,
      "receiveCountry": "KEN",
      "deliveryOption": "WILL_CALL",
      "receiveAmountAltered": false,
      "receiveAmountAlteredSpecified": true,
      "speedOfDeliveryText": null,
      "saLimitAvailableSpecified": false,
      "revisedInformationalFee": false,
      "revisedInformationalFeeSpecified": true,
      "deliveryOptId": "0",
      "deliveryOptDisplayName": "10 Minute Service",
      "regAuthText": null,
      "receiveAgentID": null,
      "receiveAgentName": null,
      "receiveAgentAbbreviation": null,
      "mgManaged": null,
      "disclosureText": null,
      "mgiTransactionSessionID":
"1677371E1171691499162756107993NN",
      "sendAmountAltered": false,
      "additionalInfoText": null,

```



```
"promotionInfo": null,
"sendAmounts": {
  "sendAmount": 30.0,
  "sendAmountSpecified": true,
  "sendCurrency": "USD",
  "totalSendFees": 5.0,
  "totalSendFeesSpecified": true,
  "totalDiscountAmount": 0.0,
  "totalDiscountAmountSpecified": true,
  "totalSendTaxes": 0.81,
  "totalSendTaxesSpecified": true,
  "totalAmountToCollect": 35.81,
  "totalAmountToCollectSpecified": true,
  "detailSendAmounts": [
    {
      "amountType": "mgiNonDiscountedSendFee",
      "amount": 5.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "discountedMgiSendFee",
      "amount": 5.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType":
"totalMgiCollectedFeesAndTaxes",
      "amount": 5.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalNonDiscountedFees",
      "amount": 5.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalAmountToMgi",
      "amount": 35.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalSendFeesAndTaxes",
      "amount": 5.81,
```

```

    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "originalMgiSendFeeInclTax",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountrySendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiStateSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountyCitySendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiTotalSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalNonMgiSendFeesAndTaxes",
    "amount": 0.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendFaceTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendTax",
    "amount": 0.0,

```

```

        "amountSpecified": true,
        "amountCurrency": "USD"
    },
    {
        "amountType": "nonMgiSendTax",
        "amount": 0.81,
        "amountSpecified": true,
        "amountCurrency": "USD"
    },
    {
        "amountType": "nonMgiSendFee",
        "amount": 0.0,
        "amountSpecified": true,
        "amountCurrency": "USD"
    }
]
},
"receiveAmounts": {
    "receiveAmount": 4330.0,
    "receiveAmountSpecified": true,
    "receiveCurrency": "KES",
    "validCurrencyIndicator": true,
    "validCurrencyIndicatorSpecified": true,
    "payoutCurrency": "KES",
    "totalReceiveFees": 0.0,
    "totalReceiveFeesSpecified": true,
    "totalReceiveTaxes": 0.0,
    "totalReceiveTaxesSpecified": true,
    "totalReceiveAmount": 4330.0,
    "totalReceiveAmountSpecified": true,
    "receiveFeesAreEstimated": false,
    "receiveTaxesAreEstimated": false,
    "detailEstimatedReceiveAmounts": [
        {
            "amountType": "mgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "nonMgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "mgiReceiveTax",
            "amount": 0.0,

```

```

        "amountSpecified": true,
        "amountCurrency": "KES"
    },
    {
        "amountType": "nonMgiReceiveTax",
        "amount": 0.0,
        "amountSpecified": true,
        "amountCurrency": "KES"
    }
]
}
},
{
    "validReceiveAmount": 4330.0,
    "validReceiveCurrency": "KES",
    "validExchangeRate": 144.342,
    "estimatedReceiveAmount": 0.0,
    "estimatedReceiveAmountSpecified": true,
    "estimatedReceiveCurrency": null,
    "estimatedExchangeRate": 0.0,
    "estimatedExchangeRateSpecified": true,
    "totalAmount": 35.81,
    "receiveCountry": "KEN",
    "deliveryOption": "BANK_DEPOSIT",
    "receiveAmountAltered": false,
    "receiveAmountAlteredSpecified": true,
    "speedOfDeliveryText": null,
    "saLimitAvailableSpecified": false,
    "revisedInformationalFee": false,
    "revisedInformationalFeeSpecified": true,
    "deliveryOptId": "10",
    "deliveryOptDisplayName": "Account Deposit",
    "regAuthText": null,
    "receiveAgentID": "72940648",
    "receiveAgentName": "THUNES",
    "receiveAgentAbbreviation": "Thunes Ken",
    "mgManaged": "required",
    "disclosureText": null,
    "mgiTransactionSessionID":
"1677371E1171691499162440181512NN",
    "sendAmountAltered": false,
    "additionalInfoText": null,
    "promotionInfo": null,
    "sendAmounts": {
        "sendAmount": 30.0,
        "sendAmountSpecified": true,
        "sendCurrency": "USD",
        "totalSendFees": 5.0,
    }
}

```

```

"totalSendFeesSpecified": true,
"totalDiscountAmount": 0.0,
"totalDiscountAmountSpecified": true,
"totalSendTaxes": 0.81,
"totalSendTaxesSpecified": true,
"totalAmountToCollect": 35.81,
"totalAmountToCollectSpecified": true,
"detailSendAmounts": [
  {
    "amountType": "mgiNonDiscountedSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "discountedMgiSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType":
"totalMgiCollectedFeesAndTaxes",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalNonDiscountedFees",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalAmountToMgi",
    "amount": 35.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalSendFeesAndTaxes",
    "amount": 5.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "originalMgiSendFeeInclTax",
    "amount": 5.0,

```

```

    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountrySendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiStateSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountyCitySendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiTotalSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalNonMgiSendFeesAndTaxes",
    "amount": 0.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendFaceTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "nonMgiSendTax",
    "amount": 0.81,

```

```

        "amountSpecified": true,
        "amountCurrency": "USD"
    },
    {
        "amountType": "nonMgiSendFee",
        "amount": 0.0,
        "amountSpecified": true,
        "amountCurrency": "USD"
    }
]
},
"receiveAmounts": {
    "receiveAmount": 4330.0,
    "receiveAmountSpecified": true,
    "receiveCurrency": "KES",
    "validCurrencyIndicator": true,
    "validCurrencyIndicatorSpecified": true,
    "payoutCurrency": "KES",
    "totalReceiveFees": 0.0,
    "totalReceiveFeesSpecified": true,
    "totalReceiveTaxes": 0.0,
    "totalReceiveTaxesSpecified": true,
    "totalReceiveAmount": 4330.0,
    "totalReceiveAmountSpecified": true,
    "receiveFeesAreEstimated": false,
    "receiveTaxesAreEstimated": false,
    "detailEstimatedReceiveAmounts": [
        {
            "amountType": "mgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "nonMgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "mgiReceiveTax",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "nonMgiReceiveTax",
            "amount": 0.0,

```

```
        "amountSpecified": true,
        "amountCurrency": "KES"
      }
    ]
  },
  {
    "validReceiveAmount": 4330.0,
    "validReceiveCurrency": "KES",
    "validExchangeRate": 144.342,
    "estimatedReceiveAmount": 0.0,
    "estimatedReceiveAmountSpecified": true,
    "estimatedReceiveCurrency": null,
    "estimatedExchangeRate": 0.0,
    "estimatedExchangeRateSpecified": true,
    "totalAmount": 35.81,
    "receiveCountry": "KEN",
    "deliveryOption": "DIRECT_TO_ACCT",
    "receiveAmountAltered": false,
    "receiveAmountAlteredSpecified": true,
    "speedOfDeliveryText": null,
    "saLimitAvailableSpecified": false,
    "revisedInformationalFee": false,
    "revisedInformationalFeeSpecified": true,
    "deliveryOptId": "19",
    "deliveryOptDisplayName": "Send to Wallet",
    "regAuthText": null,
    "receiveAgentID": "72662298",
    "receiveAgentName": "THUNES",
    "receiveAgentAbbreviation": "Wallets",
    "mgManaged": "required",
    "disclosureText": null,
    "mgiTransactionSessionID":
"1677371E1171691499162756107929NN",
    "sendAmountAltered": false,
    "additionalInfoText": null,
    "promotionInfo": null,
    "sendAmounts": {
      "sendAmount": 30.0,
      "sendAmountSpecified": true,
      "sendCurrency": "USD",
      "totalSendFees": 5.0,
      "totalSendFeesSpecified": true,
      "totalDiscountAmount": 0.0,
      "totalDiscountAmountSpecified": true,
      "totalSendTaxes": 0.81,
      "totalSendTaxesSpecified": true,
      "totalAmountToCollect": 35.81,
```



```

"totalAmountToCollectSpecified": true,
"detailSendAmounts": [
  {
    "amountType": "mgiNonDiscountedSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "discountedMgiSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType":
"totalMgiCollectedFeesAndTaxes",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalNonDiscountedFees",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalAmountToMgi",
    "amount": 35.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalSendFeesAndTaxes",
    "amount": 5.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "originalMgiSendFeeInclTax",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountrySendFeeTax",
    "amount": 0.0,

```

```

    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiStateSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiCountyCitySendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiTotalSendFeeTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalNonMgiSendFeesAndTaxes",
    "amount": 0.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendFaceTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "nonMgiSendTax",
    "amount": 0.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "nonMgiSendFee",
    "amount": 0.0,

```

```

        "amountSpecified": true,
        "amountCurrency": "USD"
    }
]
},
"receiveAmounts": {
    "receiveAmount": 4330.0,
    "receiveAmountSpecified": true,
    "receiveCurrency": "KES",
    "validCurrencyIndicator": true,
    "validCurrencyIndicatorSpecified": true,
    "payoutCurrency": "KES",
    "totalReceiveFees": 0.0,
    "totalReceiveFeesSpecified": true,
    "totalReceiveTaxes": 0.0,
    "totalReceiveTaxesSpecified": true,
    "totalReceiveAmount": 4330.0,
    "totalReceiveAmountSpecified": true,
    "receiveFeesAreEstimated": false,
    "receiveTaxesAreEstimated": false,
    "detailEstimatedReceiveAmounts": [
        {
            "amountType": "mgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "nonMgiReceiveFee",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "mgiReceiveTax",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        },
        {
            "amountType": "nonMgiReceiveTax",
            "amount": 0.0,
            "amountSpecified": true,
            "amountCurrency": "KES"
        }
    ]
}
}

```

```

    ],
    "doCheckIn": false,
    "timeStamp": "2024-05-28T16:49:51.529+00:00",
    "flags": 0
  }
}

```

Name	Type	Description
mgFeeLookUpRes.feeInfo[<>].deliveryOption	string	The various delivery options are WILL_CALL - This is for cash DIRECT_TO_ACCT - This is for mobile wallet transfer BANK_DEPOSIT - This if for bank deposit transfer
mgFeeLookUpRes.feeInfo[<>].deliveryOptDisplayName	string	The displayName for the delivery option
mgFeeLookUpRes.feeInfo[<>].sendAmounts.sendCurrency	string	This is the sending currency
mgFeeLookUpRes.feeInfo[<>].validReceiveCurrency	string	This is the receiving currency
mgFeeLookUpRes.feeInfo[<>].receiveAgentID	string	This is the receiveagentId for the particular delivery option
mgFeeLookUpRes.feeInfo[<>].mgiTransactionSessionID	string	This is the transaction id from MoneyGram for the initiated transaction
mgFeeLookUpRes.feeInfo[<>].sendAmounts.sendAmount	decimal	This is the amount being sent

mgFeeLookupRes.feeInfo[<>].validReceiveAmount	decimal	This is the amount to be received
mgFeeLookupRes.feeInfo[<>].validExchangeRate	decimal	This is the exchange rate applicable for the transaction
mgFeeLookupRes.feeInfo[<>].sendAmounts.totalSendFees	decimal	Total sending fees
mgFeeLookupRes.feeInfo[<>].sendAmounts.totalSendTaxes	decimal	Total sending taxes
mgFeeLookupRes.feeInfo[<>].receiveAmounts.totalReceiveFees	decimal	Total receiving fees
mgFeeLookupRes.feeInfo[<>].receiveAmounts.totalReceiveTaxes	decimal	Total receiving taxes

1.4. Get Fields For Transaction

Path: POST api/mg/getfieldsfortransaction

This method gets a list of moneygram fields and details that are needed for transaction to a particular country and for a specific delivery options.

Request Formats

application/json, text/json

Sample:

```
{
  "iso3ReceiveCountryCode": "GHA",
  "deliveryOption": "DIRECT_TO_ACCT",
  "receiveCurrency": "GHS",
  "amount": "20",
  "receiveAgentID": "71615181",
  "language": "EN"
}
```

Name	Type	Description
iso3ReceiveCountryCode	string	This is the iso 3 country code for the receiving country
deliveryOption	string	This is the delivery option for the transaction. It comes as part of the response for 'getinfofortransaction' API call.
receiveCurrency	string	This is the receiving currency. It is retrieved from the 'getinfofortransaction' API call. The validReceiveCurrency field in the response.
receiveAgentID	string	This is the receiveagentId for the particular delivery option. It is retrieved from the 'getinfofortransaction' API call.
language	string	This is the language to receive the labels of the data from MoneyGram for the fields necessary for the initiated transaction. Values are 'EN' or 'FR'
amount	string	This is the sending amount for the transaction.

Response Information

application/json, text/json

Sample:

Fields that have visibility 1 are required.

```
{
  "fqdInfo": {
    "receiveCountry": "GHA",
    "deliveryOption": "DIRECT_TO_ACCT",
    "receiveAgentID": "71615181",
    "receiveCurrency": "GHS",
```

```
"receiveAgentName": null,
"receiveAgentAbbreviation": null,
"deliveryOptionDisplayName": "Send to Wallet",
"registrationAuthorizationText": null,
"speedOfDeliveryText": null
},
"productFieldInfo": [
  {
    "xmlTag": "operatorName",
    "visibility": 2,
    "fieldLabel": "Agent Operator Name",
    "displayOrder": 1,
    "displayOrderSpecified": true,
    "fieldCategory": "Operational",
    "fieldCategoryLabel": null,
    "dynamic": false,
    "dynamicSpecified": true,
    "fieldMax": 80,
    "fieldMin": 0,
    "dataType": 1,
    "enumerated": false,
    "enumeratedSpecified": true,
    "defaultValue": "",
    "validationRegEx": null,
    "arrayName": "",
    "arrayLength": -1,
    "arrayLengthSpecified": true,
    "exampleFormat": "",
    "enumeratedValues": []
  },
],
```

```
{  
  "xmlTag": "pcTerminalNumber",  
  "visibility": 2,  
  "fieldLabel": "PC Terminal Number",  
  "displayOrder": 2,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 10,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "consumerId",  
  "visibility": 0,  
  "fieldLabel": "Consumer ID",  
  "displayOrder": 3,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",
```



```
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 20,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "mgiTransactionSessionID",  
  "visibility": 0,  
  "fieldLabel": "Transaction Session ID",  
  "displayOrder": 7,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 32,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,
```

```
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "formFreeStaging",  
  "visibility": 0,  
  "fieldLabel": "FormFree Transaction",  
  "displayOrder": 8,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 5,  
  "fieldMin": 0,  
  "dataType": 0,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",
```

```
"enumeratedValues": []
},
{
  "xmlTag": "timeToLive",
  "visibility": 2,
  "fieldLabel": "Seconds Until Transaction Committed",
  "displayOrder": 9,
  "displayOrderSpecified": true,
  "fieldCategory": "Operational",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 2,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "primaryReceiptLanguage",
  "visibility": 2,
  "fieldLabel": "Primary Receipt Language",
  "displayOrder": 10,
```

```
"displayOrderSpecified": true,  
"fieldCategory": "Operational",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 3,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "secondaryReceiptLanguage",  
  "visibility": 2,  
  "fieldLabel": "Secondary Receipt Language",  
  "displayOrder": 11,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 0,
```

```
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "agentUseSendData",  
  "visibility": 2,  
  "fieldLabel": "Agent Send Data",  
  "displayOrder": 12,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 200,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,
```

```
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "agentTransactionId",  
  "visibility": 2,  
  "fieldLabel": "Agent Transaction ID",  
  "displayOrder": 13,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "destinationCountry",  
  "visibility": 0,
```

```
"fieldLabel": "Destination Country",
"displayOrder": 14,
"displayOrderSpecified": true,
"fieldCategory": "Operational",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 3,
"dataType": 8,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "agentCustomerNumber",
  "visibility": 2,
  "fieldLabel": "Agent Customer Number",
  "displayOrder": 15,
  "displayOrderSpecified": true,
  "fieldCategory": "Operational",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
```

```
"fieldMax": 25,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "deliveryOption",  
  "visibility": 0,  
  "fieldLabel": "Service Option",  
  "displayOrder": 21,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 15,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,
```



```
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "promoCode",
  "visibility": 1,
  "fieldLabel": "Promotional Code",
  "displayOrder": 23,
  "displayOrderSpecified": true,
  "fieldCategory": "Operational",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 20,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "promoCodeValues",
  "arrayLength": 1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
```

```
"xmlTag": "agentStagingChannel",
"visibility": 2,
"fieldLabel": "Agent Staging Channel",
"displayOrder": 24,
"displayOrderSpecified": true,
"fieldCategory": "Operational",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 0,
"dataType": 9,
"enumerated": true,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "ATM",
    "label": "ATM"
  },
  {
    "value": "CALL_CENTER",
    "label": "Call Center"
  },
  {
```

```
    "value": "KIOSK",
    "label": "Kiosk"
  },
  {
    "value": "LOCATION",
    "label": "Location (B&M)"
  },
  {
    "value": "MOBILE",
    "label": "Mobile"
  },
  {
    "value": "SYSTEM",
    "label": "System"
  },
  {
    "value": "WEB",
    "label": "Web"
  },
  {
    "value": "TABLET",
    "label": "Tablet"
  }
]
},
{
  "xmlTag": "senderFirstNameNotAvailable",
  "visibility": 2,
  "fieldLabel": "Sender First/Given Name Not Available",
  "displayOrder": 2,
```

```
"displayOrderSpecified": true,  
"fieldCategory": "Sender Information",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 5,  
"fieldMin": 0,  
"dataType": 0,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderMiddleName",  
  "visibility": 1,  
  "fieldLabel": "Sender Middle Name",  
  "displayOrder": 3,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Sender Information",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,
```

```
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegex": "^[a-zA-Z \\À-\\à\\-\\'\\V])*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderLastName2",
  "visibility": 1,
  "fieldLabel": "Sender Second Last/Family Name",
  "displayOrder": 5,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 1,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegex": "^[a-zA-Z \\À-\\à\\-\\'\\V])*$",
  "arrayName": "",
  "arrayLength": -1,
```

```
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderNameSuffix",
  "visibility": 2,
  "fieldLabel": "Sender Name Suffix",
  "displayOrder": 6,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 9,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": [
    {
      "value": "--",
      "label": "--"
    }
  ],
```

```
{
  "value": "I",
  "label": "I"
},
{
  "value": "II",
  "label": "II"
},
{
  "value": "III",
  "label": "III"
},
{
  "value": "IV",
  "label": "IV"
},
{
  "value": "V",
  "label": "V"
},
{
  "value": "JR",
  "label": "Jr."
},
{
  "value": "SR",
  "label": "Sr."
}
]
},
```

```
{
  "xmlTag": "senderAddress3",
  "visibility": 2,
  "fieldLabel": "Sender Street Address 3",
  "displayOrder": 10,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 80,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[a-zA-Z0-9 \\À-\\à\\#\\V\\\\.\\|\\'\\\"\\'\\(\\)\\-\\-]*$",
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderHomePhoneCountryCode",
  "visibility": 0,
  "fieldLabel": "Sender Phone Country Code",
  "displayOrder": 15,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
```



```
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 3,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderHomePhoneNotAvailable",  
  "visibility": 2,  
  "fieldLabel": "Sender Phone Not Available",  
  "displayOrder": 17,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Sender Information",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 5,  
  "fieldMin": 0,  
  "dataType": 0,  
  "enumerated": false,
```



```
"enumeratedValues": []
},
{
  "xmlTag": "senderBirthState",
  "visibility": 2,
  "fieldLabel": "Sender Birth State",
  "displayOrder": 24,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 20,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderGender",
  "visibility": 1,
  "fieldLabel": "Sender Gender",
  "displayOrder": 27,
```

```
"displayOrderSpecified": true,  
"fieldCategory": "Sender Information",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 30,  
"fieldMin": 0,  
"dataType": 9,  
"enumerated": true,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": [  
  {  
    "value": "MALE",  
    "label": "Male"  
  },  
  {  
    "value": "FEMALE",  
    "label": "Female"  
  },  
  {  
    "value": "UNKNOWN",  
    "label": "Not Known / Not Given"  
  }  
]
```

```
},  
{  
  "xmlTag": "mgiRewardsNumber",  
  "visibility": 2,  
  "fieldLabel": "MoneyGram Plus Number",  
  "displayOrder": 1,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Loyalty",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": "^[0-9]*$",  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "senderPhotoIdCity",  
  "visibility": 2,  
  "fieldLabel": "Sender Photo ID Issue City",  
  "displayOrder": 5,  
  "displayOrderSpecified": true,
```

```

"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 20,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[a-zA-Z \\À-\\Æ\\#\\/\\.\\\\\\\"\\'\\\\\\(\\\\\\)\\\\-]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
"xmlTag": "senderLegalIdIssueCountry",
"visibility": 2,
"fieldLabel": "Sender Secondary ID Issue Country",
"displayOrder": 15,
"displayOrderSpecified": true,
"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 3,
"dataType": 8,

```

```
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdState",
  "visibility": 2,
  "fieldLabel": "Sender Secondary ID State",
  "displayOrder": 16,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
```

```
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdIssueMonth",
  "visibility": 2,
  "fieldLabel": "Sender Secondary ID Issue Month",
  "displayOrder": 17,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[0-9]*$",
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdIssueDay",
  "visibility": 2,
  "fieldLabel": "Sender Secondary ID Issue Day",
```



```
"displayOrder": 18,  
"displayOrderSpecified": true,  
"fieldCategory": "Compliance Info",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 2,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": "^[0-9]*$",  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderLegalIdIssueYear",  
  "visibility": 2,  
  "fieldLabel": "Sender Secondary ID Issue Year",  
  "displayOrder": 19,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 4,
```

```
"fieldMin": 4,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": "^[0-9]*$",  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderLegalIdIssueAuthority",  
  "visibility": 2,  
  "fieldLabel": "senderLegalIdIssueAuthority",  
  "displayOrder": 20,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 30,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",
```

```
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdExpirationMonth",
  "visibility": 2,
  "fieldLabel": "Sender Secondary ID Expiry Month",
  "displayOrder": 21,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[0-9]*$",
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdExpirationYear",
```

```
"visibility": 2,  
"fieldLabel": "Sender Secondary ID Expiry Year",  
"displayOrder": 23,  
"displayOrderSpecified": true,  
"fieldCategory": "Compliance Info",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 4,  
"fieldMin": 4,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": "^[0-9]*$",  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderLegalIdExpirationDay",  
  "visibility": 2,  
  "fieldLabel": "Sender Secondary ID Expiry Day",  
  "displayOrder": 22,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,
```

```
"dynamicSpecified": true,  
"fieldMax": 2,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": "^[0-9]*$",  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderCitizenshipCountry",  
  "visibility": 1,  
  "fieldLabel": "Sender Country of Citizenship",  
  "displayOrder": 24,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 3,  
  "dataType": 8,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",
```

```
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderCitizenshipAtBirthCountry",  
  "visibility": 2,  
  "fieldLabel": "Sender Citizenship at Birth",  
  "displayOrder": 25,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 3,  
  "dataType": 8,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},
```

```
{  
  "xmlTag": "senderDualCitizenshipCountry",  
  "visibility": 2,  
  "fieldLabel": "Sender Dual Citizenship Country",  
  "displayOrder": 26,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 3,  
  "dataType": 8,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": -1,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
  
{  
  "xmlTag": "sendPurposeOfTransaction",  
  "visibility": 0,  
  "fieldLabel": "Purpose of Transaction",  
  "displayOrder": 29,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",
```

```
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 30,  
"fieldMin": 0,  
"dataType": 9,  
"enumerated": true,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": [  
  {  
    "value": "BUSINESS_EXPENSE",  
    "label": "Business Expense"  
  },  
  {  
    "value": "DONATION",  
    "label": "Donation"  
  },  
  {  
    "value": "EDUCATION_TRAIN",  
    "label": "Education"  
  },  
  {  
    "value": "GIFT",  
    "label": "Gift"
```



```
},  
  
{  
  "value": "INVEST_SAVING",  
  "label": "Investment"  
},  
  
{  
  "value": "LEGAL_OBLIGATION",  
  "label": "Legal Obligation"  
},  
  
{  
  "value": "LOAN",  
  "label": "Loan"  
},  
  
{  
  "value": "TRAVEL_EXPENSES",  
  "label": "Travel Expenses"  
},  
  
{  
  "value": "BILLS",  
  "label": "Bills"  
},  
  
{  
  "value": "FOOD",  
  "label": "Food"  
},  
  
{  
  "value": "MEDICAL",  
  "label": "Medical Expenses"  
},  
  
{
```

```
    "value": "PURCHASE_GOODS",
    "label": "Payment for Goods/Services"
  },
  {
    "value": "PERSONAL_USE",
    "label": "Personal Need/Expense"
  },
  {
    "value": "SALARY",
    "label": "Salary"
  }
]
},
{
  "xmlTag": "sourceOfFunds",
  "visibility": 1,
  "fieldLabel": "Source of Funds",
  "displayOrder": 31,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 9,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
```

```
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "LOAN",
    "label": "Loan"
  },
  {
    "value": "SAVINGS",
    "label": "Savings"
  },
  {
    "value": "SALE_OF_PROPERTY",
    "label": "Sale of Property"
  },
  {
    "value": "SALARY_EMPLOY",
    "label": "Salary"
  },
  {
    "value": "FAMILY_FUNDS",
    "label": "Family Funds"
  },
  {
    "value": "INHERITANCE",
    "label": "Inheritance"
  },
  {
```

```
    "value": "LOTTERY_GAMBLING",
    "label": "Lottery/Gambling"
  },
  {
    "value": "PENSION",
    "label": "Pension"
  },
  {
    "value": "SOCIAL_BENEFITS",
    "label": "Social Benefits"
  },
  {
    "value": "THIRD_PARTY",
    "label": "Third Party"
  }
]
},
{
  "xmlTag": "sourceOfFundsOther",
  "visibility": 2,
  "fieldLabel": "Other Source of Funds",
  "displayOrder": 32,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 2,
  "dataType": 1,
```

```
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[a-zA-Z \\À-\\ŀ]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "paymentTenderedType",
  "visibility": 2,
  "fieldLabel": "Expected Payment Method",
  "displayOrder": 33,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 20,
  "fieldMin": 0,
  "dataType": 9,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
```

```
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "CA",
    "label": "Cash"
  },
  {
    "value": "CC",
    "label": "Credit Card"
  },
  {
    "value": "DC",
    "label": "Debit Card"
  },
  {
    "value": "PC",
    "label": "Prepaid Card"
  },
  {
    "value": "CHK",
    "label": "Check"
  },
  {
    "value": "EFT",
    "label": "Electronic Funds Transfer"
  },
  {
    "value": "WAL",
    "label": "Digital Wallet"
  },
]
```

```
{
  "value": "UK",
  "label": "Other Non-Cash"
}
]
},
{
  "xmlTag": "proofOfFunds",
  "visibility": 1,
  "fieldLabel": "Proof of Funds",
  "displayOrder": 34,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 9,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": [
    {
      "value": "ACT_OF_ATTORNEY",
```

```
"label": "Act of Attorney"
},
{
  "value": "BANK_STATEMENT",
  "label": "Bank account statement/withdrawl slip"
},
{
  "value": "NATIONAL_LOTTERY",
  "label": "Copy of Check"
},
{
  "value": "PAYROLL_SLIP",
  "label": "Payroll slip"
},
{
  "value": "SALE_CERTIFICATE",
  "label": "Sales certificate"
},
{
  "value": "TAX_NOTICE",
  "label": "Income Tax Notice"
}
]
},
{
  "xmlTag": "proofOfFundsOther",
  "visibility": 2,
  "fieldLabel": "Other Proof of Funds",
  "displayOrder": 35,
  "displayOrderSpecified": true,
```



```
"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 30,
"fieldMin": 2,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[a-zA-Z \\À-\\I]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "relationshipToReceiver",
  "visibility": 1,
  "fieldLabel": "Relationship to Receiver",
  "displayOrder": 36,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 9,
```

```
"enumerated": true,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "ACQUAINTANCE",
    "label": "Acquaintance"
  },
  {
    "value": "BUSINESS_PARTNER",
    "label": "Business Partner"
  },
  {
    "value": "CLIENT",
    "label": "Client"
  },
  {
    "value": "EMPLOY_EMPLOYER",
    "label": "Employee"
  },
  {
    "value": "FAMILY",
    "label": "Family Member"
  },
  {
```

```
"value": "FRIEND",
"label": "Close Friend"
},
{
  "value": "CONTRACTOR",
  "label": "Contractor"
},
{
  "value": "EMPLOYER",
  "label": "Employer"
},
{
  "value": "MYSELF",
  "label": "Myself"
},
{
  "value": "ONLINE_FRIEND",
  "label": "Online Friend"
},
{
  "value": "THIRD_PARTY",
  "label": "Third Party"
},
{
  "value": "VENDOR",
  "label": "Vendor"
}
]
},
{
```

```
"xmlTag": "senderIntendedUseOfMGIServices",
"visibility": 1,
"fieldLabel": "Why do you typically use MoneyGram?",
"displayOrder": 73,
"displayOrderSpecified": true,
"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 30,
"fieldMin": 0,
"dataType": 9,
"enumerated": true,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "BUSINESS_RELATED",
    "label": "Business-Related"
  },
  {
    "value": "CHARITY_SUPPORT",
    "label": "Charity Support"
  },
  {
```

```
    "value": "FAMILY_FRIENDS_SUPPORT",
    "label": "Family/Friend Support"
  },
  {
    "value": "THIRD_PARTY",
    "label": "Third Party"
  }
]
},
{
  "xmlTag": "destinationState",
  "visibility": 2,
  "fieldLabel": "Destination State",
  "displayOrder": 1,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
```

```
"enumeratedValues": []
},
{
  "xmlTag": "receiverFirstNameNotAvailable",
  "visibility": 2,
  "fieldLabel": "Receiver First/Given Name Not Available",
  "displayOrder": 3,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "receiverNameSuffix",
  "visibility": 2,
  "fieldLabel": "Receiver Name Suffix",
  "displayOrder": 7,
```

```
"displayOrderSpecified": true,  
"fieldCategory": "Destination Information",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 20,  
"fieldMin": 0,  
"dataType": 9,  
"enumerated": true,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": [  
  {  
    "value": "--",  
    "label": "--"  
  },  
  {  
    "value": "I",  
    "label": "I"  
  },  
  {  
    "value": "II",  
    "label": "II"  
  },  
  {
```

```
        "value": "III",
        "label": "III"
    },
    {
        "value": "IV",
        "label": "IV"
    },
    {
        "value": "V",
        "label": "V"
    },
    {
        "value": "JR",
        "label": "Jr."
    },
    {
        "value": "SR",
        "label": "Sr."
    }
]
},
{
    "xmlTag": "receiverEmail",
    "visibility": 1,
    "fieldLabel": "Receiver Email Address",
    "displayOrder": 19,
    "displayOrderSpecified": true,
    "fieldCategory": "Destination Information",
    "fieldCategoryLabel": null,
    "dynamic": false,
```



```
"dynamicSpecified": true,
"fieldMax": 60,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^([\\\\\\\\.a-zA-Z0-9_\\\\\\\\-])+@([a-zA-Z0-9_\\\\\\\\-])+([a-zA-Z0-9_\\\\\\\\-
])+[\\\\\\\\.]{1}([a-zA-Z0-9_\\\\\\\\-])+[\\\\\\\\.]?([a-zA-Z0-9_\\\\\\\\-]+)*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderTransactionEmailNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Sender Transaction Email Notification Opt-In",
  "displayOrder": 5,
  "displayOrderSpecified": true,
  "fieldCategory": "Notification",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
  "enumerated": false,
  "enumeratedSpecified": true,
```

```
"defaultValue": "false",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderTransactionSMSNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Sender Transaction SMS Notification Opt-In",
  "displayOrder": 6,
  "displayOrderSpecified": true,
  "fieldCategory": "Notification",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "false",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
```

```
},
{
  "xmlTag": "senderMarketingEmailNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Sender Marketing Email Notification Opt-In",
  "displayOrder": 7,
  "displayOrderSpecified": true,
  "fieldCategory": "Notification",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "false",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderMarketingSMSNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Sender Marketing SMS Notification Opt-In",
  "displayOrder": 8,
  "displayOrderSpecified": true,
```

```
"fieldCategory": "Notification",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 5,
"fieldMin": 0,
"dataType": 0,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "false",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "receiverTransactionEmailNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Receiver Transaction Email Notification Opt-In",
  "displayOrder": 9,
  "displayOrderSpecified": true,
  "fieldCategory": "Notification",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
```

```
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "false",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "receiverTransactionSMSNotificationOptIn",
  "visibility": 1,
  "fieldLabel": "Receiver Transaction SMS Notification Opt-In",
  "displayOrder": 10,
  "displayOrderSpecified": true,
  "fieldCategory": "Notification",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 5,
  "fieldMin": 0,
  "dataType": 0,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "false",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
```

```
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "receiveAgentID",
  "visibility": 0,
  "fieldLabel": "Receive Agent ID",
  "displayOrder": 17,
  "displayOrderSpecified": true,
  "fieldCategory": "Operational",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 8,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": 0,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "receiveCurrency",
  "visibility": 0,
  "fieldLabel": "Receive Currency",
```

```
"displayOrder": 20,
"displayOrderSpecified": true,
"fieldCategory": "Operational",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "receiverMiddleName",
  "visibility": 1,
  "fieldLabel": "Receiver Middle Name",
  "displayOrder": 4,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 20,
```

```
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegex": "^[a-zA-Z \\À-\\à\\-\\'\\V])*$",
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "receiverLastName2",
  "visibility": 1,
  "fieldLabel": "Receiver Second Last/Family Name",
  "displayOrder": 6,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 1,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegex": "^[a-zA-Z \\À-\\à\\-\\'\\V])*$",
  "arrayName": "",
```



```

"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
"xmlTag": "receiverAddress",
"visibility": 2,
"fieldLabel": "Receiver Street Address",
"displayOrder": 9,
"displayOrderSpecified": true,
"fieldCategory": "Destination Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 30,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[a-zA-Z0-9 \\À-\\ŀ\\#\\V\\\\.\\|\\'\\\"\\'\\(\\)\\-])*$",
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
"xmlTag": "receiverAddress3",

```



```
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "receiverCountry",  
  "visibility": 2,  
  "fieldLabel": "Receiver Country",  
  "displayOrder": 14,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Destination Information",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 3,  
  "dataType": 8,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},
```

```
{
  "xmlTag": "receiverZipCode",
  "visibility": 2,
  "fieldLabel": "Receiver ZIP Code",
  "displayOrder": 16,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 10,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[0-9a-zA-Z -]*$",
  "arrayName": "",
  "arrayLength": 0,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "receiverPhone",
  "visibility": 1,
  "fieldLabel": "Receiver Mobile Number",
  "displayOrder": 18,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
```

```
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 14,  
"fieldMin": 5,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "sendCurrency",  
  "visibility": 0,  
  "fieldLabel": "Send Currency",  
  "displayOrder": 19,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 3,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,
```

```
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "amount",  
  "visibility": 0,  
  "fieldLabel": "Amount",  
  "displayOrder": 18,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,  
  "dataType": 3,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",
```

```
"enumeratedValues": []  
},  
{  
  "xmlTag": "feeAmount",  
  "visibility": 1,  
  "fieldLabel": "Fee Amount",  
  "displayOrder": 22,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,  
  "dataType": 3,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "senderAddress",  
  "visibility": 0,  
  "fieldLabel": "Sender Street Address",  
  "displayOrder": 8,
```



```
"displayOrderSpecified": true,
"fieldCategory": "Sender Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 30,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[a-zA-Z0-9 \\À-\\#\\$\\%\\&\\'\\(\\)\\*\\+\\,\\-\\.\\/\\:;\\<\\>\\=\\?\\@\\[\\]\\^_`{|}~\"'()*+,-./:;<br>\"arrayName\": \"\",
\"arrayLength\": 0,
\"arrayLengthSpecified\": true,
\"exampleFormat\": \"\",
\"enumeratedValues\": []
},
{
  \"xmlTag\": \"senderAddress2\",
  \"visibility\": 1,
  \"fieldLabel\": \"Sender Street Address 2\",
  \"displayOrder\": 9,
  \"displayOrderSpecified\": true,
  \"fieldCategory\": \"Sender Information\",
  \"fieldCategoryLabel\": null,
  \"dynamic\": false,
  \"dynamicSpecified\": true,
  \"fieldMax\": 80,
  \"fieldMin\": 0,
```

```
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx":"^([a-zA-Z0-9 \\À-\\ŀ#\\/\\.\\\\\"'\\L\\(\\|\\-])*$",  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
  
{  
"xmlTag": "senderCity",  
"visibility": 0,  
"fieldLabel": "Sender City",  
"displayOrder": 11,  
"displayOrderSpecified": true,  
"fieldCategory": "Sender Information",  
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 20,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx":"^([a-zA-Z \\À-\\ŀ#\\/\\.\\\\\"'\\L\\(\\|\\-])*$",  
"arrayName": "",  
"arrayLength": 0,
```

```
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderState",
  "visibility": 1,
  "fieldLabel": "Sender State",
  "displayOrder": 13,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": 0,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderCountry",
  "visibility": 0,
```

```
"fieldLabel": "Sender Country",
"displayOrder": 12,
"displayOrderSpecified": true,
"fieldCategory": "Sender Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 3,
"dataType": 8,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderZipCode",
  "visibility": 0,
  "fieldLabel": "Sender Zip Code",
  "displayOrder": 14,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
```

```
"fieldMax": 10,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[0-9a-zA-Z -]*$",
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderLegalIdType",
  "visibility": 1,
  "fieldLabel": "Sender Secondary ID Type",
  "displayOrder": 13,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
```

```
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "ALN",
    "label": "Alien ID"
  },
  {
    "value": "INT",
    "label": "International ID"
  },
  {
    "value": "SSN",
    "label": "Social Security Number"
  },
  {
    "value": "TAX",
    "label": "Tax ID"
  }
],
{
  "xmlTag": "senderLegalIdNumber",
  "visibility": 1,
  "fieldLabel": "Sender Secondary ID Number",
  "displayOrder": 14,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
```

```
"fieldCategoryLabel": null,  
"dynamic": false,  
"dynamicSpecified": true,  
"fieldMax": 20,  
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "receiverAddress2",  
  "visibility": 2,  
  "fieldLabel": "Receiver Street Address 2",  
  "displayOrder": 10,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Destination Information",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 80,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,
```



```
"enumeratedValues": []
},
{
  "xmlTag": "receiverLastName",
  "visibility": 0,
  "fieldLabel": "Receiver Last Name",
  "displayOrder": 5,
  "displayOrderSpecified": true,
  "fieldCategory": "Destination Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": 0,
  "arrayLengthSpecified": true,
  "exampleFormat": "Use name on receiver bank statement to avoid error",
  "enumeratedValues": []
},
{
  "xmlTag": "senderHomePhone",
  "visibility": 0,
  "fieldLabel": "Sender Home Phone",
  "displayOrder": 16,
```

```
"displayOrderSpecified": true,
"fieldCategory": "Sender Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 14,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "[0-9]*",
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "1234567890",
"enumeratedValues": []
},
{
  "xmlTag": "senderLastName",
  "visibility": 0,
  "fieldLabel": "Sender Last Name",
  "displayOrder": 4,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
```

```
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "BANKNAME",  
  "visibility": 0,  
  "fieldLabel": "Mobile Wallet",  
  "displayOrder": 1,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Partner Configuration",  
  "fieldCategoryLabel": null,  
  "dynamic": true,  
  "dynamicSpecified": true,  
  "fieldMax": 120,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": true,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,
```

```
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": [  
  {  
    "value": "MTN Mobile Money",  
    "label": "MTN Mobile Money"  
  },  
  {  
    "value": "Airtel Money",  
    "label": "Airtel Money"  
  },  
  {  
    "value": "Tigo Cash",  
    "label": "Tigo Cash"  
  },  
  {  
    "value": "Vodafone Cash",  
    "label": "Vodafone Cash"  
  },  
  {  
    "value": "ZeePay Wallet",  
    "label": "ZeePay Wallet"  
  }  
]  
,  
{  
  "xmlTag": "receiverFirstName",  
  "visibility": 0,  
  "fieldLabel": "Receiver First Name",  
  "displayOrder": 2,
```

```
"displayOrderSpecified": true,
"fieldCategory": "Destination Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 20,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "Use name on receiver bank statement to avoid error",
"enumeratedValues": []
},
{
  "xmlTag": "senderFirstName",
  "visibility": 0,
  "fieldLabel": "Sender First Name",
  "displayOrder": 1,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 20,
  "fieldMin": 0,
```

```
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": 0,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "accountNumber",  
  "visibility": 0,  
  "fieldLabel": "Wallet Account Number or IBAN",  
  "displayOrder": 24,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Destination Information",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 12,  
  "fieldMin": 10,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": "^((233)\\d{7,9})$",  
  "arrayName": "",  
  "arrayLength": 0,
```

```
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "customerReceiveNumber",  
  "visibility": 1,  
  "fieldLabel": "Receiver Registration Number (RRN)",  
  "displayOrder": 16,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Operational",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 20,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "senderOccupationOther",  
  "visibility": 1,
```

```
"fieldLabel": "Sender Other Occupation",
"displayOrder": 26,
"displayOrderSpecified": true,
"fieldCategory": "Sender Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 30,
"fieldMin": 2,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegex": "^[a-zA-Z \\À-\\V\\\\(\\)]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderOccupation",
  "visibility": 0,
  "fieldLabel": "Sender Occupation",
  "displayOrder": 25,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
```



```
"fieldMax": 30,
"fieldMin": 0,
"dataType": 9,
"enumerated": true,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "ADMIN",
    "label": "Administrative"
  },
  {
    "value": "AGRICULTURE",
    "label": "Agriculture"
  },
  {
    "value": "AUTOMOTIVE_SALES",
    "label": "Automotive"
  },
  {
    "value": "BANKING",
    "label": "Financial Services"
  },
  {
    "value": "CLERGY",
```

```
"label": "Religious"
},
{
  "value": "COMPUTER",
  "label": "Information Technology (IT)"
},
{
  "value": "CUSTOMER_CARE",
  "label": "Customer Care/Retail"
},
{
  "value": "EDUCATION",
  "label": "Education"
},
{
  "value": "ENGINEER",
  "label": "Engineer"
},
{
  "value": "FACTORY",
  "label": "Physical Worker"
},
{
  "value": "HEALTH_SERVICES",
  "label": "Healthcare"
},
{
  "value": "PUBLIC_OFFICIAL",
  "label": "Public Servant"
},
},
```

```
{  
  "value": "RESTAURANT",  
  "label": "Restaurant"  
},  
{  
  "value": "RETIRED",  
  "label": "Retiree"  
},  
{  
  "value": "STUDENT",  
  "label": "Student"  
},  
{  
  "value": "UNEMPLOYED",  
  "label": "Unemployed/Homemaker"  
},  
{  
  "value": "CONSULTING",  
  "label": "Consulting"  
},  
{  
  "value": "ENTERTAINMENT",  
  "label": "Entertainment"  
},  
{  
  "value": "EXECUTIVE",  
  "label": "Executive"  
},  
{  
  "value": "EXPLICIT_SERVICES",
```

```
"label": "Explicit Services"
},
{
  "value": "HUMAN_RESOURCES",
  "label": "Human Resources"
},
{
  "value": "LEGAL",
  "label": "Legal"
},
{
  "value": "PERSONAL_SERVICES",
  "label": "Personal Services"
},
{
  "value": "SPORT",
  "label": "Sport"
},
{
  "value": "ENTREPRENEUR",
  "label": "Entrepreneur"
}
]
},
{
  "xmlTag": "senderEmailAddress",
  "visibility": 1,
  "fieldLabel": "Sender Email Address",
  "displayOrder": 20,
  "displayOrderSpecified": true,
```

```
"fieldCategory": "Sender Information",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 60,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderPhotoldExpirationDay",
  "visibility": 1,
  "fieldLabel": "Sender ID Expiry Day",
  "displayOrder": 11,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
```

```
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": "^[0-9]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderPhotoIdExpirationMonth",
  "visibility": 1,
  "fieldLabel": "Sender ID Expiry Month",
  "displayOrder": 10,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
  "fieldMin": 0,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[0-9]*$",
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
```

```
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderPhotoIdExpirationYear",
  "visibility": 1,
  "fieldLabel": "Sender ID Expiry Year",
  "displayOrder": 12,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 4,
  "fieldMin": 4,
  "dataType": 1,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": "^[0-9]*$",
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
},
{
  "xmlTag": "senderPhotoIdIssueDay",
  "visibility": 1,
  "fieldLabel": "Sender ID Issue Day",
```

```
"displayOrder": 7,
"displayOrderSpecified": true,
"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 2,
"fieldMin": 0,
"dataType": 1,
"enumerated": false,
"enumeratedSpecified": true,
"defaultvalue": "",
"validationRegEx": "^[0-9]*$",
"arrayName": "",
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderPhotoIdIssueMonth",
  "visibility": 1,
  "fieldLabel": "Sender ID Issue Month",
  "displayOrder": 6,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 2,
```



```
"fieldMin": 0,  
"dataType": 1,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": "^[0-9]*$",  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderPhotoIdIssueYear",  
  "visibility": 1,  
  "fieldLabel": "Sender ID Issue Year",  
  "displayOrder": 8,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 4,  
  "fieldMin": 4,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": "^[0-9]*$",  
  "arrayName": "",
```

```
"arrayLength": -1,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderPhotoldIssueAuthority",
  "visibility": 1,
  "fieldLabel": "Sender ID Issue Authority",
  "displayOrder": 9,
  "displayOrderSpecified": true,
  "fieldCategory": "Compliance Info",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 9,
  "enumerated": true,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": [
    {
      "value": "AB",
      "label": "Agency or Bureau"
```

```
    },  
    {  
      "value": "CO",  
      "label": "Commissioners Office"  
    },  
    {  
      "value": "CON",  
      "label": "Consulate"  
    },  
    {  
      "value": "COR",  
      "label": "Corporation"  
    },  
    {  
      "value": "EMB",  
      "label": "Embassy"  
    }  
  ]  
},  
{  
  "xmlTag": "senderPhotoIdType",  
  "visibility": 0,  
  "fieldLabel": "Sender ID Type",  
  "displayOrder": 1,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 30,
```

```
"fieldMin": 0,
"dataType": 1,
"enumerated": true,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": [
  {
    "value": "ALN",
    "label": "Alien ID"
  },
  {
    "value": "DRV",
    "label": "Drivers License"
  },
  {
    "value": "GOV",
    "label": "Government ID"
  },
  {
    "value": "PAS",
    "label": "Passport"
  },
  {
    "value": "STA",
    "label": "State ID"
  }
]
```

```
    }  
  ]  
},  
{  
  "xmlTag": "senderPhotoIdNumber",  
  "visibility": 0,  
  "fieldLabel": "Sender ID Number",  
  "displayOrder": 2,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 25,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",  
  "arrayLength": 0,  
  "arrayLengthSpecified": true,  
  "exampleFormat": "",  
  "enumeratedValues": []  
},  
{  
  "xmlTag": "senderPhotoIdCountry",  
  "visibility": 0,  
  "fieldLabel": "Sender ID Country",
```

```
"displayOrder": 3,
"displayOrderSpecified": true,
"fieldCategory": "Compliance Info",
"fieldCategoryLabel": null,
"dynamic": false,
"dynamicSpecified": true,
"fieldMax": 3,
"fieldMin": 3,
"dataType": 8,
"enumerated": false,
"enumeratedSpecified": true,
"defaultValue": "",
"validationRegEx": null,
"arrayName": "",
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderBirthCountry",
  "visibility": 0,
  "fieldLabel": "Sender Birth Country",
  "displayOrder": 23,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 3,
```

```
"fieldMin": 3,  
"dataType": 8,  
"enumerated": false,  
"enumeratedSpecified": true,  
"defaultValue": "",  
"validationRegEx": null,  
"arrayName": "",  
"arrayLength": -1,  
"arrayLengthSpecified": true,  
"exampleFormat": "",  
"enumeratedValues": []  
},  
{  
  "xmlTag": "senderPhotoldState",  
  "visibility": 1,  
  "fieldLabel": "Sender ID State",  
  "displayOrder": 4,  
  "displayOrderSpecified": true,  
  "fieldCategory": "Compliance Info",  
  "fieldCategoryLabel": null,  
  "dynamic": false,  
  "dynamicSpecified": true,  
  "fieldMax": 2,  
  "fieldMin": 0,  
  "dataType": 1,  
  "enumerated": false,  
  "enumeratedSpecified": true,  
  "defaultValue": "",  
  "validationRegEx": null,  
  "arrayName": "",
```

```
"arrayLength": 0,
"arrayLengthSpecified": true,
"exampleFormat": "",
"enumeratedValues": []
},
{
  "xmlTag": "senderDOB",
  "visibility": 0,
  "fieldLabel": "Sender Date of Birth",
  "displayOrder": 21,
  "displayOrderSpecified": true,
  "fieldCategory": "Sender Information",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 30,
  "fieldMin": 0,
  "dataType": 4,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": 0,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
}
],
"dynamicFieldInfo": null,
```



```
"doCheckIn": false,
"timestamp": "2024-05-17T10:39:34.912+00:00",
"flags": 0
}
```

sourceOfFunds, relationshipToReceiver, senderIntendedUseOfMGIServices, sendPurposeOfTransaction are enumerated values received from moneyGram. And these are the values to be selected for these options and sent as part of the requested.

Enumerated values in the response come as a list with values and labels. The labels are displayed to the user for selection and the values are sent when selected. When it is empty, it means the field would not be selected but an input.

Field max and field min show the minimum and maximum length of the field accepted by Moneygram.

Example

```
{
  "xmlTag": "destinationCountry",
  "visibility": 0,
  "fieldLabel": "Destination Country",
  "displayOrder": 14,
  "displayOrderSpecified": true,
  "fieldCategory": "Operational",
  "fieldCategoryLabel": null,
  "dynamic": false,
  "dynamicSpecified": true,
  "fieldMax": 3,
  "fieldMin": 3,
  "dataType": 8,
  "enumerated": false,
  "enumeratedSpecified": true,
  "defaultValue": "",
  "validationRegEx": null,
  "arrayName": "",
  "arrayLength": -1,
  "arrayLengthSpecified": true,
  "exampleFormat": "",
  "enumeratedValues": []
}
```

For destination country field,
Visibility 0 means it is a required field.

fieldmax: 3 means the maximum length should be 3.

fieldmin: 3 means the minimum length should be 3.

enumeratedValues determines if the input is going to be a selection. So the selection values would be in the enumerated values tag.

In this case, it is empty, meaning it is not going to be a list.

1.5. Transaction Request API

Path: POST api/ mg/transaction

Validation is done by MoneyGram for the required fields for the particular transaction. This must pass before the transaction is committed.

Request Formats

application/json, text/json

Name	Type	Description
purposeofpayment	string	This is the sender's purpose of transaction. sendPurposeOfTransaction from MoneyGram must be passed here.
transactionId	string	This is the session id from Moneygram for the transaction. This is returned from the quote API .
source.currency	string	This is the sender's currency
source.amount	string	This is the amount for the transaction.
source.additionalProperties.userId	string	This is the userId of the user performing the transaction
source.additionalProperties.sourceOfFunds	string	This is the source of funds from the transaction. Value to be passed is the value returned from moneygram in the get fields for product response

channelCharges.amount	string	This is the total send fees return from the quote response
Sender.firstName	string	This is the sender's first name
Sender.middleName	string	This is the sender's middle name. Pass null if not required for the specified delivery option and country
Sender.lastName	string	This is the last name of the sender
Sender.mobileNumber	string	This is the mobile number of the sender
Sender.email	string	This is the email of the sender. Leave null if not sending the sender email.
Sender.address.countryCode	string	This is the sender's country. (ISO 3 code)
Sender.address.postalCode	string	This is the sender's zip code
Sender.address.line1	string	This is the sender's address field
Sender.address.line2	string	This is the sender's state field
Sender.address.city	string	This is the sender's city field
Sender.dateOfBirth	string	This is the sender's date of birth
Sender.additionalProperties.senderPhotoIdType	string	This is the sender's photo id type
Sender.additionalProperties.senderPhotoIdNumber	string	This is the sender's photo id number
Sender.additionalProperties.senderPhotoIdCountry	string	This is the sender's photo id country
Sender.additionalProperties.senderOccupation	string	This is the sender's occupation
Sender.additionalProperties.senderHomePhoneCountryCode	string	This is the sender's home phone country code (3 digits)

Sender.additionalProperties.senderIntendedUseOfMGIServices	string	This is the senders intended use of moneygram services. Returned from get fields for product response.
Sender.additionalProperties.senderBirthCountry	string	This is the sender's birth country
Sender.additionalProperties.relationshipToReceiver	string	This is the sender's relationship to the receiver
Destination.countryCode	string	This is the iso 3 destination country code
Destination.currency	string	This is the recipients currency. (Receivecurrency from quote response)
Destination.accountNumber	string	This is the account number of the recipient
Destination.additionalProperties.deliveryOption	string	This is the delivery option for the transaction.
Destination.additionalProperties.receiveAgentId	string	This is the receive agent id of the selected delivery option
Destination.additionalProperties.fieldValues	string	This is the field values for the transaction. Required fields that have field category 'Partner Configuration' are passed in this field.
Receiver.firstName	string	This is the receiver's first name
Receiver.lastName	string	This is the receiver's last name
Receiver.middleName	string	This is the receiver's middle name
Receiver.mobileNumber	string	This is the receiver's phone number
Receiver.address.countryCode	string	This is the iso3 country code of the recipient's country
Receiver.address.postalCode	string	This is the receiver's zip code

Receiver.address.line1	string	This is the receiver's address field
Receiver.address.line2	string	This is the receiver's state field
Receiver.address.city	string	This is the receiver's city field
Receiver.additionalProperties.receiverPhoneCountry	string	This is the receiver's phone country code

channelCharges.amount is the sendamounts.totalsendfees from the quotation request API

Sample Request:

```
{
  "channel": "WEBB_APP",
  "purposeofpayment": "SALARY",
  "transactionId": "1677371E1717174227184218631670NN",
  "rrn": "47080685224",
  "referenceNumber": "24529685224",
  "mode": "THUNES",
  "transactionType": "C2C",
  "source": {
    "bankId": "54",
    "currency": "USD",
    "amount": "25",
    "accountNumber": "",
    "additionalProperties": {
      "userId": "341961365",
      "sourceOfFunds": "THIRD_PARTY"
    }
  }
}
```

```
},
"channelCharges": {
  "amount": "5",
  "currency": "",
  "additionalProperties": {}
},
"sender": {
  "firstName": "Ronald",
  "middleName": null,
  "lastName": "MWANGI WATHIRA",
  "mobileNumber": "233247806037",
  "email": "INFOSECTEST@TEST.COM",
  "address": {
    "countryCode": "KEN",
    "postalCode": "20318",
    "line1": "senderAddress",
    "line2": null,
    "city": "Nairobi",
    "additionalProperties": {}
  },
  "dateOfBirth": "1976-01-01", //senderDOB
  "nationality": "",
  "additionalProperties": {
    "senderPhotoIdType": "PAS",
    "senderPhotoIdNumber": "1234567",
    "senderPhotoIdCountry": "ITA",
    "senderOccupation": "CLERGY",
    "senderHomePhoneCountryCode": "243",
    "senderIntendedUseOfMGIServices": null,
```

```
"senderBirthCountry": "ITA",
"relationshipToReceiver": "THIRD_PARTY"
}
},
"destination": {
  "countryCode": "KEN",
  "bicWallet": "",
  "currency": "KES",
  "amount": "",
  "accountNumber": "254763000000",
  "sortCode": "",
  "bankAccountType": "",
  "bankCode": "",
  "receivingBankName": "",
  "additionalProperties": {
    "deliveryOption": "DIRECT_TO_ACCT",
    "receiveAgentID": "72662298",
    "fieldValues": [
      {
        "xmlTag": "BANKNAME",
        "fieldValue": "Equitel"
      }
    ]
  }
},
"receiver": {
  "firstName": "Test",
  "lastName": "UK",
  "middleName": "Name",
```

```
"mobileNumber": "254763000000",
"email": null,
"address": {
  "countryCode": "KEN",
  "postalCode": "2855",
  "line1": "Nairobi",
  "line2": null,
  "city": "Abbots Langley",
  "additionalProperties": {}
},
"additionalProperties": {
  "receiverPhoneCountryCode": "254"
}
},
"orgReceiver": {
  "organizationName": "",
  "registrationNumber": "",
  "pin": "",
  "mobileNumber": "",
  "email": "",
  "address": {
    "countryCode": "",
    "postalCode": "",
    "line1": "",
    "line2": "",
    "city": "",
    "additionalProperties": {}
  },
  "additionalProperties": {}
}
```



```

},
"signature":
"mhalmiUPrz4JbkyHwZYOTSeb1Zcc1nDJbzb9/VR1HxU2ksjx7NST1U30+gK/bOPxRXSQT5PB
HmsbNUTC10x3XsiAeww2G5SLt2W2q/zmRzNTHr0IzT9/ZrCE0g/nVLvb3DbMpSUM3G5ApP/11
NJoU2GG1JxwWTkeXPq1ZcYjJn2L96rFLb+eJdkkE9kKKCvD8SucG0yR1sQqlEtYLqtkJSBjAa
pDmMwcIRtcHPbM5H5XsiRngh0ZhwjDCDzjsBsNZWAqKnEgQPTC7mQ2Q048dDeLTPuYzE+1vav
MfhkbJxf9+1+DvYB2Wcm3H89JJufwkplxSm0kyLKslZyJxN8Kzg=="
}

```

Response Information

application/json, text/json

Sample:

```

{
  "result": {
    "referenceNumber": "44827684",
    "partnerConfirmationNumber": null,
    "partnerName": null,
    "freePhoneCallPIN": null,
    "tollFreePhoneNumber": null,
    "expectedDateOfDelivery": "2024-06-01T00:00:00",
    "expectedDateOfDeliverySpecified": true,
    "transactionDateTime": "2024-05-31T16:51:24+00:00",
    "receiptTextInfo": null,
    "receipts": null,
    "referenceNumberTextCode": null,
    "referenceNumberText": null,
    "referenceNumberConsumerText": null,
    "doCheckIn": false,
    "timeStamp": "2024-05-31T16:51:29.678+00:00",
    "flags": 0
  },
  "refNumber": "44827684",
  "status": "AVAIL",
  "transactionId": "12183",
  "originatingTransactionId": "24529685224"
}

```

Name

Type

Description

refNumber	string	This is the MoneyGram reference number of the committed transaction.
transactionId	string	This is the broker transaction id for the request.
status	string	This is the status of the transaction as returned from MoneyGram
originatingTransactingId	string	This is the reference number from the request.
result	string	This is the result details of the transaction as received from MoneyGram

1.6 Detail Lookup

Path: POST api/mg/transactiondetaillookup

This is used to get the details of the committed transaction from MoneyGram.

Request Formats

application/json, text/json

Sample:

```
{
  "referenceNumber": "17698270",
  "mgTransactionSessionID": "1677371E1715947644747420887768NN"
}
```

Name	Type	Description
referenceNumber	string	This is the MoneyGram reference number of the committed transaction. This is returned as part of the commit transaction response.
status	string	This is MoneyGram status of the committed transaction.

Response Information

application/json, text/json

Sample:

```
{
  "mgiTransactionSessionID": null,
  "transactionStatus": 0,
  "dateTimeSent": "2024-05-17T12:13:14.934+00:00",
  "referenceNumber": "17698270",
  "freqCustCardNumber": "",
  "receiveCountry": "KEN",
  "deliveryOption": "DIRECT_TO_ACCT",
  "senderFirstName": "ME",
  "senderMiddleName": null,
  "senderLastName": "THERE",
  "senderLastName2": null,
  "senderAddress": "VASIL",
  "senderAddress2": null,
  "senderAddress3": null,
  "senderCity": "CONGO",
  "senderState": null,
  "senderZipCode": "98168",
  "senderCountry": "ITA",
  "senderHomePhone": "233247806037",
  "receiverFirstName": "TEST",
  "receiverMiddleName": null,
  "receiverLastName": "ING",
  "receiverLastName2": null,
  "receiverAddress": null,
  "receiverAddress2": null,
  "receiverAddress3": null,
  "receiverCity": null,
  "receiverState": null,
  "receiverZipCode": null,
  "receiverCountry": null,
  "receiverPhone": null,
  "direction1": "",
  "direction2": "",
  "direction3": "",
  "testQuestion": "",
  "testAnswer": "",
  "messageField1": "",
  "messageField2": "",
  "senderPhotoIdType": "PAS",
  "senderPhotoIdNumber": "1234567",
  "senderPhotoIdState": null,
  "senderPhotoIdCountry": "ITA",
  "senderLegalIdType": null,
  "senderLegalIdNumber": ""
}
```

```
"senderDOB": "1993-01-01T00:00:00",
"senderDOBSpecified": true,
"senderOccupation": "CLERGY",
"thirdPartyFirstName": null,
"thirdPartyMiddleName": null,
"thirdPartyLastName": null,
"thirdPartyLastName2": null,
"thirdPartyAddress": null,
"thirdPartyAddress2": null,
"thirdPartyAddress3": null,
"thirdPartyCity": null,
"thirdPartyState": null,
"thirdPartyCountry": null,
"thirdPartyZipCode": null,
"thirdPartyDOBSpecified": false,
"thirdPartyLegalIdType": null,
"thirdPartyLegalIdNumber": "",
"thirdPartyOccupation": "",
"thirdPartyOrg": "",
"senderBirthCity": null,
"senderBirthCountry": "ITA",
"senderPassportIssueDateSpecified": false,
"senderPassportIssueCity": null,
"senderPassportIssueCountry": "ITA",
"operatorName": "",
"validIndicator": false,
"validIndicatorSpecified": true,
"agentUseSendData": "",
"customerReceiveNumber": "MG001KL5W0",
"receiveAgentID": "30108558",
"receiveAgentName": null,
"receiveAgentAbbreviation": null,
"expectedDateOfDelivery": "2024-05-18T00:00:00",
"expectedDateOfDeliverySpecified": true,
"redirectIndicator": false,
"redirectIndicatorSpecified": true,
"redirectInfo": null,
"agentCheckAuthorizationNumber": null,
"accountNickname": null,
"promotionInfo": null,
"disclosureText": null,
"feeRefundRequired": true,
"feeRefundRequiredSpecified": true,
"sendAmounts": {
  "sendAmount": 25.0,
```

```
"sendAmountSpecified": true,
"sendCurrency": "USD",
"totalSendFees": 5.0,
"totalSendFeesSpecified": true,
"totalDiscountAmount": 0.0,
"totalDiscountAmountSpecified": true,
"totalSendTaxes": 0.81,
"totalSendTaxesSpecified": true,
"totalAmountToCollectSpecified": false,
"detailSendAmounts": [
  {
    "amountType": "nonMgiSendFee",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "totalMgiCollectedFeesAndTaxes",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "discountedMgiSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "nonMgiSendTax",
    "amount": 0.81,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiNonDiscountedSendFee",
    "amount": 5.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  },
  {
    "amountType": "mgiSendTax",
    "amount": 0.0,
    "amountSpecified": true,
    "amountCurrency": "USD"
  }
]
```

```

    },
    {
      "amountType": "totalAmountToMgi",
      "amount": 30.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalNonDiscountedFees",
      "amount": 5.0,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalNonMgiSendFeesAndTaxes",
      "amount": 0.81,
      "amountSpecified": true,
      "amountCurrency": "USD"
    },
    {
      "amountType": "totalSendFeesAndTaxes",
      "amount": 5.81,
      "amountSpecified": true,
      "amountCurrency": "USD"
    }
  ]
},
"receiveAmounts": {
  "receiveAmount": 3609.0,
  "receiveAmountSpecified": true,
  "receiveCurrency": "KES",
  "validCurrencyIndicator": false,
  "validCurrencyIndicatorSpecified": true,
  "payoutCurrency": "KES",
  "totalReceiveFees": 0.0,
  "totalReceiveFeesSpecified": true,
  "totalReceiveTaxes": 0.0,
  "totalReceiveTaxesSpecified": true,
  "totalReceiveAmount": 3609.0,
  "totalReceiveAmountSpecified": true,
  "receiveFeesAreEstimated": false,
  "receiveTaxesAreEstimated": false,
  "detailEstimatedReceiveAmounts": null
},
"exchangeRateApplied": 144.342,

```

```

"exchangeRateAppliedSpecified": true,
"referenceNumberTextCode": null,
"referenceNumberText": null,
"doCheckIn": false,
"timestamp": "2024-05-17T12:22:17.518+00:00",
"flags": 16
}

```

1.7. MoneyGram status Callback

This method sends Moneygram status as a callback to third party.

Request Information

Body Parameters

Name	Type	Description
TransactionId	String	Equity bank transaction ID/reference
OriginatingTransactionID	String	Reference transaction from source request
Status	String	Status of Transaction (COMPLETE,PENDING, FAILED)
TransactionStatus	String	Status code of transaction 200 – COMPLETED 202 – PENDING 500 - FAILED

Request Formats

application/json, text/json

Sample:

```

{
  "Status": "COMPLETE",
  "TransactionStatus": "200",
  "TransactionID": "Sample string",
  "OriginatingTransactionID": "Sample string"
}

```

Response Information

application/json, text/json

Sample:

```
{  
  "Status": "COMPLETED",  
  "TransactionStatus": "200",  
  "TransactionID": "Sample string",  
  "OriginatingTransactionID": "Sample string"  
}
```