



Business Services Document-AfriCell

mobiquity® Money version 5.0.0



COPYRIGHT STATEMENT AND RESTRICTION

Copyright © 2019 Comviva Technologies Ltd, Registered Office at A-26, Info City, Sector 34, Gurgaon-122001, Haryana, India.

All rights reserved. This document shall not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine readable form, by any means electronic, mechanical, photographic, optic recording or otherwise without prior consent, in writing, of Comviva Technologies Ltd.

The information in this document is subject to change without notice and describes only the product defined in the introduction of this documentation. This document is intended for the use of prospective Comviva customers for the sole purpose of the transaction for which the document is submitted. No part of it may be reproduced or transmitted in any form or manner whatsoever without the prior written permission of Comviva. The intended audience for this document is the target customer, who/which assumes full responsibility for using the document appropriately. Comviva welcomes customer comments as part of the process of continuous development and improvement.

Comviva has made all reasonable efforts to ensure that the information contained in the document is adequate, sufficient and free of material errors and omissions. Comviva will, if necessary, explain issues, which may not be covered by the document. However, Comviva does not assume any liability of whatsoever nature, for any errors in the document except the responsibility to provide correct information when any such error is brought to Comviva's knowledge. Comviva will not be responsible, in any event, for errors in this document or for any damages, incidental or consequential, including monetary losses that might arise from the use of this document or of the information contained in it.

This document and the products, solutions and services it describes are intellectual property of Comviva and/or of the respective owners thereof, whether such IPR is registered, registrable, pending for registration, applied for registration or not.

The only warranties for Comviva products, solutions and services are set forth in the express warranty statements accompanying its products and services. Nothing herein should be construed as constituting an additional warranty. Comviva shall not be liable for technical or editorial errors or omissions contained herein.

The Comviva logo is a trademark of Comviva Technologies Ltd. Other products, names, logos mentioned in this document, if any, may be trademarks of their respective owners.

Copyright © 2019 Comviva Technologies Limited. All rights reserved.

Contents

Contents	i
1 Document Information	3
1.1 Purpose.....	3
1.2 Scope.....	3
1.3 Audience.....	3
1.4 Definitions, Acronyms, Abbreviations.....	3
1.4.1 Definitions and Acronyms.....	3
1.4.2 Definitions.....	3
2 Document History.....	5
3 Introduction.....	6
3.1 Communication Protocol.....	6
3.2 Gateway Authentication.....	6
3.2.1 Connection Procedure.....	6
4 User Interface	7
4.1 Banking Services	7
4.1.1 Bank Account Registration	7
4.1.2 Bank Account DeRegistration	9
4.1.3 Bank Initiated Bank to SVA	11
4.1.4 Bank Initiated SVA to BANK	14
5 Contact Us.....	17

1 Document Information

This chapter gives an introduction to the scope and organization of the document.

1.1 Purpose

The objective of this document is to describe the APIs being called between different interface and Mobiquity and to provide the Request and Response XML messages which will be used by ex-entity to use Mobiquity services.

1.2 Scope

The scope of this document is for Mobiquity core. This document covers the XML Messages Format to integrate interfaces and Mobiquity system.

1.3 Audience

- Technical Teams

1.4 Definitions, Acronyms, Abbreviations

This section provides a list of all definitions, acronyms and terms required to properly interpret the document.

1.4.1 Definitions and Acronyms

Term	Full Form
USSD	Unstructured Supplementary Service Data
MSISDN	Mobile Subscriber ISDN (i.e. Mobile Number)
Mobiquity	Comviva's M-Commerce Solution
PIN	Personal Identification Number
Txn ID	Transaction Identifier

1.4.2 Definitions

In the rest of the document the following concepts and associated vocabulary will be used

Term	Definition
USSD	Unstructured Supplementary Service Data is associated with real-time or instant messaging type phone services

Customer	Active customer registered for Mobiquity services
----------	---

2 Document History

Version Number	Description of Changes	Date	Author
1.0	Initial document for Africell	13-05-2020	Pranay Agrawal
1.1	Adding connection procedure and API URLs	20-05-2020	Pankaj Jain
	Source: Comviva		

3 Introduction

3.1 Communication Protocol

3.2 Gateway Authentication

To generate auth token:

<https://10.14.10.135:8243/token>

In order to authenticate you need to prepare an authentication header, with a base64 Key:

base64 key: Basic

RXR4RjBmV014UzJjYUtOZkI4UUIzMVB4ajZnYTpLMTBpV0hTcEpUN1Fi
ZTZBUWRDZmQ3bHJNcE1h

Here's a sample POST request to generate Token:

POST <https://10.14.10.135:8243/token>

Authorization: Basic

cEpISUhzeWhYdUo4d2ZSQ09aVmX3hBWTA4YTpZQzI3Q3lQWFhXU0l1TkRrSXhfNI9rZFRqcU1h

Content-Type: application/x-www-form-urlencoded; charset=utf-8

Content

grant_type=client_credentials

Response Format:

```
{
  "access_token": "7bed2e45-2f93-3e95-898c-3fe3ac93567a",
  "scope": "am_application_scope default",
  "token_type": "Bearer",
  "expires_in": 3586
}
```

3.2.1 Connection Procedure

Here's a sample POST request to get the API response:

POST <https://10.14.10.135:8243/MerchantPayment/1.0>

Authorization: bearer 7bed2e45-2f93-3e95-898c-3fe3ac93567a

Content-Type: application/xml; charset=utf-8

Content

4 User Interface

4.1 Banking Services

4.1.1 Bank Account Registration

This Api registers an account in the bank to an user as provided in the request

URL: <https://10.14.10.135:8243/BankRegX/1.0>

Request XML

```
<COMMAND>
  <TYPE>BANKREG</TYPE>
  <LANGUAGE>1</LANGUAGE>
  <BANKID>BK151008.1532.007582</BANKID>
  <BANKNAME>ICICI BANK LTD</BANKNAME>
  <MSISDN>7701536335</MSISDN>
  <PROVIDER>101</PROVIDER>
  <PAYID>12</PAYID>
  <FNAME>FirstName</FNAME>
  <LNAME>LastName</LNAME>
  <USERROLE>Customer</USERROLE>
  <IDNO>7701536335id</IDNO>
  <BANKACCNUMBER>4141143</BANKACCNUMBER>
  <CUSTOMERID>112231</CUSTOMERID>
</COMMAND>
```

Tag	Fields	Example	Max Length	O - Optional / M - Mandatory	Remarks
TYPE	TYPE	BANKREG	10	M	Request Type
LANGUAGE1	<Payer Language>	1		O	Numeric only Payer Language Code This code must be defined in Mobiquity system.
BANKID	<BANKID>	BK151008.1532.007582	20	M	Registered Bank id
BANKNAME	< BANKNAME >	ICICI Bank	30	O	Bank name

					associated with the bank id.
MSISDN	< MSISDN >	7701536335	10	M	MSISDN of the user
PROVIDER	< PROVIDER>	101		M	Provider id
PAYID	< PAY ID>	12		M	
FNAME	< FNAME >	ABCD	40	O	FirstName of the user
LNAME	< LNAME >	XYZ	40	O	LastName of the User
USERROLE	< USERROLE>	CUSTOMER	8	O	CUSTOMER or CHANNEL should be provided otherwise by default, user is considered as CHANNEL
IDNO	< IDNO>	7701536335id		O/M	Id number for the user. Mandatory when AUTO_BANK_ACCOUNT_LINK_MATCH_ID System preference is enabled
BANKACCNUMBER	< BANKACCNUMBER>	12133333		O/M	Bankaccount number Mandatory when BANK_ACCOUNT_LINKING_VIA_MSISDN System preference is disabled
CUSTOMERID	< CUSTOMERID>	131331		O/M	Customer ID Mandatory when BANK_ACCOUNT_LINKING_VIA_MSISDN System preference is disabled

Response XML

```

<COMMAND>
  <TYPE>BANKREG</TYPE>
  <TXNSTATUS>200</TXNSTATUS>
  <TXNID>XX180628.0235.C00064</TXNID>

```

```

<TXNSTATUSEIG>00</TXNSTATUSEIG>
<MSISDN>7701536335</MSISDN>
<DATE>0628023516</DATE>
<TIME>023516</TIME>
<MESSAGE>Your Bank Account Successfully Registration and
Service charge RUB : deducted from your wallet </MESSAGE>
<TRID>7701536335201806280235C0642</TRID>
</COMMAND>

```

Tag	Fields	Example	O -Optional/M -Mandatory	Remarks
TYPE	TYPE	BANKREG	M	Response type
TXNSTATUS	TXNSTATUS	200	M	Transaction status
MESSAGE	MESSAGE	SUCCESS	M	Response Message related to transaction status
TRID	TRID	7701536685 2018080302 09C1556	M	Transaction Id
TXNSTATUSEIG	TXNSTATUSEIG	00	M	TxnStatus from EIG
MSISDN	MSISDN	7701536335	M	Msisdn as given in the request
DATE	DATE	0628023516	M	Timestamp when the operation was performed
TIME	TIME	023516	M	Time when the operation was performed

4.1.2 Bank Account DeRegistration

This Api unregisters the account from the bank for the user as provided in the request

URL: <https://10.14.10.135:8243/BankDeRegX/1.0>

Request XML

```

<COMMAND>
  <TYPE>BKDREG</TYPE>
  <LANGUAGE>1</LANGUAGE>
  <BANKID>BK151008.1532.007582</BANKID>
  <BANKNAME>ICICI BANK LTD</BANKNAME>
  <MSISDN>7701536335</MSISDN>
  <PROVIDER>101</PROVIDER>
  <PAYID>12</PAYID>

```

```

<FNAME>FirstName</FNAME>
<LNAME>LastName</LNAME>
<USERROLE>Customer</USERROLE>
<BRANCHCODE>BRANCH1</BRANCHCODE>
<IDNO>7701536335id</IDNO>
<BANKACCNUMBER>4141143</BANKACCNUMBER>
</COMMAND>

```

Tag	Fields	Example	Max Length	O-Optional/M-Mandatory	Remarks
TYPE	TYPE	BKDREG	10	M	Request Type
LANGUAGE1	<Payer Language>	1		O	Numeric only Payer Language Code This code must be defined in Mobiquity system.
BANKID	<BANKID>	BK151008.1532.007582	20	M	Registered Bank id
BANKNAME	< BANKNAME >	ICICI Bank	30	O	Bank name associated with the bank id.
MSISDN	< MSISDN >	7701536335	10	M	MSISDN of the user
PROVIDER	< PROVIDER>	101		M	Provider id
PAYID	< PAY ID>	12		M	
FNAME	< FNAME >	ABCD	40	O	FirstName of the user
LNAME	< LNAME >	XYZ	40	O	LastName of the User
USERROLE	< USERROLE>	CUSTOMER	8	O	CUSTOMER or CHANNEL should be provided otherwise by default, user is considered as CHANNEL
BRANCHCODE	< BRANCHCODE>	ICICBAN		O	Branch code
IDNO	< IDNO>	7701536335id		O/M	Id number for the user. Mandatory when AUTO_BANK_ACC_LINK_MATCH_ID System preference is enabled
BANKACCNUMBER	< BANKACCNUMBER>	12133333		O/M	Bankaccount number Mandatory when BANK_ACC_LINKING_VIA_MSISDN System preference is

					disabled
--	--	--	--	--	----------

Response XML

```

<COMMAND>
  <TYPE>BKDREGRESP</TYPE>
  <TXNSTATUSEIG>200</TXNSTATUSEIG>
  <MSISDN>7701536335</MSISDN>
  <TXNID>XX180628.0238.C00067</TXNID>
  <TXNSTATUS>200</TXNSTATUS>
  <ACCOUNTNO>4141143</ACCOUNTNO>
  <DATE>0628023853</DATE>
  <TIME>023853</TIME>
  <MESSAGE>Your Bank Account 4141143 DeRegistration Successfully
and Service charge RUB : 0.00 deducted from your wallet
</MESSAGE>
  <TRID>7701536335201806280238C0650</TRID>
</COMMAND>

```

Tag	Fields	Example	O-Optional/M-Mandatory	Remarks
TYPE	TYPE	BKDREGRESP	M	Response type
TXNSTATUS	TXNSTATUS	200	M	Transaction status
ACCOUNTNO	ACCOUNTNO	4141143	M	Account number as provided in the request
MESSAGE	MESSAGE	SUCCESS	M	Response Message related to transaction status
TRID	TRID	7701536685201808030209C1556	M	Transaction Id
TXNSTATUSEIG	TXNSTATUSEIG	00	M	TxnStatus from EIG
MSISDN	MSISDN	7701536335	M	Msisdn as given in the request
DATE	DATE	0628023516	M	Timestamp when the operation was performed
TIME	TIME	023516	M	Time when the operation was performed

4.1.3 Bank Initiated Bank to SVA

Customer can do cash-in from his bank a/c into his wallet but that request will be initiated by Bank
 URL: <https://10.14.10.135:8243/bankInitB2W/1.0>

Request JSON

```
{
  "serviceFlowId": "",
  "transactionAmount": "10",
  "initiator": "transactor",
  "currency": "101",
  "bearerCode": "USSD",
  "language": "en",
  "externalReferenceId": "",
  "remarks": "",
  "transactionMode": "",
  "requestedServiceCode": "",
  "productOwnerCode": "123456",
  "productBrand": "almadar",
  "productCategory": "voice",
  "transactor":

  {
    "idType": "mobileNumber",
    "idValue": "7789000016",
    "bankId": "BK161012.0926.022489",
    "bankAccountNumber": "7789000016"
  },
  "receiver":

  {
    "idType": "mobileNumber",
    "productId": "12",
    "idValue": "7789000016"
  }
}
```

Tag	SubTag	Fields	Example	Max Length	Optional/ Mandatory	Remarks
serviceCode		serviceCode	BIBWREQ	10	O	Request Type
bearerCode		bearerCode	USSD	15	M	Mode at which transaction happens
language		language	en		O	If language value is specified response will be in that particular language, If the input does not contain the language - the we use system default language to respond
initiator		initiator	transactor		M	Initiator is who initiated the transaction
transactionA		transactionA	100	10	M	Numeric Only. Should accept

mount		mount				
currency		currency	101		M	Type of currency accepted in transaction
externalReferenceld		externalReferenceld	EXT1234		o	External ReferenceID
remarks		remarks	BillPayment		O	Remarks of service
transactionMode		transactionMode	transactionMode		O	Transaction mode of service
receiver	idType	idType	mobileNumber	1	M	Id type of transactor(mobileNumber,loginId,userCode)
receiver	idValue	idValue	7700099999	16	M	Id value is the value of id Type
receiver	productId	productId	12		M	Type of wallet involved in transaction
transactor	idType	idType	mobileNumber	1	M	Id type of transactor(mobileNumber,loginId,userCode)
transactor	idValue	idValue	7700099999	16	M	Id value is the value of id Type
transactor	bankId	bankId	BK161012.0926.022489		M	Bank id
transactor	bankAccountNumber	bankAccountNumber	77001133		M	Bank Account Number

Response JSON

```
{
  "receiverLastName": "AUTWHS1109065902",
  "senderMobileNumber": "7701536457",
  "txnStatus": "TS",
  "serviceRequestId": "518abf97-925b-4468-93aa-1f8f9babf72a",
  "receiverMobileNumber": "7701536457",
  "serviceFlow": "BIBWREQ",
  "message": "Bank Initiated Bank to Wallet transaction of RUB 10 has been successfully completed between the sender: 7701536457 and receiver: 7701536457. Txn ID: BW180802.0519.A00151",
  "senderLastName": "AUTWHS1109065902",
  "transactionId": "BW180802.0519.A00151",
  "status": "SUCCEEDED"
}
```

Tag	Sub Tag	Fields	Example	Max Length	Optional/ Mandatory	Remarks
serviceRequestid		serviceRequestid	a4f495ff-0800-4fcc-91a1-ad6fd5e443c6	255	M	Uniquely determines service flow

serviceFlow		serviceFlow	CBWREQ	255	M	Service code of response
message		message	Transaction in ambiguous state		M	Response Details
transactionId		transactionId	WB161108.0156.A03843		M	Mobiquity Transaction ID for the Bill Payment Transaction. Used for informative purpose.
senderLastName		senderLastName	AUTWHS1109065902			Sender Last name
senderMobileNumber		senderMobileNumber	7701536457		M	Sender Mobile Number
receiverLastName		receiverLastName	AUTWHS1109065902			receiver Last name
receiverMobileNumber		receiverMobileNumber	7701536457		M	receiver Mobile Number
status		status	SUCCEEDED		M	Status

4.1.4 Bank Initiated SVA to BANK

Customer can transfer money from his own wallet to his registered bank a/c in mobiquity but the request will be initiated by Bank instead of Customer.

URL: <https://10.14.10.135:8243/bankInitW2B/1.0>

Request JSON

```
{
  "serviceFlowId": "",
  "transactionAmount": "5",
  "initiator": "transactor",
  "currency": "101",
  "bearerCode": "ALL",
  "language": "en",
  "externalReferenceId": "",
  "remarks": "",
  "transactionMode": "",
  "requestedServiceCode": "",
  "productOwnerCode": "123456",
  "productBrand": "almadar",
  "productCategory": "voice",
  "receiver": {
    "idType": "mobileNumber",
    "productId": "12",
    "idValue": "7712341234",
    "bankId": "735118",
    "bankAccountNumber": "787976"
  },
}
```



```

"transactor": {
  "idType": "mobileNumber",
  "productId": "12",
  "idValue": "7712341234",
}
}

```

Tag	Sub Tag	Fields	Example	Max Length	Optional/ Mandatory	Remarks
serviceCode		serviceCode	BIWBREQ	10	O	Request Type
bearerCode		bearerCode	USSD	15	M	Mode at which transaction happens
language		language	en		O	If language value is specified response will be in that particular language, If the input does not contain the language - the we use system default language to respond
initiator		initiator	transactor		M	Initiator is who initiated the transaction
transactionAmount		transactionAmount	100	10	M	Numeric Only. Should accept
currency		currency	101		M	Type of currency accepted in transaction
externalReferenceId		externalReferenceId	EXT1234		O	External ReferenceID
remarks		remarks	BillPayment		O	Remarks of service
transactionMode		transactionMode	transactionMode		O	Transaction mode of service
transactor	idType	idType	mobileNumber	1	M	Id type of transactor(mobileNumber,loginId, userCode)
transactor	idValue	idValue	7700099999	16	M	Id value is the value of id Type
transactor	productId	productId	12		M	Type of wallet involved in transaction
Receiver	idType	idType	mobileNumber	1	M	Id type of transactor(mobileNumber,loginId, userCode)
receiver	idValue	idValue	7700099999	16	M	Id value is the value of id Type
receiver	bankId	bankId	BK161012.0926.022489		M	Bank id
receiver	bankAccountNumber	bankAccountNumber	77001133		M	Bank Account Number

Response JSON

```
{
  "receiverLastName": "AUTWHS1109065902",
  "senderMobileNumber": "7701536457",
  "txnStatus": "TS",
  "serviceRequestId": "07f6bb2d-6c74-4528-b540-871c8585c3c8",
  "receiverMobileNumber": "7701536457",
  "serviceFlow": "BIWBREQ",
  "message": "Bank Initiated Wallet to Bank transaction of RUB 10 has
    been successfully completed between the sender: 7701536457 and
    receiver: 7701536457. Txn ID: WB180802.0513.A00149",
  "senderLastName": "AUTWHS1109065902",
  "transactionId": "WB180802.0513.A00149",
  "status": "SUCCEEDED"
}
```

Tag	Sub Tag	Fields	Example	Max Length	Optional/ Mandatory	Remarks
serviceRequestId		serviceRequestId	a4f495ff-0800-4fcc-91a1-ad6fd5e443c6	255	M	Uniquely determines service flow
serviceFlow		serviceFlow	CBWREQ	255	M	Service code of response
message		message	Transaction in ambiguous state		M	Response Details
transactionId		transactionId	WB161108.0156.A03843		M	Mobiquity Transaction ID for the Bill Payment Transaction. Used for informative purpose.
senderLastName		senderLastName	AUTWHS1109065902			Sender Last name
senderMobileNumber		senderMobileNumber	7701536457		M	Sender Mobile Number
receiverLastName		receiverLastName	AUTWHS1109065902			receiver Last name
receiverMobileNumber		receiverMobileNumber	7701536457		M	receiver Mobile Number
status		status	SUCCEEDED		M	Status

5 Contact Us

Corporate Office

A-26, Info City

Sector 34

Gurgaon 122001

Haryana, India

T: +91-124-4819000

F: +91-124-4819777

Bangalore Office

4, 12th Km

Bellary Road, Jakkur

Bangalore 560064

India

T: +91-80-43401600

F: +91-80-28565854

Mumbai Office

Unit 1-4, 1st Floor, Paradigm Tower

Tower B, Mindspace

Malad(W), Mumbai 400064, India

T: +91-22-40774300

F: +91-22-40774