



EQUITY BANK

**MTN AGENT FLOAT
LIQUIDATION**

-

On-Premise

-

MTN B2C-SUB

Release Notes

Project Details

Application Name	B2C-SUB
Project Type	Software Development
Project Version	Prod-release-v1.0
Name of Re-leaser	Kennedy N. Gatimu
File Mode of Delivery	Jar, conf, yml, lib, so
Prepared By	Kennedy N. Gatimu

Release History

Date	Version	Author	Comments
06/10/2022	Prod-release-v1.0	Kennedy Gatimu	Initial Release

Confidentiality Disclaimer

DEVELOPER API GUIDE DOCUMENT

PROJECT: MTN AGENT FLOAT LIQUIDATION

Date: 06.10.2022

THIS DOCUMENT AND THE INFORMATION IN IT ARE PROVIDED IN CONFIDENCE, FOR THE SOLE PURPOSE OF EQUITY BANK LIMITED AND MAY NOT BE DISCLOSED TO ANY THIRD PARTY OR USED FOR ANY OTHER PURPOSE WITHOUT THE EXPRESS WRITTEN PERMISSION OF EQUITY BANK LIMITED.

Any form of reproduction, dissemination, copying, disclosure, modification, distribution and or publication of this material is strictly prohibited. The contents of this document have not been independently verified and they do not purport to be comprehensive, or to contain all the information that a prospective investor may need. No representation, warranty or undertaking, expressed or implied is or will be made or given and no responsibility or liability is or will be accepted by Equity Bank Limited or by any of its directors, employees or advisors in relation to the accuracy or completeness of this document or any other written or oral information made available in connection with the Company.

Table Of Contents

Project Details	2
Release History	3
Confidentiality Disclaimer	4
Pre-Cutover Actions	6
MTN Production URLs And Endpoints.....	6
Equity Production Database.....	6
Production Connection Creation.....	6
Channel Certificates.....	7
Equity - MTN CSR Generation And Signing.....	7
Cutover Actions	8
Production Property File Update.....	8
Deploying Production Files.....	9
Post - Deployment Actions	10
Table Insert Scripts.....	10
Start Application Services.....	10

Pre-Cutover Actions

This is the pre-deployment actions for MTN Agent Liquidation on premise.
The actions include:

- I. MTN Production urls and endpoints
- II. Equity Production database connection string and credentials
- III. Opening production connections
- IV. Channel Certificates
- V. Equity - MTN CSR generation and signing.

MTN Production URLs And Endpoints

Below endpoints should be provided;

- I. MTN production base url
- II. MTN production getaccountholderinfo endpoint
- III. MTN production debit endpoint
- IV. MTN production gettransactionstatus endpoint
- V. MTN production refund endpoint
- VI. MTN production Basic auth credentials (username and password)

Equity Production Database

Production database actions include

- I. Create Oracle database in production, with the name **B2C-SUB**
- II. Provide database connection string and credentials

Production Connection Creation

Production port and connection should be opened as follows

- I. Equity to open port 8017 to MTN
- II. MTN to open port 9545 to Equity
- III. MFS to open port 8080 to Equity

Channel Certificates

Below actions should be followed for MFS certificate deployment

- I. MFS to provide production certificate
- II. Rename the provided certificate to **mfs.cer**
- III. Copy the renamed certificate to path: /home/gwambugu/airtel-b2c/client-certs/mfs/

Equity - MTN CSR Generation And Signing

1. System Admin team to generate CSR as follows;

Below is a sample of UAT contents. Replace with production details if needed.

I. CSR Generation

a) CSR UAT Content

C=KE
ST=Nairobi
L=Nairobi
O=Equity Bank Ltd
OU=ICT
emailAddress=mcommerce@equitybank.co.ke
CN=m-wallet.ebsafrica.com

CSR output name = mtn-uganda.csr

b) Sample command

```
openssl req -newkey rsa:2048 -nodes -subj  
"/C=KE/ST=Nairobi/L=Nairobi/O=Equity Bank  
Ltd/OU=ICT/emailAddress=mcommerce@equitybank.co.ke/CN=m-wallet.  
ebsafrica.com/" -keyout mtn-uganda.key -out mtn-uganda.csr
```

- II. Send the generated CSR to MTN for signing
- III. Export the received certificate to a **.keystore** file and share the password and alias with the production support team. The exported file should be named as **mtn-uganda.keystore**

2. The resulting **mtn-uganda.keystore** file should be stored in two different locations:

- I. /home/gwambugu/airtel-b2c/client-certs/mtn_ug/mtn-uganda.keystore
- II. /home/gwambugu/airtel-b2c/client-certs/mfs/mtn-uganda.keystore

Cutover Actions

This build is available in the form a jar - **b2c-sub-0.0.1-SNAPSHOT.jar**

All files included in the build are;

- i. b2c-sub-0.0.1-SNAPSHOT.jar
- ii. sub-b2c
- iii. sub-b2c.java.status
- iv. sub-b2c.pid
- v. sub-b2c.status
- vi. wrapper
- vii. application-prod.properties
- viii. lib folder
- ix. wrapper.conf
- x. wrapper.jar
- xi. libwrapper.so

Production Property File Update

1. On the application-prod.properties file, update the database details as follows;
 - i. Update database connection string and database name as provided by dba
 - ii. Update the DB username and password with the credentials provided by dba

```
#Database Settings
spring.datasource.url=<Update With Production Url Connection String, Port and Database Name>
#spring.datasource.driver-class-name=oracle.jdbc.OracleDriver
spring.datasource.driverClassName=oracle.jdbc.OracleDriver
spring.datasource.username=<Update With Production UserName>
spring.datasource.password=<Update With Production Password>
spring.datasource.testWhileIdle = true
spring.datasource.timeBetweenEvictionRunsMillis = 60000
spring.datasource.validationQuery = SELECT 1
```

2. Update the certificate credentials - password and alias with production credentials provided by sysadmin team.

```
#MTN UG SSL
mtn.ug.keystoreFileName=/home/gwambugu/airtel-b2c/client-certs/mtn_ug/mtn-uganda.keystore
mtn.ug.keystorePass=equity123
mtn.ug.keystoreAlias=m-wallet.ebsafrica.com
mtn.ug.liquidation.port=9845

#MFS SSL
local.port.keystoreFileName=/home/gwambugu/airtel-b2c/client-certs/mfs/mtn-uganda.keystore
local.port.keystorePass=equity123
local.port.keystoreAlias=m-wallet.ebsafrica.com
local.port.ssl.port=8080
```


Deploying Production Files

1. Copy Files To Production Paths

Copy the provided files to the below production paths respectively;

- a) `/home/gwambugu/airtel-b2c/bin/b2c-sub-0.0.1-SNAPSHOT.jar`
- b) `/home/gwambugu/airtel-b2c/bin/wrapper`
- c) `/home/gwambugu/airtel-b2c/bin/sub-b2c`
- d) `/home/gwambugu/airtel-b2c/bin/sub-b2c.java.status`
- e) `/home/gwambugu/airtel-b2c/bin/sub-b2c.pid`
- f) `/home/gwambugu/airtel-b2c/bin/sub-b2c.status`
- g) `/home/gwambugu/airtel-b2c/bin/config/application-prod.properties`
- h) `/home/gwambugu/airtel-b2c/bin/lib/lib` folder
- i) `/home/gwambugu/airtel-b2c/conf/wrapper.conf`
- j) `/home/gwambugu/airtel-b2c/lib/wrapper.jar`
- k) `/home/gwambugu/airtel-b2c/lib/libwrapper.so`

2. Update properties file at target location with the supplied prod properties file

- a) `sudo su - gwambugu`
- b) `cd /home/gwambugu/airtel-b2c/bin`
- c) `jar -uf b2c-sub-0.0.1-SNAPSHOT.jar config/application-prod.properties`

Post - Deployment Actions

Post - deployment actions will include;

- i. Table insert scripts
- ii. Starting application services

Table Insert Scripts

Application configuration data should be inserted in the Table **param_configs**.

The insert script will be provided in a different file.

Start Application Services

- a) `/home/gwambugu/airtel-b2c/bin`
- b) `sudo ./sub-b2c start`