



MGW Look-up System Integration specification

INTEGRATED PAYMENT SYSTEMS LIMITED (IPSL)

March 2021
Version 2.0

Contents

1. REGISTER CUSTOMER REQUEST	3
2. UPDATE CUSTOMER REQUEST	5
3. DELETE CUSTOMER REQUEST	7
4. GETCUSTOMER BANK LIST REQUEST	9

1. Register customer request

Request is sent by banks to register their customer in IPSL.

request body

Field	Description	Optional/Mandatory
account	Customer account being registered.	Mandatory.
defaultRecord	Whether account will be default or not (0/1)	Mandatory
document	The identification document provided national ID, military ID etc.	Mandatory
documentNumber	Document number of the provided document.	Mandatory
email	Customer email address.	Mandatory
exp	Card expiry date if PAN is provided	Mandatory
lang	Language EN.	Mandatory
login	Bank provided login name.	Mandatory
msisdn	Customer mobile number	Mandatory
name	Customer name.	Mandatory

pan	Card number	Optional
password	Bank password as set in IPSL.	Mandatory
sortCode	Bank sortcode.	Mandatory

Request example

```
<Envelope xmlns="http://schemas.xmlsoap.org/soap/envelope/">
  <Body>
    <registerCustomer xmlns="http://ws.lookupdb.mgw.cwt.ru/">
      <!-- Optional -->
      <req xmlns="">
        <account>0401340007</account>
        <defaultRecord>1</defaultRecord>
        <document>NATIONAL_ID</document>
        <documentNumber>111111</documentNumber>
        <email>65@gmail.com</email>
        <exp></exp>
        <lang>EN</lang>
        <login>Mayfair CIB Bank</login>
        <msisdn>254710222222</msisdn>
        <name>JANE NDUTA</name>
        <pan></pan>
        <password>123456</password>
        <sortCode>40465000</sortCode>
      </req>
    </registerCustomer>
  </Body>
</Envelope>
```

Register customer response

After register customer process is complete an rrn is sent back to the bank for a success or an error code and explanation is sent in case of an error.

2. Update customer request

Update customer is used to make changes to customer details for the details that are not unique.

Update customer request

Field	Description	Optional/Mandatory
account	Customer account being registered.	Mandatory.
defaultRecord	Whether account will be default or not (0/1)	Mandatory
document	The identification document provided national ID, military ID etc.	Mandatory
documentNumber	Document number of the provided document.	Mandatory
email	Customer email address.	Mandatory
exp	Card expiry date if PAN is provided	Mandatory
lang	Language EN.	Mandatory
login	Bank provided login name.	Mandatory
msisdn	Customer mobile number	Mandatory
name	Customer name.	Mandatory
pan	Card number	Optional
password	Bank password as set in IPSL.	Mandatory

sortCode	Bank sortcode.	Mandatory
-----------------	----------------	-----------

Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ws="http://ws.lookupdb.mgw.cwt.ru/"
  <soapenv:Header/>
  <soapenv:Body>
    <ws:updateCustomer>
      <req xmlns="">
        <account>0401340007</account>
        <defaultRecord>1</defaultRecord>
        <document>NATIONAL_ID</document>
        <documentNumber>111111</documentNumber>
        <email>65@gmail.com</email>
        <exp></exp>
        <lang>EN</lang>
        <login>Mayfair CIB Bank</login>
        <msisdn>254710222222</msisdn>
        <name>JANE NDUTA</name>
        <pan></pan>
        <password>123456</password>
        <sortCode>40465000</sortCode>
      </req>
    </ws:updateCustomer>
  </soapenv:Body>
</soapenv:Envelope>
```

Update customer response

After register customer process is complete an rrn is sent back to the bank for a success or an error code and explanation is sent in case of an error.

3. Delete customer request

The functionality of deleting existing customer or customer linkage – cards or accounts is described

To delete card linkage for existing customer with mobile 254123123123, the following request should be sent, to delete an account specify the account instead of pan. Upon sending the following request, the customer will be removed (blocked) only if no other bank linkage exists.

Delete customer request

Field	Description	Optional/Mandatory
msisdn	Customer registered phone number	Mandatory
pan	Card number to be deleted	Mandatory if present otherwise Optional
exp	Expiry date of the card.	Mandatory
login	Bank login name	Mandatory
password	Bank password as set in IPSL.	Mandatory
sortCode	Bank sortcode	Mandatory
account	Customer account	Mandatory (optional if pan and expiry are specified)

Sample delete customer request

```
<Envelope xmlns="http://schemas.xmlsoap.org/soap/envelope/">
  <Body>
    <deleteCustomer xmlns="http://ws.lookupdb.mgw.cwt.ru/">
      <req xmlns="">
        <msisdn>254123123123</msisdn>
        <account>4321432143214321</account>
        <login>test</login>
        <password>test1</password>
        <sortCode>2540101</sortCode>
      </req>
    </deleteCustomer>
  </Body>
</Envelope>
```

Delete customer response

After delete customer process is complete an rrn is sent back to the bank for a success or an error code and explanation is sent in case of an error.

4. getcustomer bank list request

The request is used to pull all the registered accounts under a particular phone number.

request body

Field	Description	Optional/Mandatory
login	Bank username	Mandatory.
password	Bank password as set in IPSL	Mandatory
msisdn	Registered phone number in IPSL	Mandatory

request example

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ws="http://ws.lookupdb.mgw.cwt.ru/">
  <soapenv:Header/>
  <soapenv:Body>
    <ws:getCustomerBankList>
      <req>
        <login>Equity bank</login>
        <msisdn>25472100200</msisdn>
        <password>123456</password>
      </req>
    </ws:getCustomerBankList>
  </soapenv:Body>
</soapenv:Envelope>
```

Getcustomer bank list response

The response contains details of the banks in which the particular phone number is registered in.

Sample response

```
soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  <soap:Body>
    <ns2:getCustomerBankListResponse xmlns:ns2="http://ws.lookupdb.mgw.cwt.ru/">
      <return>
        <destName>John smith</destName>
        <bankList>
          <bank>
            <bankname>IMBANK</bankname>
            <def>true</def>
            <lookupBankName>John smith</ lookupBankName>
            <sortCode>40457000</sortCode>
          </bank>
          <bank>
            <bankname>Absa Bank Kenya</bankname>
            <def>false</def>
            <lookupBankName>Smith Miller John</ lookupBankName>
            <sortCode>40403000</sortCode>
          </bank>
        </bankList>
      </return>
    </ns2:getCustomerBankListResponse>
  </soap:Body>
</soap:Envelope>
```

Response body

Field	Description	Optional/Mandatory
destName	Customer name as registered for default account.	Mandatory.
bankname	Name of bank registered in.	Mandatory
def	Whether account is default or not. True/false	Mandatory
lookupBankName	Customer name registered by the bank.	Mandatory

sortCode	Bank assigned sortcode.	Mandatory
-----------------	-------------------------	------------------