

Biller PGW Web-service specification

FOR
INTEGRATED PAYMENT SYSTEMS LIMITED (IPSL)

March 2021
Version 1.0



Contents

1. VALIDATION REQUEST	3
2. PAYMENT CONFIRMATION REQUEST	8

1. Validation request

Validation request, is sent by banks to validate the bill reference given on Biller portal.

Validation request body

Field	Description	Optional/Mandatory
RequestId VARCHAR2 (512 BYTES)	merchant can assign unique id for each request.	Mandatory.
RequestDate (DATE)	date and time the request is sent.	Mandatory
Login (NUMBER 10,0)	merchant/bank sortcode	Mandatory
Hash	hash generated by hashing requestid, login and password.	Mandatory
ServiceId (NUMBER 10,0)	unique ID for the specific merchant/service generated by PGW.	Mandatory
Description VARCHAR2 (512 BYTES)	merchant can assign a description for the requests.	Optional
CurrencyCode VARCHAR2 (512 BYTES)	payment currency KES	Mandatory
TransactionAmount	Amount in the transaction.	Mandatory
Source_Amount (NUMBER 10,2)	amount for the transaction.	Mandatory

PGW Integration: Validation and Confirmation

Fee_amount (number 10,2)	fee for the transaction as set in PGW. Else zero.	Optional
Bill_ref_number	Bill reference as shared on web portal.	Mandatory

Validation response body

Field	Description	Optional/Mandatory
Status	Status of the request whether success or fail.	Mandatory.
StatusCode	Status code 000 for success any other for error.	Mandatory
Service_name	Name of the service being paid for.	Mandatory
Destination_amount	Amount to be paid.	Mandatory
BILL_ID	unique ID assigned by Biller for the particular request.	Mandatory
Fee_amount	Fee as set in PGW for the service.	Optional
Source_amount	Amount to be paid.	Mandatory
Source_currency_code	Amount in the transaction.	Mandatory
Bill_ref_number	Bill reference as shared on web portal.	Mandatory

PGW Integration: Validation and Confirmation

Merchant_id	Service name assigned to the service_id (Biller).	Optional
-------------	---	----------

Sample validation request.

```
<x:Envelope xmlns:x="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ws="http://ws.cwt.ru/">
  <x:Header/>
  <x:Body>
    <ws:processPayment>
      <req>
        <RequestId>2</RequestId>
        <RequestDate>2018-10-19T00:00:00</RequestDate>
        <Login>40441000</Login>
        <Hash>1931aaf6f7dea86cbcad9e7f99a673add36898a</Hash>
        <Payments>
          <Payment>
            <ServiceId>301</ServiceId>
            <Description>No description</Description>
            <TransactionAmount>4450</TransactionAmount>
            <FeeAmount>0</FeeAmount>
            <CurrencyCode>KES</CurrencyCode>
            <ServiceFields>
              <ServiceField>
                <Id>SOURCE_AMOUNT</Id>
                <Value>2050</Value>
              </ServiceField>
              <ServiceField>
                <Id>BILL_REF_NUMBER</Id>
                <Value>SKNUHPD</Value>
              </ServiceField>
            </ServiceFields>
          </Payment>
        </Payments>
      </req>
    </ws:processPayment>
  </x:Body>
</x:Envelope>
```

PGW Integration: Validation and Confirmation

Sample validation response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:processPayment xmlns:ns2="http://ws.cwt.ru/">
      <Status>SUCCESS</Status>
      <StatusCode>000</StatusCode>
      <StatusMessage>SUCCESS</StatusMessage>
      <Payments>
        <Payment>
          <InPaymentParameters>
            <entry>
              <key>TRANSACTION_AMOUNT</key>
            </entry>
            <entry>
              <key>SERVICE_NAME</key>
              <value>Self Generate Bill</value>
            </entry>
            <entry>
              <key>DESTINATION_AMOUNT</key>
              <value>2650</value>
            </entry>
            <entry>
              <key>BILL_ID</key>
              <value>16810783</value>
            </entry>
            <entry>
              <key>FEE_AMOUNT</key>
              <value>11.6</value>
            </entry>
            <entry>
              <key>SOURCE_AMOUNT</key>
              <value>2650</value>
            </entry>
            <entry>
              <key>SOURCE_CURRENCY_ID</key>
              <value>1</value>
            </entry>
            <entry>
              <key>ISO8583_ACQUIR_INSTITUTION_ID</key>
              <value>000001</value>
            </entry>
            <entry>
              <key>ISO8583_ORIGINAL_ACQUIR_INSTITUTION_ID</key>
```

PGW Integration: Validation and Confirmation

```
        <value>BANK00</value>
      </entry>
      <entry>
        <key>BILL_REF_NUMBER</key>
        <value>GRTDIBU</value>
      </entry>
      <entry>
        <key>SOURCE_CURRENCY_CODE</key>
        <value>KES</value>
      </entry>
      <entry>
        <key>MERCHANT_ID</key>
        <value>Biller</value>
      </entry>
    </InPaymentParameters>
    <OutPaymentParameters/>
    <ServiceFields/>
    <Status>SUCCESS</Status>
    <StatusCode>000</StatusCode>
  </Payment>
</Payments>
</ns2:processPayment>
</soap:Body>
</soap:Envelope>
```

2. Payment Confirmation request

After validation request customer makes payment through P2P and after a successful transaction a payment confirmation is sent to Biller.

Payment confirmation request

Field	Description	Optional/Mandatory
RequestId	Same request id as in validation request for transaction matching.	Mandatory
RequestDate	date and time the request is sent.	Mandatory
Login	merchant/bank sortcode	Mandatory
Hash	hash generated by hashing requestid, login and password.	Mandatory
ServiceId (NUMBER 10,0)	unique ID for the specific merchant/service generated by PGW.	Mandatory
Description VARCHAR2 (512 BYTES)	merchant can assign a description for the requests.	Optional
CurrencyCode	currencycode used KES.	Mandatory
Bill_ref_number	Bill reference as shared on web portal .	Mandatory

PGW Integration: Validation and Confirmation

Bill_id	Bill id returned in validation response.	Mandatory
Payment_id	Last 6 digits of ISO field 72, e.g 226385	Mandatory
Destination_amount	Amount paid same as source amount.	Mandatory
Source_account_number	Customer bank account that was debited.	Mandatory
Source_customer_first_name	Customer first name	Mandatory
Source_mobile_number	Customer mobile number	Mandatory

Payment status response

Field	Description	Optional/Mandatory
Status	Status of the request whether success or fail.	Mandatory.
StatusCode	Status code 000 for success any other for error.	Mandatory
Service_name	Name of the service being paid for.	Mandatory
Destination_amount	Amount to be paid.	Mandatory

PGW Integration: Validation and Confirmation

BILL_ID	unique ID assigned by Biller for the particular request.	Mandatory
Fee_amount	Fee as set in PGW for the service.	Mandatory
Source_amount	Amount to be paid.	Mandatory
Source_currency_code	Amount in the transaction.	Mandatory
Bill_ref_number	Bill reference as shared on web portal.	Mandatory
Merchant_id	Service name assigned to the service_id (Biller).	Mandatory
Source_msisdn	Customer mobile number	Mandatory
Source_customer_first_name	Customer first name	

Sample payment confirmation request

```
<x:Envelope xmlns:x="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ws="http://ws.cwt.ru/">
  <x:Header/>
  <x:Body>
    <ws:processPayment>
      <req>
        <RequestId>2020529</RequestId>
        <RequestDate>2020-04-17T15:39:22</RequestDate>
        <Login>40410000</Login>
        <Hash>8702e8ff67db502efab1cfe386399cf8c9c89ac7</Hash>
        <Payments>
```

PGW Integration: Validation and Confirmation

```

    <Payment>
      <RequestId>123</RequestId>
      <ServiceId>301</ServiceId>
      <Description>No description</Description>
      <TransactionAmount>1005</TransactionAmount>
      <FeeAmount>0</FeeAmount>
      <CurrencyCode>KES</CurrencyCode>
      <ServiceFields>
        <ServiceField>
          <Id>BILL_REF_NUMBER</Id>
          <Value>AIGXCHP</Value>
        </ServiceField>
        <ServiceField>
          <Id>BILL_ID</Id>
          <Value>15731935</Value>
        </ServiceField>
        <ServiceField>
          <Id>PAYMENT_ID</Id>
          <Value>226385</Value>
        </ServiceField>
        <ServiceField>
          <Id>DESTINATION_AMOUNT</Id>
          <Value>1005</Value>
        </ServiceField>
        <ServiceField>
          <Id>SOURCE_ACCOUNT_NUMBER</Id>
          <Value>01080002880000</Value>
        </ServiceField>
        <ServiceField>
          <Id>SOURCE_CUSTOMER_FIRST_NAME</Id>
          <Value>Judy</Value>
        </ServiceField>
        <ServiceField>
          <Id>SOURCE_MSISDN</Id>
          <Value>254714700000</Value>
        </ServiceField>
      </ServiceFields>
    </Payment>
  </Payments>
</req>
</ws:processPayment>
</x:Body>
</x:Envelope>

```

PGW Integration: Validation and Confirmation

Sample payment confirmation response

```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:processPayment xmlns:ns2="http://ws.cwt.ru/">
      <RequestId>SPHAWEG</RequestId>
      <Status>SUCCESS</Status>
      <StatusCode>000</StatusCode>
      <StatusMessage>SUCCESS</StatusMessage>
      <Payments>
        <Payment>
          <InPaymentParameters>
            <entry>
              <key>DESTINATION_AMOUNT</key>
              <value>3050</value>
            </entry>
            <entry>
              <key>SOURCE_CURRENCY_ID</key>
              <value>1</value>
            </entry>
            <entry>
              <key>ISO8583_ORIGINAL_ACQUIR_INSTITUTION_ID</key>
              <value>BANK00</value>
            </entry>
            <entry>
              <key>SOURCE_CUSTOMER_FIRST_NAME</key>
              <value>WANGUI</value>
            </entry>
            <entry>
              <key>SOURCE_CURRENCY_CODE</key>
              <value>KES</value>
            </entry>
            <entry>
              <key>SOURCE_ACCOUNT_NUMBER</key>
              <value>1004416473</value>
            </entry>
            <entry>
              <key>TRANSACTION_AMOUNT</key>
            </entry>
            <entry>
              <key>BILL_ID</key>
              <value>16810689</value>
            </entry>
          </InPaymentParameters>
        </Payment>
      </Payments>
    </ns2:processPayment>
  </soap:Body>
</soap:Envelope>
```

PGW Integration: Validation and Confirmation

```

        <key>ISO8583_ACQUIR_INSTITUTION_ID</key>
        <value>000001</value>
    </entry>
    <entry>
        <key>SOURCE_MSISDN</key>
        <value>0716191411</value>
    </entry>
    <entry>
        <key>PAYMENT_ID</key>
        <value>295141</value>
    </entry>
    <entry>
        <key>BILL_REF_NUMBER</key>
        <value>SPHAWEG</value>
    </entry>
    <entry>
        <key>MERCHANT_ID</key>
        <value>Biller</value>
    </entry>
    <entry>
        <key>FEE_AMOUNT</key>
        <value>11.6</value>
    </entry>
    </InPaymentParameters>
    <OutPaymentParameters/>
    <ServiceFields/>
    <Status>SUCCESS</Status>
    <StatusCode>000</StatusCode>
</Payment>
</Payments>
</ns2:processPayment>
</soap:Body>
</soap:Envelope>

```