

TietoEVERY Instant payment Switch

IPS Interface

External specification

Table of Contents

1	Message flow	5
1.1	Credit transfer	5
1.1.1	Accepted	5
1.1.2	Rejected by IPS	5
1.1.3	Rejected by Creditor Agent	5
1.2	Payment initiation	6
1.2.1	Accepted	6
1.2.2	Rejected by Creditor agent	7
1.2.3	Rejected by Debtor agent	7
1.2.4	Rejected by IPS	8
1.3	Request to pay	8
1.3.1	Accepted	8
1.3.2	Early rejected by IPS	9
1.3.3	Early rejected by Debtor Agent	9
1.3.4	Rejected	10
1.4	Payment recall	10
1.4.1	Positive (pacs.004)	10
1.4.2	Negative (camt.029)	11
1.5	Investigation flow	11
1.5.1	pain.001 status request	11
1.5.2	pacs.004 status request	12
1.5.3	pacs.008 status request	13
1.5.4	camt.056 to pacs.004 status request	14
1.5.5	camt.056 to camt.029 status request	14
1.5.6	Unknown requested message name identification	15
1.6	Account verification	15
1.6.1	Accepted	15
1.6.2	Rejected by IPS	15
1.7	Bank to customer account statement flow	16
1.7.1	Direct participant	16
1.7.2	Indirect participant	16
1.8	System unavailability notification flow	16
1.9	Fault processing	16
2	Message structure	18
2.1	Message identifiers	18
2.1.1	Pain.001 unique identifier	18
2.1.2	Pacs.008 unique identifier	18
2.1.3	Pacs.004 unique identifier	18
2.1.4	Camt.056 unique identifier	18
2.2	Instructing and Instructed Party fields in the header	18
2.3	pacs.008.001.09	18
2.3.1	Sample of pacs.008 message	21

2.4	pacs.002.001.11	22
2.5	pain.001.001.10	26
2.5.1	Sample of pain.001 message	28
2.6	pain.002.001.11	30
2.6.1	Sample of pain.002 message	32
2.7	pain.013.001.08	34
2.7.1	Sample of pain.013 message	36
2.8	pain.014.001.08	37
2.8.1	Sample of pain.014 message	40
2.9	camt.056.001.09	41
2.9.1	Sample of camt.056 message	44
2.10	camt.029.001.10	45
2.10.1	Sample of camt.029 message	48
2.11	pacs.004.001.10	49
2.12	pacs.028.001.04	54
2.12.1	Sample of pcs.028 message	55
2.13	acmt.023.001.01	55
2.14	acmt.024.001.01	56
2.15	camt.053.001.08	58
2.15.1	Bank transaction codes	58
2.15.2	Sample of camt.053 message	59
2.16	admi.002.001.01	60
2.16.1	Sample of admi.002 message	60
2.17	admi.004.001.02	61
2.17.1	Sample of admi.004.001.02 (unavailability notification) message	61
3	Appendix	62
4	Error codes	63
4.1	Transfer type codes	66
4.2	Initiation channel codes	66


Revision history

VERSION	DATE	AUTHOR	CHAPTER	CHANGE
1.0	2020-07-16	Ivars Jaunozolins		Initial version of specification
1.1	2020-08-10	Ivars Jaunozolins		Added Constraints column to Message structure tables to distinguish them from description. Added UltmtDbtr and UltmtCdtr and tags to be able define person under Dbtr and Cdtr tags. Added CtgPurp/Prtry, RmtInf/Ustrd and Purp/Prtry. Created Appendix with Transaction type and Category purpose code list.
1.2	2020-08-12	Ivars Jaunozolins		Added /Othr/Id for generic organization identification. Removed PmtSts from pain.002 and pain.014 as only one Transaction per Payment is allowed. Updated ./CxlRsnInf for camt.056, ./CxlStsRsnInf for camt.029, ./StsRsnInf for pacs.002, pain.002, pain.014. Added missing constraint Only single occurrence allowed for fields which are allowed to be multiplicated.
1.3	2020-08-26	Ivars Jaunozolins		Added Error Codes AM01 and AM12 pain.014 description for ./InitgPty/Id/OrgId/AnyBIC Updated pacs.028.001.04 ./OrgnlTxId Updated all xml samples with ./Othr/Id Renamed PY01 to RC01 and changed type to ISO Added AG10, AG11, TE06 error coes and FwdgAgt to pain001
1.4	2020-09-30	Ivars Jaunozolins		Changed general message structure format. Updated individual message content: - camt.029 - added <OrgnlCreDtTm>; removed <OrgnlTxId>; - camt.056 - added <OrgnlCreDtTm>; removed <OrgnlTxId>; - pacs.002 - added <OrgnlCreDtTm>, <StsId>, <MndtRltdInf>; removed <OrgnlTxId>, <GrpSts>, ./OrgnlGrplnfAndSts/StsRsnInf; - pacs.004- added <OrgnlCreDtTm>; removed <OrgnlTxId>; - pacs.008- removed <TxId>. <Tax>; <MndtRltdInf>; - pacs.028 - added <OrgnlCreDtTm>; removed <OrgnlTxId>; - pain.002 - added <PmtInfSts>, ./OrgnlPmtInfAndSts/StsRsnInf, <StsId>; removed <GrpSts>, ./OrgnlGrplnfAndSts/StsRsnInf, <OrgnlInstrId>; - pain.001 - added <Tax>; - pain.013 - added <MndtRltdInf>; - pain.014 - added <MndtRltdInf>; Added investigation flow for pain.001, pacs.004, camt.056. Updated pacs.008 investigation flow. Updated Payment recall flow.
1.5	2020-10-09	Ivars Jaunozolins		Updated 'Message identifiers' section. Removed 'Status message usage by IPS in response on incoming iso20022 message' section. Removed Bulk level error codes from 'Status reason coeds' section
1.6	2020-10-20	Ivars Jaunozolins		Extended error code list
1.7	2020-10-23	Ivars Jaunozolins		Added rejection flow diagrams for Request to Pay. Corrected pain.014 structure - removed GrpSts and added PmtInfSts

1 Message flow


1.1 Credit transfer

1.1.1 Accepted



1. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
2. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
3. IPS forwards [pacs.008](#) to Creditor Agent.
4. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
5. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account, debits Debtor Agent and credits Creditor Agent.
6. IPS send [pacs.002](#) to Creditor Agent to notify of completed payment.
7. IPS sends [pacs.002](#) to Debtor Agent to notify of completed payment.


1.1.2 Rejected by IPS



1. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
2. IPS attempt to validate [pacs.008](#), check Debtor Agent, Creditor Agent and attempt to block funds on Debtor account.
3. IPS sends [pacs.002](#) to Debtor Agent to notify of rejected payment.

1.1.3 Rejected by Creditor Agent

Credit transfer rejected by Creditor Agent




1. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
2. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
3. IPS forwards [pacs.008](#) to Creditor Agent.
4. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
5. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account.
6. IPS sends [pacs.002](#) to Creditor Agent to notify of rejected payment.
7. IPS sends [pacs.002](#) to Debtor Agent to notify of rejected payment.

1.2 Payment initiation

1.2.1 Accepted


Payment initiation accepted



1. PSP initiates a payment by sending [pain.001](#) with payment amount and additional information.
2. Forwarding Agent forwards [pain.001](#) to IPS. PSP also acts as Forwarding Agent if PSP has direct connection to IPS.
3. IPS validates [pain.001](#) and then forwards to Debtor Agent.
4. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
5. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
6. IPS forwards [pacs.008](#) to Creditor Agent.


7. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
8. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account.
9. IPS sends [pacs.002](#) to Creditor Agent to notify of completed payment.
10. IPS sends [pacs.002](#) to Debtor Agent to notify of completed payment.
11. IPS generates [pain.002](#) and sends to Forwarding Agent to notify PSP of completed payment.
12. Forwarding Agent forwards [pain.002](#) to PSP.

1.2.2 Rejected by Creditor agent




1. PSP initiates a payment by sending [pain.001](#) with payment amount and additional information.
2. Forwarding Agent forwards [pain.001](#) to IPS. PSP also acts as Forwarding Agent if PSP has direct connection to IPS.
3. IPS validates [pain.001](#) and then forwards to Debtor Agent.
4. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
5. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
6. IPS forwards [pacs.008](#) to Creditor Agent.
7. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
8. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account.
9. IPS sends [pacs.002](#) to Creditor Agent to notify of rejected payment.
10. IPS sends [pacs.002](#) to Debtor Agent to notify of rejected payment.
11. IPS generates [pain.002](#) and sends to Forwarding Agent to notify PSP of rejected payment.
12. Forwarding Agent forwards [pain.002](#) to PSP.

1.2.3 Rejected by Debtor agent



1. PSP initiates a payment by sending [pain.001](#) with payment amount and additional information.
2. Forwarding Agent forwards [pain.001](#) to IPS. PSP also acts as Forwarding Agent if PSP has direct connection to IPS.
3. IPS validates [pain.001](#) and then forwards to Debtor Agent.
4. Debtor Agent validates [pain.001](#) and decides to reject payment by sending rejection [pain.002](#) to IPS.
5. IPS validates [pain.002](#) and forward rejection to Forwarding Agent to notify PSP.
6. Forwarding Agent forwards [pain.002](#) to PSP.


1.2.4 Rejected by IPS



1. PSP initiates a payment by sending [pain.001](#) with payment amount and additional information.
2. Forwarding Agent forwards [pain.001](#) to IPS. PSP also acts as Forwarding Agent if PSP has direct connection to IPS.
3. IPS attempt to validate [pain.001](#) then generates rejection [pain.002](#) and sends to Forwarding Agent to notify PSP.
4. Forwarding Agent forwards [pain.002](#) to PSP.

1.3 Request to pay


1.3.1 Accepted



1. Creditor Agent sends [pain.013](#) to IPS to route to the Debtor Agent.
2. IPS validates [pain.013](#) and then forwards to Debtor Agent.
3. Debtor Agent validates [pain.013](#) and respond with acceptance [pain.014](#).
4. IPS validates [pain.014](#) and then forwards response to Creditor Agent.
5. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
6. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
7. IPS forwards [pacs.008](#) to Creditor Agent.
8. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
9. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account, debits Debtor Agent and credits Creditor Agent.
10. IPS sends [pacs.002](#) to Creditor Agent to notify of completed payment.
11. IPS sends [pacs.002](#) to Debtor Agent to notify of completed payment.
12. Debtor Agent sends final [pain.014](#) indicating final payment status.
13. IPS validates [pain.014](#) and then forwards response to Creditor Agent.

1.3.2 Early rejected by IPS


Request to pay early rejected by IPS



1. Creditor Agent sends [pain.013](#) to IPS to route to the Debtor Agent.
2. IPS tries to validate faulty [pain.013](#) and respond with rejection [pain.014](#) to Creditor Agent.

1.3.3 Early rejected by Debtor Agent


Request to pay early rejected by Debtor Agent



1. Creditor Agent sends [pain.013](#) to IPS to route to the Debtor Agent.
2. IPS validates [pain.013](#) and then forwards to Debtor Agent.
3. Debtor Agent validates [pain.013](#) and respond with rejection [pain.014](#).
4. IPS validates [pain.014](#) and then forwards response to Creditor Agent.

1.3.4 Rejected

Request to pay rejected




1. Creditor Agent sends [pain.013](#) to IPS to route to the Debtor Agent.
2. IPS validates [pain.013](#) and then forwards to Debtor Agent.
3. Debtor Agent validates [pain.013](#) and respond with [pain.014](#) indicating success or failure.
4. IPS validates [pain.014](#) and then forwards response to Creditor Agent.
5. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
6. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and attempt to block funds on Debtor account.
7. IPS sends rejection [pacs.002](#) to Debtor Agent to notify of rejected payment.
8. IPS sends rejection [pacs.002](#) to Creditor Agent to notify of rejected payment.
9. Debtor Agent sends final [pain.014](#) indicating final payment status.
10. IPS validates [pain.014](#) and then forwards response to Creditor Agent.

1.4 Payment recall

1.4.1 Positive (pacs.004)


Payment recall positive (pacs.004)



1. Debtor Agent sends [camt.056](#) to IPS in order to initiate a recall.
2. IPS validates [camt.056](#), checks Debtor Agent and Creditor Agent and then forwards [camt.056](#) to Creditor Agent.
3. Creditor Agent sends positive confirmation [pacs.004](#) to IPS.
4. IPS validates [pacs.004](#), checks Debtor Agent, Creditor Agent and then debits Creditor account and credits Debtor account by transaction amount from [pacs.004](#).
5. IPS send [pacs.002](#) to Creditor Agent to notify of result.
6. IPS forwards [pacs.004](#) to Debtor Agent to notify of recall.
7. IPS send [pacs.002](#) to Debtor Agent to notify of result.

1.4.2 Negative (camt.029)


Payment recall negative (camt.029)



1. Debtor Agent sends [camt.056](#) to IPS in order to initiate a recall.
2. IPS validates [camt.056](#), checks Debtor Agent and Creditor Agent and then forwards [camt.056](#) to Creditor Agent.
3. Creditor Agent sends negative confirmation [camt.029](#) to IPS.
4. IPS validates [camt.029](#) and then forwards [camt.029](#) to Debtor Agent.


1.5 Investigation flow

1.5.1 pain.001 status request




1. PSP initiates a payment by sending [pain.001](#) with payment amount and additional information.
2. IPS validates [pain.001](#) and then forwards to Debtor Agent.
3. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
4. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
5. IPS forwards [pacs.008](#) to Creditor Agent.
6. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.
7. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account.
8. IPS sends [pacs.002](#) to Creditor Agent to notify of completed payment.
9. IPS sends [pacs.002](#) to Debtor Agent to notify of completed payment.
10. An unexpected timeout took place therefore PSP sends [pacs.028](#) to IPS concerning [pain.001](#) result.
11. IPS validates [pacs.028](#), re-generates [pain.002](#) and re-sends to PSP to notify of previously completed payment initiation result.

1.5.2 pacs.004 status request



1. Debtor Agent sends [camt.056](#) to IPS in order to initiate a recall.
2. IPS validates [camt.056](#), checks Debtor Agent and Creditor Agent and then forwards [camt.056](#) to Creditor Agent.
3. Creditor Agent sends positive confirmation [pacs.004](#) to IPS.
4. IPS validates [pacs.004](#), checks Debtor Agent, Creditor Agent and then debits Creditor account and credits Debtor account by transaction amount from [pacs.004](#).
5. IPS send [pacs.002](#) to Creditor Agent to notify of result.
6. IPS forwards [pacs.004](#) to Debtor Agent to notify of recall.
7. An unexpected timeout took place therefore Debtor Agent sends [pacs.028](#) to IPS concerning [pacs.004](#) result.
8. IPS validates [pacs.028](#), re-generates [pacs.002](#) and re-sends to Debtor Agent to notify of previously completed recall result.


1.5.3 pacs.008 status request



1. Debtor Agent sends [pacs.008](#) to IPS in order to initiate a payment.
2. IPS validates [pacs.008](#), checks Debtor Agent, Creditor Agent and then blocks funds on Debtor account.
3. IPS forwards [pacs.008](#) to Creditor Agent.
4. Creditor Agent validates request and checks Beneficiary record. Creditor Agent sends [pacs.002](#) to IPS.


5. IPS validates [pacs.002](#), checks Debtor Agent, Creditor Agent and then releases blocked funds on Debtor account, do accounting on Creditor Agent and Debtor accounts accordingly to received [pacs.002](#).
6. IPS send [pacs.002](#) to Creditor Agent to notify of completed payment.
7. An unexpected timeout took place therefore Debtor Agent sends [pacs.028](#) to IPS concerning [pacs.008](#) result.
8. IPS validates [pacs.028](#), re-generates [pacs.002](#) and re-sends to Debtor Agent to notify of previously completed payment result.

1.5.4 camt.056 to pacs.004 status request



1. Debtor Agent sends [camt.056](#) to IPS in order to initiate a recall.
2. IPS validates [camt.056](#), checks Debtor Agent and Creditor Agent and then forwards [camt.056](#) to Creditor Agent.
3. Creditor Agent sends positive confirmation [pacs.004](#) to IPS.
4. IPS validates [pacs.004](#), checks Debtor Agent, Creditor Agent and then debits Creditor account and credits Debtor account by transaction amount from [pacs.004](#).
5. IPS send [pacs.002](#) to Creditor Agent to notify of result.
6. An unexpected timeout took place therefore Debtor Agent sends [pacs.028](#) to IPS concerning [camt.056](#) status.
7. IPS validates [pacs.028](#) and re-forwards [pacs.004](#) to Debtor Agent to notify of recall initiation result.
8. IPS re-generates and re-sends [pacs.002](#) to Debtor Agent to notify of previously completed recall result.


1.5.5 camt.056 to camt.029 status request



1. Debtor Agent sends [camt.056](#) to IPS in order to initiate a recall.
2. IPS validates [camt.056](#), checks Debtor Agent and Creditor Agent and then forwards [camt.056](#) to Creditor Agent.
3. Creditor Agent sends negative confirmation [camt.029](#) to IPS.
4. An unexpected timeout took place therefore Debtor Agent sends [pacs.028](#) to IPS concerning [camt.056](#) status.
5. IPS validates [camt.029](#) and then re-forwards [camt.029](#) to Debtor Agent.

1.5.6 Unknown requested message name identification


Unsupported requested message name identification



1. Debtor Agent sends [pacs.028](#) to IPS.
2. IPS validates [pacs.028](#) which contains invalid message name identification therefor IPS sends [admi.002](#) to Debtor Agent.

1.6 Account verification


1.6.1 Accepted



1. Debtor Agent sends [acmt.023](#) to IPS in order to verify party account.
2. IPS validates [acmt.023](#) - checks Debtor Agent and Creditor Agent.
3. IPS forwards [acmt.023](#) to Creditor Agent.
4. Creditor Agent verifies party account and if necessary update data.
5. Creditor Agent sends [acmt.024](#) to IPS.
6. IPS validates [acmt.024](#) - checks Creditor Agent.
7. IPS send [acmt.024](#) to Debtor Agent with approved/rejected account verification result.

1.6.2 Rejected by IPS


Account verification rejected by IPS



1. Debtor Agent sends [acmt.023](#) to IPS in order to verify party account.
2. IPS validates [acmt.023](#) - checks Debtor Agent and Creditor Agent.
3. IPS send [acmt.024](#) to Debtor Agent with rejection reason.


1.7 Bank to customer account statement flow

1.7.1 Direct participant




1. IPS performs liquidity adjustment cycle switch.
2. IPS generates [camt.053](#) customer account statement and sends it to Participant.

1.7.2 Indirect participant




1. IPS performs liquidity adjustment cycle switch.
2. IPS generates [camt.053](#) customer account statement and sends it to Direct Participant (service provider).
3. If Indirect Participant (served) has a direct connection to IPS, IPS sends it same [camt.053](#) account statement.

1.8 System unavailability notification flow



1. Participant sends [admi.004](#) message to IPS.
2. IPS forwards [admi.004](#) message to all active or suspended participants that have subscribed to receive system notification messages.

1.9 Fault processing



1. Participant sends ISO 20022 message to IPS;
2. IPS is unable to parse the XML message, validate it using XSD schema, or message contains invalid XML signature. IPS generates [admi.002](#) message to notify about processing fault.

2 Message structure

Message format is based on ISO20022 XML format with additional rules on presence and absence of fields.

The indicators used for field formats hereinafter are as follows:

TYPE / CODE NOTATION	DESCRIPTION	EXAMPLE
text	minimum (m) and maximum (M) length	text
decimal	total (T) numbers of digits and maximum fractional (F)	decimal
regular expression	regular expression pattern	[A-Z]
ISODate	YYYY-MM-DD	2020-09-13
ISODateTime	YYYY-MM-DDThh:mm:ssZ	2020-09-13T13:09:45Z
code	ISO defined code	SLEV

2.1 Message identifiers

All chained messages are identified through combination of two fields: - /OrgnlMsgNmId; - /OrgnlEndToEndId.

2.1.1 Pain.001 unique identifier

Combination of: - /Document/CstmrCdtTrfInitn/GrpHdr/CreDtTm; - /Document/CstmrCdtTrfInitn/GrpHdr/InitgPty; - /Document/CstmrCdtTrfInitn/PmtInf/PmtInfId.

2.1.2 Pacs.008 unique identifier

Combination of: - /Document/FIToFICstmrCdtTrf/GrpHdr/CreDtTm; - /Document/FIToFICstmrCdtTrf/CdtTrfTxInf/DbtrAgt/FinInstnId/BICFI; - /Document/FIToFICstmrCdtTrf/CdtTrfTxInf/PmtId/EndToEnd.

2.1.3 Pacs.004 unique identifier

Combination of: - /Document/PmtRtr/GrpHdr/CreDtTm; - /Document/PmtRtr/TxInf/OrgnlTxRef/CdtrAgt; - /Document/PmtRtr/TxInf/RtrId.

2.1.4 Camt.056 unique identifier

Combination of: - /Document/FIToFIPmtCxlReq/Assgnmt/CreDtTm; - /Document/FIToFIPmtCxlReq/Undrlyg/TxInf/OrgnlTxRef/DbtrAgt; - /Document/FIToFIPmtCxlReq/Undrlyg/TxInf/CxlId.

2.2 Instructing and Instructed Party fields in the header

In messages sent from Debtor Agent or Creditor Agent to IPS:

- Instructing Party must be Debtor Agent or Creditor Agent BIC respectively;
- Instructed Party must be IPS BIC.

In messages sent from IPS to Debtor Agent or Creditor Agent:

- Instructing Party is IPS BIC for messages generated by IPS;
- Instructed Party is Debtor Agent or Creditor Agent BIC respectively.

Note: in acmt.023 Assgnr is Debtor Agent (Instructing Party) and Assignee is Creditor Agent (Instructed Party) not IPS.

2.3 pacs.008.001.09

Scope

The FinancialInstitutionToFinancialInstitutionCustomerCreditTransfer message is sent by the debtor agent to the creditor agent, directly or through other agents and/or a payment clearing and settlement system. It is used to move funds from a debtor account to a creditor.

Usage

The FIToFICustomerCreditTransfer message is exchanged between agents and can contain one or more customer credit transfer instructions.

The FIToFICustomerCreditTransfer message does not allow for grouping: a CreditTransferTransactionInformation block must be present for each credit transfer transaction.

The FIToFICustomerCreditTransfer message can be used in different ways:

- If the instructing agent and the instructed agent wish to use their direct account relationship in the currency of the transfer then the message contains both the funds for the customer transfer(s) as well as the payment details;
- If the instructing agent and the instructed agent have no direct account relationship in the currency of the transfer, or do not wish to use their account

relationship, then other (reimbursement) agents will be involved to cover for the customer transfer(s). The FIToFICustomerCreditTransfer contains only the payment details and the instructing agent must cover the customer transfer by sending a FinancialInstitutionCreditTransfer to a reimbursement agent. This payment method is called the Cover method;

- If more than two financial institutions are involved in the payment chain and if the FIToFICustomerCreditTransfer is sent from one financial institution to the next financial institution in the payment chain, then the payment method is called the Serial method.

The FIToFICustomerCreditTransfer message can be used in domestic and cross-border scenarios.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Financial Institution To Financial Institution Customer Credit Transfer	<FIToFICstmrCdtTrf>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODatetime		
2	Number Of Transactions	<NbOfTx>	[1..1]	[0-9]		only single transaction
2	Total Interbank Settlement Amount	<TtlIntrBkSttlmAmt>	[0..1]	decimal	[1..1]	
2	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	ISODate	[1..1]	
2	Settlement Information	<SttlmInf>	[1..1]			
3	Settlement Method	<SttlmMtd>	[1..1]	code		only CLRG supported
3	Clearing System	<ClrSys>	[0..1]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		only IPS supported
2	Payment Type Information	<PmtTplnf>	[0..1]		[1..1]	
3	Service Level	<SvcLvl>	[0..*]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		transfer type code
3	Local Instrument	<LclInstrm>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text		only INST supported
3	Category Purpose	<CtgyPurp>	[0..1]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		initiation channel code
2	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Instructed Agent	<InstdAggt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	
2	Payment Identification	<PmtId>	[1..1]			
3	End To End Identification	<EndToEndId>	[1..1]	text		
2	Interbank Settlement Amount	<IntrBkSttlmAmt>	[1..1]	decimal		
2	Interbank Settlement Date	<AccptncDtTm>	[0..1]	ISODate	[1..1]	
2	Charge Bearer	<ChrgBr>	[1..1]	code		only SLEV supported
2	Mandate Related Information	<MndtRltdInf>	[0..1]			
3	Mandate Identification	<MndtId>	[0..1]	text		
2	Ultimate Debtor	<UltmtDbtr>	[0..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9]+\-] {1,30}		
2	Initiating Party	<InitgPty>	[0..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]		[1..1]	
4	Organisation Identification	<Orgld>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Debtor	<Dbtr>	[1..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<Orgld>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9]+\-] {1,30}		
2	Debtor Account	<DbtrAcct>	[0..1]			
3	Identification	<Id>	[1..1]			
4	Other	<Othr>	[1..1]			
5	Identification	<Id>	[1..1]	text		
3	Name	<Nm>	[0..1]	text		
2	Debtor Agent	<DbtrAgt>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Creditor Agent	<CdtrAgt>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Creditor	<Cdtr>	[1..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<Orgld>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		

2.3.1 Sample of pacs.008 message

page 21 / 66

© 2020 TietoEVRY

ips_interface.ipsi.eng.pdf

```

<Nm>Ultimate debtor name</Nm>
<Id>
  <PrvtId><DtAndPlcOfBirth>
    <BirthDt>1985-01-30</BirthDt>
    <CityOfBirth>City</CityOfBirth>
    <CtryOfBirth>KE</CtryOfBirth>
  </DtAndPlcOfBirth></PrvtId>
<!--Or
  <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
</Id>
<CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</UltmtDbtr>
<InitgPty>
  <Nm>PSP name</Nm>
  <Id><OrgId><Othr><Id>0040</Id></Othr></OrgId></Id>
</InitgPty>
<Dbtr>
  <Nm>Debtor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Dbtr>
<DbtrAcct>
  <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
  <Nm>Debtor account name</Nm>
</DbtrAcct>
<DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
<CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
<Cdtr>
  <Nm>Creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Cdtr>
<CdtrAcct>
  <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
  <Nm>Creditor account name</Nm>
</CdtrAcct>
<UltmtCdtr>
  <Nm>Ultimate creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</UltmtCdtr>
<Purp><Cd>SUPP</Cd></Purp>
<Tax>
  <Cdtr><TaxId>0030</TaxId></Cdtr>
  <Dbtr><TaxId>0020</TaxId></Dbtr>
</Tax>
<RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
</CdtTrfTxInf>
</FIToFICstmrCdtTrf>
</Document>

```

2.4 pacs.002.001.11

The FIToFIPaymentStatusReport message is sent by an instructed agent to the previous party in the payment chain. It is used to inform this party about the positive or negative status of an instruction. It is also used to report on a pending instruction.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Financial Institution To Financial Institution Payment Status Report	<FIToFIPmtStsRpt>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
2	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Instructed Agent	<InstdAggt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Original Group Information And Status	<OrgnlGrpInfAndSts>	[0..*]		[1..1]	
2	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
2	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		pacs.004, pacs.008
2	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODateTime	[1..1]	
1	Transaction Information And Status	<TxInfAndSts>	[0..*]		[1..1]	
2	Status Identification	<StsId>	[0..1]	text	[1..1]	
2	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
2	Transaction Status	<TxSts>	[0..1]	text		only ACCP, RJCT, INFL supported
2	Status Reason Information	<StsRsnInf>	[0..*]		[0..1]	only if <TxSts> is RJCT
3	Originator	<Orgtr>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]	text	[1..1] {Or	
4	Identification	<Id>	[0..1]		[1..1] Or}	
5	Organisation Identification	<OrgId>	[1..1]			
6	Other	<Othr>	[0..*]		[1..1]	
7	Identification	<Id>	[1..1]	text		
3	Reason	<Rsn>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text	{Or	
4	Proprietary	<Prtry>	[1..1]	text	Or}	
2	Acceptance Date Time	<AcceptncDtTm>	[0..1]	ISODateTime	[1..1]	
2	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
3	Interbank Settlement Amount	<IntrBkSttlmAmt>	[0..1]	decimal		
3	Payment Type Information	<PmtTpInf>	[0..1]			
4	Service Level	<SvcLvl>	[0..*]		[0..1]	
5	Proprietary	<Prtry>	[1..1]	text		transfer type code
4	Local Instrument	<LclInstrm>	[0..1]			
5	Code	<Cd>	[1..1]	text		only INST supported
4	Category Purpose	<CtgyPurp>	[0..1]			
5	Proprietary	<Prtry>	[1..1]	text		initiation channel code
3	Mandate Related Information	<MndtRltdInf>	[0..1]			
4	Credit Transfer Mandate Data	<CdtTrfMndt>	[0..1]			
5	Mandate Identification	<MndtId>	[0..1]	text		
3	Remittance Information	<RmtInf>	[0..1]			
4	Unstructured	<Ustrd>	[0..*]	text	[0..1]	
3	Ultimate Debtor	<UltmtDbtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\]{1,30}		
3	Debtor	<Dbtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\]{1,30}		
3	Debtor Account	<DbtrAcct>	[0..1]			
4	Identification	<Id>	[1..1]			
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
4	Name	<Nm>	[0..1]	text		
3	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor	<Cdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\]{1,30}		
3	Creditor Account	<CdtrAcct>	[0..1]			
4	Identification	<Id>	[1..1]			
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
4	Name	<Nm>	[0..1]	text		
3	Ultimate Creditor	<UltmtCdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
3	Purpose	<Purp>	[0..1]			
4	Code	<Cd>	[1..1]	text		

Sample of pacs.002 (negative with valid original msg scheme) message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.002.001.11">
  <FIToFIPmtStsRpt>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <InstgAgt><FinInstnId><Othr><Id>1000</Id></Othr></FinInstnId></InstgAgt>
      <InstdAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></InstdAgt>
    </GrpHdr>
    <OrgnlGrpInfAndSts>
      <OrgnlMsgId>id00000000000000000000000000000002</OrgnlMsgId>
      <OrgnlMsgNmId>pacs.008</OrgnlMsgNmId>
      <OrgnlCreDtTm>2020-06-13T14:12:10</OrgnlCreDtTm>
    </OrgnlGrpInfAndSts>
    <TxInfAndSts>
      <StsId>id00000000000000000000000000000003</StsId>
      <OrgnlEndToEndId>id00000000000000000000000000000005</OrgnlEndToEndId>
      <TxSts>RJCT</TxSts>
      <StsRsnInf>
        <Orgtr>
          <Nm>Name of status reason originator</Nm>
        </Orgtr>
        <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>-->
      </StsRsnInf>
      <Rsn><Prtry>TECH</Prtry></Rsn>
    </TxInfAndSts>
    <AcceptncDtTm>2020-06-13T14:12:10</AcceptncDtTm>
    <OrgnlTxRef>
      <IntrBkSttlmAmt Ccy="EUR">123.45</IntrBkSttlmAmt>
      <PmtTpInf>
        <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
        <LclInstrm><Cd>INST</Cd></LclInstrm>
        <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
      </PmtTpInf>
      <MndtRltdInf><CdtTrfMndt><MndtId>id00000000000000000000000000000006</MndtId></CdtTrfMndt></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
      <UltmtDbtr><Pty>
        <Nm>Ultimate debtor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Pty></UltmtDbtr>
      <Dbtr><Pty>
        <Nm>Debtor Name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Pty></Dbtr>
      <DbtrAcct>
        <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
        <Nm>Debtor account name</Nm>
      </DbtrAcct>
      <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
      <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
    </OrgnlTxRef>
  </FIToFIPmtStsRpt>
</Document>
```

```

    <Cdt><Pty>
      <Nm>Creditor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>City</CityOfBirth>
          <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
      <!--Or
        <OrgId><Othr><Id>0030</Id></Othr></OrgId>--->
      </Id>
      <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
    </Pty></Cdt>
    <CdtAcct>
      <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
      <Nm>Creditor account name</Nm>
    </CdtAcct>
    <UltmtCdt><Pty>
      <Nm>Ultimate creditor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>City</CityOfBirth>
          <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
      <!--Or
        <OrgId><Othr><Id>0030</Id></Othr></OrgId>--->
      </Id>
      <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
    </Pty></UltmtCdt>
    <Purp><Cd>SUPP</Cd></Purp>
    </OrgnlTxRef>
    </TxInfAndSts>
    </FIToFIPmtStsRpt>
  </Document>

```

2.5 pain.001.001.10

Scope

The CustomerCreditTransferInitiation message is sent by the initiating party to the forwarding agent or debtor agent. It is used to request movement of funds from the debtor account to a creditor.

Usage

The CustomerCreditTransferInitiation message can contain one or more customer credit transfer instructions.

The CustomerCreditTransferInitiation message is used to exchange:

- One or more instances of a credit transfer initiation;
- Payment transactions that result in book transfers at the debtor agent or payments to another financial institution;
- Payment transactions that result in an electronic cash transfer to the creditor account or in the emission of a cheque.

The message can be used in a direct or a relay scenario:

- In a direct scenario, the message is sent directly to the debtor agent. The debtor agent is the account servicer of the debtor.
- In a relay scenario, the message is sent to a forwarding agent. The forwarding agent acts as a concentrating financial institution. It will forward the CustomerCreditTransferInitiation message to the debtor agent.

The message can also be used by an initiating party that has authority to send the message on behalf of the debtor. This caters for example for the scenario of a payments factory initiating all payments on behalf of a large corporate.

The CustomerCreditTransferInitiation message can be used in domestic and cross-border scenarios.

The CustomerCreditTransferInitiation message must not be used by the debtor agent to execute the credit transfer instruction(s). The FIToFICustomerCreditTransfer message must be used instead.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Customer Credit Transfer Initiation	<CstmrCdtTrfInitn>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
2	Control Sum	<CtrlSum>	[0..1]	decimal	[1..1]	
2	Initiating Party	<InitgPty>	[1..1]			
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Forwarding Agent	<FwdgAgt>	[0..1]		[1..1]	
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
6	Identification	<Id>	[1..1]	text		
1	Payment Information	<PmtInf>	[1..*]		[1..1]	
2	Payment Information Identification	<PmtInfId>	[1..1]	text		
2	Payment Method	<PmtMtd>	[1..1]	text		only TRF supported
2	Number Of Transactions	<NbOfTxs>	[0..1]	[0-9]	[1..1]	only single transaction
2	Control Sum	<CtrlSum>	[0..1]	decimal	[1..1]	
2	Payment Type Information	<PmtTplnf>	[0..1]		[1..1]	
3	Service Level	<SvcLvl>	[0..*]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		transfer type code
3	Local Instrument	<LclInstrm>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text		only INST supported
3	Category Purpose	<CtgyPurp>	[0..1]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		initiation channel code
2	Requested Execution Date	<ReqdExctnDt>	[1..1]			
3	Date Time	<DtTm>	[1..1]	ISODateTime		
2	Debtor	<Dbtr>	[1..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\]{1,30}		
2	Debtor Account	<DbtrAcct>	[1..1]			
3	Identification	<Id>	[1..1]			
4	Other	<Othr>	[1..1]			
5	Identification	<Id>	[1..1]	text		
3	Name	<Nm>	[0..1]	text		
2	Debtor Agent	<DbtrAgt>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Ultimate Debtor	<UltmtDbtr>	[0..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\]{1,30}		
2	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
3	Payment Identification	<PmtId>	[1..1]			
4	End To End Identification	<EndToEndId>	[1..1]	text		
3	Amount	<Amt>	[1..1]			
4	Instructed Amount	<InstdAmt>	[1..1]	decimal		
3	Charge Bearer	<ChrgBr>	[0..1]	code	[1..1]	only SLEV supported
3	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor	<Cdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
3	Creditor Account	<CdtrAcct>	[0..1]			
4	Identification	<Id>	[1..1]			
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
4	Name	<Nm>	[0..1]	text		
3	Ultimate Creditor	<UltmtCdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
3	Purpose	<Purp>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text		
3	Tax	<Tax>	[0..1]			
4	Creditor	<Cdtr>	[0..1]			
5	Tax Identification	<TaxId>	[0..1]	text		
4	Debtor	<Dbtr>	[0..1]			
5	Tax Identification	<TaxId>	[0..1]	text		
3	Remittance Information	<RmtInf>	[0..1]		[1..1]	
4	Unstructured	<Ustrd>	[0..*]	text	[1..1]	

2.5.1 Sample of pain.001 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.001.001.10">
  <CstmrCdtTrfInitn>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <NbOfTx>1</NbOfTx>
      <CtrlSum>123.45</CtrlSum>
      <InitgPty><Id><OrgId><Othr><Id>0040</Id></Othr></OrgId></Id></InitgPty>
      <FwdgAgt><FinInstnId><Othr><Id>0040</Id></Othr></FinInstnId></FwdgAgt>
    </GrpHdr>
    <PmtInf>
      <PmtInfId>id00000000000000000000000000000002</PmtInfId>
      <PmtMtd>TRF</PmtMtd>
      <NbOfTx>1</NbOfTx>
      <CtrlSum>123.45</CtrlSum>
      <PmtTpInf>
        <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
        <LclInstrm><Cd>INST</Cd></LclInstrm>
        <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
      </PmtTpInf>
      <ReqdExctnDt><DtTm>2020-05-13T14:12:10</DtTm></ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Dbtr>
      <DbtrAcct>
        <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
        <Nm>Debtor account name</Nm>
      </DbtrAcct>
      <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
      <UltmtDbtr>
        <Nm>Ultimate debtor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </UltmtDbtr>
      <CdtTrfTxInf>
        <PmtId>
          <EndToEndId>id00000000000000000000000000000005</EndToEndId>
        </PmtId>
        <Amt><InstAmt Ccy="EUR">123.45</InstAmt></Amt>
        <ChrgBr>SLEV</ChrgBr>
        <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
        <Cdtr>
          <Nm>Creditor name</Nm>
          <Id>
            <PrvtId><DtAndPlcOfBirth>
              <BirthDt>1985-01-30</BirthDt>
              <CityOfBirth>City</CityOfBirth>
              <CtryOfBirth>KE</CtryOfBirth>
            </DtAndPlcOfBirth></PrvtId>
            <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
          </Id>
          <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
        </Cdtr>
        <CdtrAcct>
          <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
          <Nm>Creditor account name</Nm>
        </CdtrAcct>
        <UltmtCdtr>
          <Nm>Ultimate creditor name</Nm>
          <Id>
            <PrvtId><DtAndPlcOfBirth>
              <BirthDt>1985-01-30</BirthDt>
              <CityOfBirth>City</CityOfBirth>
              <CtryOfBirth>KE</CtryOfBirth>
            </DtAndPlcOfBirth></PrvtId>
            <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
          </Id>
          <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
        </UltmtCdtr>
        <Purp><Cd>SUPP</Cd></Purp>
        <Tax>
          <Cdtr><TaxId>0030</TaxId></Cdtr>
          <Dbtr><TaxId>0020</TaxId></Dbtr>
        </Tax>
        <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
      </CdtTrfTxInf>
    </PmtInf>
  </CstmrCdtTrfInitn>
</Document>
```

```
</CstmrCdtTrfInitn>
</Document>
```

2.6 pain.002.001.11

Scope

The CustomerPaymentStatusReport message is sent by an instructed agent to the previous party in the payment chain. It is used to inform this party about the positive or negative status of an instruction. It is also used to report on a pending instruction.

Usage

The CustomerPaymentStatusReport message is exchanged between an agent and a non-financial institution customer to provide status information on instructions previously sent. Its usage will always be governed by a bilateral agreement between the agent and the non-financial institution customer. The CustomerPaymentStatusReport message can be used to provide information about the status (for example a rejection, an acceptance) of the initiation of a credit transfer, a direct debit, as well as on the initiation of other customer instructions.

The CustomerPaymentStatusReport message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

The CustomerPaymentStatusReport message can be used in domestic and cross-border scenarios.

The CustomerPaymentStatusReport may also be sent to the receiver of the payment in a real time payment scenario, as both sides of the transactions must be informed of the status of the transaction (that is either the beneficiary is credited, or the transaction is rejected).

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Customer Payment Status Report	<CstmrPmtStsRpt>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODatetime		
2	Initiating Party	<InitgPty>	[0..1]		[1..1]	
4	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Forwarding Agent	<FwdgAgt>	[0..1]		[1..1]	
4	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
1	Original Group Information And Status	<OrgnlGrpInfAndSts>	[1..1]			
2	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
2	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pain.001 supported
2	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODatetime	[1..1]	
2	Original Number Of Transactions	<OrgnlNbOfTx>	[0..1]	[0-9]	[1..1]	only single transaction
2	Original Control Sum	<OrgnlCtrlSum>	[0..1]	decimal	[1..1]	
1	Original Payment Information And Status	<OrgnlPmtInfAndSts>	[0..*]		[1..1]	
2	Original Payment Information Identification	<OrgnlPmtInfId>	[0..1]	text		
2	Payment Information Status	<PmtInfSts>	[0..1]	text	[1..1]	only ACCP, RJCT, INFL supported
2	Status Reason Information	<StsRsnInf>	[0..*]		[0..1]	only if <PmtInfSts> is RJCT
3	Originator	<Orgtr>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]	text	[1..1] {Or	
4	Identification	<Id>	[0..1]		[1..1] Or}	
5	Organisation Identification	<OrgId>	[1..1]			
6	Other	<Othr>	[0..*]		[1..1]	
7	Identification	<Id>	[1..1]	text		
3	Reason	<Rsn>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text	{Or	
4	Proprietary	<Prtry>	[1..1]	text	Or}	
2	Transaction Information And Status	<TxInfAndSts>	[0..*]		[0..1]	
3	Status Identification	<StsId>	[0..1]	text	[1..1]	
3	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
3	Transaction Status	<TxSts>	[0..1]	text		only ACCP, RJCT, INFL supported
3	Status Reason Information	<StsRsnInf>	[0..*]		[0..1]	only if <TxSts> is RJCT
4	Originator	<Orgtr>	[0..1]		[1..1]	
5	Name	<Nm>	[0..1]	text	[1..1] {Or	
5	Identification	<Id>	[0..1]		[1..1] Or}	
6	Organisation Identification	<OrgId>	[1..1]			
7	Other	<Othr>	[0..*]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Reason	<Rsn>	[0..1]		[1..1]	
5	Code	<Cd>	[1..1]	text	{Or	
5	Proprietary	<Prtry>	[1..1]	text	Or}	
3	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
4	Amount	<Amt>	[0..1]			
5	Instructed Amount	<InstdAmt>	[1..1]	decimal		
4	Requested Execution Date	<ReqdExctnDt>	[0..1]			
5	Date Time	<DtTm>	[1..1]	ISODatetime		
4	Payment Type Information	<PmtTplnf>	[0..1]			
5	Service Level	<SvcLvl>	[0..*]		[0..1]	
6	Proprietary	<Prtry>	[1..1]	text		transfer type code
5	Local Instrument	<LclInstrm>	[0..1]			
6	Code	<Cd>	[1..1]	text		only INST supported
5	Category Purpose	<CtgyPurp>	[0..1]			
6	Proprietary	<Prtry>	[1..1]	text		initiation channel code
4	Payment Method	<PmtMtd>	[0..1]	code		only TRF supported
4	Remittance Information	<RmtInf>	[0..1]			
5	Unstructured	<Ustrd>	[0..*]	text	[0..1]	
4	Ultimate Debtor	<UltmtDbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Debtor	<Dbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Debtor Account	<DbtrAcct>	[0..1]			
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
4	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor	<Cdtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Creditor Account	<CdtrAcct>	[0..1]			
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
4	Ultimate Creditor	<UltmtCdtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Purpose	<Purp>	[0..1]			
5	Code	<Cd>	[1..1]	text		

2.6.1 Sample of pain.002 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.002.001.11">
  <CstmrPmtStsRpt>
```



```
<GrpHdr>
  <MsgId>id00000000000000000000000000000001</MsgId>
  <CreDtTm>2020-06-13T14:12:10</CreDtTm>
  <InitgPty><Id><OrgId><Othr><Id>1000</Id></Othr></OrgId></Id></InitgPty>
  <FwdgAgt><FinInstnId><Othr><Id>1000</Id></Othr></FinInstnId></FwdgAgt>
</GrpHdr>
<OrgnlGrpInfAndSts>
  <OrgnlMsgId>id00000000000000000000000000000002</OrgnlMsgId>
  <OrgnlMsgNmId>pain.001</OrgnlMsgNmId>
  <OrgnlCreDtTm>2020-06-13T14:12:10</OrgnlCreDtTm>
  <OrgnlNbOfTx>1</OrgnlNbOfTx>
  <OrgnlCtrlSum>30.04</OrgnlCtrlSum>
</OrgnlGrpInfAndSts>
<OrgnlPmtInfAndSts>
  <OrgnlPmtInfId>id00000000000000000000000000000003</OrgnlPmtInfId>
  <PmtInfSts>RJCT</PmtInfSts>
  <StsRsnInf>
    <Orgtr>
      <Nm>Name of status reason originator</Nm>
      <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>--->
    </Orgtr>
    <Rsn><Prtry>TECH</Prtry></Rsn>
  </StsRsnInf>
  <TxInfAndSts>
    <StsId>id00000000000000000000000000000004</StsId>
    <OrgnlEndToEndId>id00000000000000000000000000000006</OrgnlEndToEndId>
    <TxSts>RJCT</TxSts>
    <StsRsnInf>
      <Orgtr>
        <Nm>Name of status reason originator</Nm>
        <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>--->
      </Orgtr>
      <Rsn><Prtry>TECH</Prtry></Rsn>
    </StsRsnInf>
    <OrgnlTxRef>
      <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
      <ReqdExctnDt><DtTm>2020-06-13T14:12:10</DtTm></ReqdExctnDt>
      <PmtTpInf>
        <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
        <LclInstrm><Cd>INST</Cd></LclInstrm>
        <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
      </PmtTpInf>
      <PmtMtd>TRF</PmtMtd>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
      <UltmtDbtr><Pty>
        <Nm>Ultimate debtor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>--->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Pty></UltmtDbtr>
      <Dbtr><Pty>
        <Nm>Debtor Name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>--->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Pty></Dbtr>
      <DbtrAcct>
        <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
        <Nm>Debtor account name</Nm>
      </DbtrAcct>
      <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
      <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
      <Cdtr><Pty>
        <Nm>Creditor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0030</Id></Othr></OrgId>--->
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Pty></Cdtr>
      <CdtrAcct>
        <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
        <Nm>Creditor account name</Nm>
      </CdtrAcct>
      <UltmtCdtr><Pty>
        <Nm>Ultimate creditor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
```

```

        <BirthDt>1985-01-30</BirthDt>
        <CityOfBirth>City</CityOfBirth>
        <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
        <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
    </Id>
    <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
    </Pty></UltmtCdtr>
    <Purp><Cd>SUPP</Cd></Purp>
    </OrgnLTxRef>
    </TxInfAndSts>
    </OrgnLPmtInfAndSts>
    </CstmrPmtStsRpt>
</Document>

```

2.7 pain.013.001.08

The CreditorPaymentActivationRequest message is sent by the Creditor sending party to the Debtor receiving party, directly or through agents. It is used by a Creditor to request movement of funds from the debtor account to a creditor.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Creditor Payment Activation Request	<CdtrPmtActvtnReq>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
2	Number of Transactions	<NbOfTxes>	[1..1]	[0-9]		only single transaction
2	Control Sum	<CtrlSum>	[0..1]	decimal	[1..1]	
2	Initiating Party	<InitgPty>	[1..1]			
3	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
1	Payment Information	<PmtInf>	[1..*]		[1..1]	
2	Payment Information Identification	<PmtInfId>	[0..1]	text	[1..1]	
2	Payment Method	<PmtMtd>	[1..1]	code		only TRF supported
2	Payment Type Information	<PmtTpInf>	[0..1]		[1..1]	
3	Service Level	<SvcLvl>	[0..*]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		transfer type code
3	Local Instrument	<LclInstrm>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text		only INST supported
3	Category Purpose	<CtgyPurp>	[0..1]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		initiation channel code
2	Requested Execution Date	<ReqdExctnDt>	[1..1]			
3	Date Time	<DtTm>	[1..1]	ISODateTime		
2	Debtor	<Dbtr>	[1..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
2	Debtor Account	<DbtrAcct>	[0..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
3	Identification	<Id>	[1..1]			
4	Other	<Othr>	[1..1]			
5	Identification	<Id>	[1..1]	text		
3	Name	<Nm>	[0..1]	text		
2	Debtor Agent	<DbtrAgt>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Ultimate Debtor	<UltmtDbtr>	[0..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
1	Credit Transfer Transaction Information	<CdtTrfTxInf>	[1..*]		[1..1]	
2	Payment Identification	<PmtId>	[1..1]			
3	End To End Identification	<EndToEndId>	[1..1]	text		
2	Amount	<Amt>	[1..1]			
3	Instructed Amount	<InstAmt>	[1..1]	decimal		
2	Charge Bearer	<ChrgBr>	[1..1]	code		
2	Mandate Related Information	<MndtRltdInf>	[0..1]			
3	Mandate Identification	<MndtId>	[0..1]	text		
2	Creditor Agent	<CdtrAgt>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Creditor	<Cdtr>	[1..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
2	Creditor Account	<CdtrAcct>	[0..1]			
3	Identification	<Id>	[1..1]			
4	Other	<Othr>	[1..1]			
5	Identification	<Id>	[1..1]	text		
3	Name	<Nm>	[0..1]	text		

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
2	Ultimate Creditor	<UltmtCdtr>	[0..1]			
3	Name	<Nm>	[0..1]	text		
3	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]		{Or	
5	Other	<Othr>	[0..*]			
6	Identification	<Id>	[1..1]	text		
4	Private Identification	<PrvtId>	[1..1]		Or}	
5	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
6	Birth Date	<BirthDt>	[1..1]	ISODate		
6	City Of Birth	<CityOfBirth>	[1..1]	text		
6	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
3	Contact Details	<CtctDtls>	[0..1]			
4	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
2	Purpose	<Purp>	[0..1]		[1..1]	
3	Code	<Cd>	[1..1]	text		
2	Remittance Information	<RmtInf>	[0..1]		[1..1]	
3	Unstructured	<Ustrd>	[0..*]	text	[1..1]	

2.7.1 Sample of pain.013 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.013.001.08">
  <CdtrPmtActvtnReq>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <CtrlSum>123.45</CtrlSum>
      <InitgPty><Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id></InitgPty>
    </GrpHdr>
    <PmtInf>
      <PmtInfId>id00000000000000000000000000000002</PmtInfId>
      <PmtMtd>TRF</PmtMtd>
      <PmtTpInf>
        <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
        <LclInstrm><Cd>INST</Cd></LclInstrm>
        <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
      </PmtTpInf>
      <ReqdExctnDt><DtTm>2020-06-13T14:12:10</DtTm></ReqdExctnDt>
      <Dbtr>
        <Nm>Debtor Name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>---
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </Dbtr>
      <DbtrAcct>
        <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
        <Nm>Debtor account name</Nm>
      </DbtrAcct>
      <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
      <UltmtDbtr>
        <Nm>Ultimate debtor name</Nm>
        <Id>
          <PrvtId><DtAndPlcOfBirth>
            <BirthDt>1985-01-30</BirthDt>
            <CityOfBirth>City</CityOfBirth>
            <CtryOfBirth>KE</CtryOfBirth>
          </DtAndPlcOfBirth></PrvtId>
          <OrgId><Othr><Id>0020</Id></Othr></OrgId>---
        </Id>
        <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
      </UltmtDbtr>
      <CdtTrfTx>
        <PmtId>
          <EndToEndId>id00000000000000000000000000000004</EndToEndId>
        </PmtId>
        <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
        <ChrgBr>SLEV</ChrgBr>
        <MndtRltdInf><MndtId>id00000000000000000000000000000005</MndtId></MndtRltdInf>
        <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
      </CdtTrfTx>
    </PmtInf>
  </CdtrPmtActvtnReq>
</Document>
```

```

        <Nm>Creditor name</Nm>
        <Id>
            <PrvtId><DtAndPlcOfBirth>
                <BirthDt>1985-01-30</BirthDt>
                <CityOfBirth>City</CityOfBirth>
                <CtryOfBirth>KE</CtryOfBirth>
            </DtAndPlcOfBirth></PrvtId>
        <!--Or
            <OrgId><Othr><Id>0030</Id></Othr></OrgId>--->
        </Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
    </Cdtr>
    <CdtrAcct>
        <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
        <Nm>Creditor account name</Nm>
    </CdtrAcct>
    <UltmtCdtr>
        <Nm>Ultimate creditor name</Nm>
        <Id>
            <PrvtId><DtAndPlcOfBirth>
                <BirthDt>1985-01-30</BirthDt>
                <CityOfBirth>City</CityOfBirth>
                <CtryOfBirth>KE</CtryOfBirth>
            </DtAndPlcOfBirth></PrvtId>
        <!--Or
            <OrgId><Othr><Id>0030</Id></Othr></OrgId>--->
        </Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
    </UltmtCdtr>
    <Purp><Cd>SUPP</Cd></Purp>
    <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
</CdtTrfTx>
</PmtInf>
</CdtrPmtActvtnReq>
</Document>

```

2.8 pain.014.001.08

The CreditorPaymentActivationRequestStatusReport message is sent by a party to the next party in the creditor payment activation request chain. It is used to inform the latter about the positive or negative status of a creditor payment activation request.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Creditor Payment Activation Request Status Report	<CdtrPmtActvtnReqStsRpt>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODatetime		
2	Initiating Party	<InitgPty>	[1..1]			
3	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
4	Organisation Identification	<OrgId>	[1..1]			
5	Other	<Othr>	[0..*]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Original Group Information And Status	<OrgnlGrpInfAndSts>	[1..1]			
2	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
2	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pain.013 supported
2	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODatetime	[1..1]	
2	Original Number Of Transactions	<OrgnlNbOfTxs>	[0..1]	[0-9]	[1..1]	
2	Original Control Sum	<OrgnlCtrlSum>	[0..1]	decimal	[1..1]	
1	Original Payment Information And Status	<OrgnlPmtInfAndSts>	[0..*]		[1..1]	
2	Original Payment Information Identification	<OrgnlPmtInfId>	[1..1]	text		

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
2	Payment Information Status	<PmtInfSts>	[0..1]	text	[1..1]	only ACCP or RJCT supported
2	Status Reason Information	<StsRsnInf>	[0..*]		[0..1]	only if <PmtInfSts> is RJCT
3	Originator	<Orgtr>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]	text	[1..1] {Or	
4	Identification	<Id>	[0..1]		[1..1] Or}	
5	Organisation Identification	<OrgId>	[1..1]			
6	Other	<Othr>	[0..*]		[1..1]	
7	Identification	<Id>	[1..1]	text		
3	Reason	<Rsn>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text	{Or	
4	Proprietary	<Prtry>	[1..1]	text	Or}	
2	Transaction Information And Status	<TxInfAndSts>	[0..*]			
3	Original Instruction Identification	<OrgnlInstrId>	[0..1]	text	[1..1]	
3	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
3	Transaction Status	<TxSts>	[0..1]	text		only ACCP or RJCT supported
3	Status Reason Information	<StsRsnInf>	[0..*]		[0..1]	only if <TxSts> is RJCT
4	Originator	<Orgtr>	[0..1]		[1..1]	
5	Name	<Nm>	[0..1]	text	[1..1] {Or	
5	Identification	<Id>	[0..1]		[1..1] Or}	
6	Organisation Identification	<OrgId>	[1..1]			
7	Other	<Othr>	[0..*]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Reason	<Rsn>	[0..1]		[1..1]	
5	Code	<Cd>	[1..1]	text	{Or	
5	Proprietary	<Prtry>	[1..1]	text	Or}	
3	Acceptance Date Time	<AcceptncDtTm>	[0..1]	ISODatetime	[1..1]	
3	Original Transaction Reference	<OrgnlTxRef>	[0..1]			
4	Amount	<Amt>	[0..1]			
5	Instructed Amount	<InstAmt>	[0..1]	decimal		
4	Requested Execution Date	<ReqdExctnDt>	[0..1]			
5	Date Time	<DtTm>	[0..1]	ISODatetime		
4	Payment Type Information	<PmtTpInf>	[0..1]			
5	Service Level	<SvcLvl>	[0..*]		[0..1]	
6	Proprietary	<Prtry>	[1..1]	text		transfer type code
5	Local Instrument	<LclInstrm>	[0..1]			
6	Code	<Cd>	[1..1]	text		only INST supported
5	Category Purpose	<CtgyPurp>	[0..1]			
6	Proprietary	<Prtry>	[1..1]	text		initiation channel code
4	Payment Method	<PmtMtd>	[1..1]	code		only TRF supported
4	Mandate Related Information	<MndtRltdInf>	[0..1]			
5	Mandate Identification	<MndtId>	[0..1]	text		
4	Remittance Information	<RmtInf>	[0..1]			
5	Unstructured	<Ustrd>	[0..*]	text	[0..1]	
4	Ultimate Debtor	<UltmtDbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtIs>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
4	Debtor	<Dbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtIs>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
4	Debtor Account	<DbtrAcct>	[0..1]			
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
4	Debtor Agent	<DbtrAgt>	[0..1]			
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor Agent	<CdtrAgt>	[1..1]			
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor	<Cdtr>	[1..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtIs>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-]{1,30}		
4	Creditor Account	<CdtrAcct>	[0..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
4	Ultimate Creditor	<UltmtCdtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9()+\-\]{1,30}		

2.8.1 Sample of pain.014 message

```
<?xml version="1.0" encoding="utf-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pain.014.001.08">
  <CdtrPmtActvtnReqStsRpt>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <InitgPty><Id><OrgId><Othr><Id>0020</Id></Othr></OrgId></Id></InitgPty>
      <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
      <CdtrAgt><FinInstnId><Othr><Id>1000</Id></Othr></FinInstnId></CdtrAgt>
    </GrpHdr>
    <OrgnlGrpInfAndSts>
      <OrgnlMsgId>id00000000000000000000000000000002</OrgnlMsgId>
      <OrgnlMsgNmId>pain.013</OrgnlMsgNmId>
      <OrgnlCreDtTm>2012-12-13T14:12:10</OrgnlCreDtTm>
      <OrgnlNbOfTxs>1</OrgnlNbOfTxs>
      <OrgnlCtrlSum>123.45</OrgnlCtrlSum>
    </OrgnlGrpInfAndSts>
    <OrgnlPmtInfAndSts>
      <OrgnlPmtInfId>id00000000000000000000000000000003</OrgnlPmtInfId>
      <PmtInfSts>RJCT</PmtInfSts>
      <StsRsnInf>
        <Ogrtr>
          <Nm>Name of status reason originator</Nm>
        </Ogrtr>
      </StsRsnInf>
    </OrgnlPmtInfAndSts>
  </CdtrPmtActvtnReqStsRpt>
</Document>

<!--Or
  <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>-->
  </Ogrtr>
  <Rsn><Prtry>TECH</Prtry></Rsn>
  </StsRsnInf>
  <TxInfAndSts>
    <StsId>id00000000000000000000000000000004</StsId>
    <OrgnlEndToEndId>id00000000000000000000000000000005</OrgnlEndToEndId>
    <TxSts>RJCT</TxSts>
    <StsRsnInf>
      <Ogrtr>
        <Nm>Name of status reason originator</Nm>
      </Ogrtr>
    </StsRsnInf>
  </TxInfAndSts>
</--Or
  <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>-->
  </Ogrtr>
  <Rsn><Prtry>TECH</Prtry></Rsn>
  </StsRsnInf>
  <AcceptncDtTm>2012-12-13T14:12:10</AcceptncDtTm>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST</Cd></LclInstrm>
      <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
    </PmtTpInf>
    <PmtMtd><Trf><PmtMtd>
      <MndtRltdInf><MndtId>id00000000000000000000000000000006</MndtId></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
    </PmtMtd>
    <UltmtDbtr>
      <Nm>Ultimate debtor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>Civ</CityOfBirth>
        </PrvtId>
      </Id>
    </UltmtDbtr>
  </OrgnlTxRef>
</AcceptncDtTm>
</OrgnlTxRef>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST</Cd></LclInstrm>
      <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
    </PmtTpInf>
    <PmtMtd><Trf><PmtMtd>
      <MndtRltdInf><MndtId>id00000000000000000000000000000006</MndtId></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
    </PmtMtd>
    <UltmtDbtr>
      <Nm>Ultimate debtor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>Civ</CityOfBirth>
        </PrvtId>
      </Id>
    </UltmtDbtr>
  </OrgnlTxRef>
</AcceptncDtTm>
</OrgnlTxRef>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST</Cd></LclInstrm>
      <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
    </PmtTpInf>
    <PmtMtd><Trf><PmtMtd>
      <MndtRltdInf><MndtId>id00000000000000000000000000000006</MndtId></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
    </PmtMtd>
    <UltmtDbtr>
      <Nm>Ultimate debtor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>Civ</CityOfBirth>
        </PrvtId>
      </Id>
    </UltmtDbtr>
  </OrgnlTxRef>
</AcceptncDtTm>
</OrgnlTxRef>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST</Cd></LclInstrm>
      <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
    </PmtTpInf>
    <PmtMtd><Trf><PmtMtd>
      <MndtRltdInf><MndtId>id00000000000000000000000000000006</MndtId></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
    </PmtMtd>
    <UltmtDbtr>
      <Nm>Ultimate debtor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>Civ</CityOfBirth>
        </PrvtId>
      </Id>
    </UltmtDbtr>
  </OrgnlTxRef>
</AcceptncDtTm>
</OrgnlTxRef>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST</Cd></LclInstrm>
      <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
    </PmtTpInf>
    <PmtMtd><Trf><PmtMtd>
      <MndtRltdInf><MndtId>id00000000000000000000000000000006</MndtId></MndtRltdInf>
      <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
    </PmtMtd>
    <UltmtDbtr>
      <Nm>Ultimate debtor name</Nm>
      <Id>
        <PrvtId><DtAndPlcOfBirth>
          <BirthDt>1985-01-30</BirthDt>
          <CityOfBirth>Civ</CityOfBirth>
        </PrvtId>
      </Id>
    </UltmtDbtr>
  </OrgnlTxRef>
</AcceptncDtTm>
</OrgnlTxRef>
  <OrgnlTxRef>
    <Amt><InstdAmt Ccy="EUR">123.45</InstdAmt></Amt>
    <ReqdExctnDt><DtTm>2012-12-13T14:12:10</DtTm></ReqdExctnDt>
    <PmtTpInf>
      <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
      <LclInstrm><Cd>INST
```



```

        <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
<!--Or
        <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
        </Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
        </UltmtDbtr>
        <Dbtr>
        <Nm>Debtor Name</Nm>
        <Id><OrgId><Othr><Id>0020</Id></Othr></OrgId></Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
        </Dbtr>
        <DbtrAcct>
        <Id><Othr><Id>FI211234560000785</Id></Othr></Id>
        <Nm>Debtor account name</Nm>
        </DbtrAcct>
        <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
        <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
        <Cdtr>
        <Nm>Creditor name</Nm>
        <Id>
        <PrvtId><DtAndPlcOfBirth>
        <BirthDt>1985-01-30</BirthDt>
        <CityOfBirth>City</CityOfBirth>
        <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
<!--Or
        <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
        </Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
        </Cdtr>
        <CdtrAcct>
        <Id><Othr><Id>FI211234560000896</Id></Othr></Id>
        <Nm>Creditor account name</Nm>
        </CdtrAcct>
        <UltmtCdtr>
        <Nm>Ultimate creditor name</Nm>
        <Id>
        <PrvtId><DtAndPlcOfBirth>
        <BirthDt>1985-01-30</BirthDt>
        <CityOfBirth>City</CityOfBirth>
        <CtryOfBirth>KE</CtryOfBirth>
        </DtAndPlcOfBirth></PrvtId>
<!--Or
        <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
        </Id>
        <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
        </UltmtCdtr>
        </OrgnlTxRef>
        </TxInfAndSts>
        </OrgnlPmtInfAndSts>
        </CdtrPmtActvtnReqStsRpt>
</Document>

```

2.9 camt.056.001.09

Scope

The FIToFIPaymentCancellationRequest message is sent by a case creator/case assigner to a case assignee.

This message is used to request the cancellation of an original payment instruction. The FIToFIPaymentCancellationRequest message is exchanged between the instructing agent and the instructed agent to request the cancellation of a interbank payment message previously sent (such as FIToFICustomerCreditTransfer, FIToFICustomerDirectDebit or FinancialInstitutionCreditTransfer).

The FIToFIPaymentCancellationRequest message supports both the request for cancellation (the instructed agent - or assignee - has not yet processed and forwarded the payment instruction) as well as the request for refund (payment has been fully processed already by the instructed agent - or assignee).

Usage

The FIToFIPaymentCancellationRequest message must be answered with a:

- ResolutionOfInvestigation message with a positive final outcome when the case assignee can perform the requested cancellation;
- ResolutionOfInvestigation message with a negative final outcome when the case assignee may perform the requested cancellation but fails to do so (too late, irrevocable instruction);

A FIToFIPaymentCancellationRequest message concerns one and only one original payment instruction at a time.

When a case assignee successfully performs a cancellation, it must return the corresponding funds to the case assigner. It may provide some details about the return in the ResolutionOfInvestigation message.

The processing of a FIToFIPaymentCancellationRequest message case may lead to a DebitAuthorisationRequest message sent to the creditor by its account servicing institution.

The FIToFIPaymentCancellationRequest message has the following main characteristics: the case creator assigns a unique case identification and the reason code for the cancellation request. This information will be passed unchanged to all subsequent case assignee(s).

Cancellation request initiators: The cancellation of a payment instruction can be initiated only by debtor.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Financial Institution To Financial Institution Payment Cancellation Request	<FIToFIPmtCxlReq>	[1..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
1	Assignment	<Assgnmt>	[1..1]			
2	Identification	<Id>	[1..1]	text		
2	Assigner	<Assgnr>	[1..1]			
3	Agent	<Agt>	[1..1]			
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Assignee	<Assgne>	[1..1]			
3	Agent	<Agt>	[1..1]			
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
1	Control Data	<CtrlData>	[0..1]			
2	Number Of Transactions	<NbOfTx>	[1..1]	[0-9]		only single transaction
1	Underlying	<Undrlyg>	[1..*]		[1..1]	
2	Transaction Information	<TxInf>	[1..*]		[1..1]	
3	Cancellation Identification	<CxId>	[0..1]	text	[1..1]	
3	Original Group Information	<OrgnlGrpInf>	[0..1]		[1..1]	
4	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
4	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pacs.008 supported
4	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODateTime	[1..1]	
3	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
3	Original Interbank Settlement Amount	<OrgnlIntrBkSttlmAmt>	[0..1]	decimal	[1..1]	
3	Original Interbank Settlement Date	<OrgnlIntrBkSttlmDt>	[0..1]	ISODateTime	[1..1]	
3	Cancellation Reason Information	<CxlRsnInf>	[0..*]		[1..1]	
4	Originator	<Orgtr>	[0..1]		[1..1]	
5	Name	<Nm>	[0..1]	text	[1..1] {Or	
5	Identification	<Id>	[0..1]		[1..1] Or}	
6	Organisation Identification	<OrgId>	[1..1]			
7	Other	<Othr>	[0..*]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Reason	<Rsn>	[0..1]		[1..1]	
5	Code	<Cd>	[1..1]	text	{Or	
5	Proprietary	<Prtry>	[1..1]	text	Or}	
4	Additional Information	<AddtlInf>	[0..*]	text	[0..1]	only if /CxlRsnInf/Rsn/Cd is FRAD
3	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
4	Settlement Information	<SttlmInf>	[0..1]			
5	Settlement Method	<SttlmMtd>	[1..1]	code		only CLRG supported
5	Clearing System	<ClrSys>	[0..1]		[1..1]	
6	Proprietary	<Prtry>	[1..1]	text		only IPS supported
4	Payment Type Information	<PmtTpInf>	[0..1]			
5	Service Level	<SvcLvl>	[0..*]		[0..1]	
6	Proprietary	<Prtry>	[1..1]	text		transfer type code
5	Local Instrument	<LclInstrm>	[0..1]			
6	Code	<Cd>	[1..1]	text		only INST supported
5	Category Purpose	<CtgyPurp>	[0..1]			
6	Proprietary	<Prtry>	[1..1]	text		initiation channel code

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
4	Remittance Information	<RmtInf>	[0..1]			
5	Unstructured	<Ustrd>	[0..*]	text	[0..1]	
4	Ultimate Debtor	<UltmtDbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Debtor	<Dbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
4	Debtor Account	<DbtrAcct>	[0..1]			
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
5	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
6	Financial Institution Identification	<FinInstnId>	[1..1]			
7	Other	<Othr>	[0..1]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor	<Cdtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<OrgId>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		

2.9.1 Sample of camt.056 message

```
<!--Or      <Id><OrgId><Othr><Id>0030</Id></Othr></OrgId></Id>-->
```

```
<Id>
  <PrvtId><DtAndPlcOfBirth>
    <BirthDt>1985-01-30</BirthDt>
    <CityOfBirth>City</CityOfBirth>
    <CtryOfBirth>KE</CtryOfBirth>
  </DtAndPlcOfBirth></PrvtId>
<!--Or
  <Id>
    <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
  </Pty></UltmtDbtr>
  <Dbtr><Pty>
    <Nm>Debtor Name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
</Pty></Dbtr>
<DbtrAcct>
  <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
  <Nm>Debtor account name</Nm>
</DbtrAcct>
<DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
<CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
<Cdtr><Pty>
  <Nm>Creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
</Pty></Cdtr>
<CdtrAcct>
  <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
  <Nm>Creditor account name</Nm>
</CdtrAcct>
<UltmtCdtr><Pty>
  <Nm>Ultimate creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtIs><PhneNb>+254-111222333</PhneNb></CtctDtIs>
</Pty></UltmtCdtr>
<Purp><Cd>SUPP</Cd></Purp>
</OrgnlTxRef>
</TxInf>
</Undrlyg>
</FIToFIPmtCxlReq>
</Document>
```

2.10 camt.029.001.10

Scope

The ResolutionOfInvestigation message is sent by a case assignee to a case creator/case assigner.

This message is used to inform of the resolution of a case, and optionally provides details about.

- the corrective action undertaken by the case assignee;
- information on the return where applicable.

Usage

The ResolutionOfInvestigation message is used by the case assignee to inform a case creator or case assigner about the resolution of a:

- request to cancel payment case;

The ResolutionOfInvestigation message covers one and only one case at a time. If the case assignee needs to communicate about several cases, then several Resolution Of Investigation messages must be sent.

The ResolutionOfInvestigation message provides:

- the final outcome of the case, whether positive or negative;
- optionally, the details of the corrective action undertaken by the case assignee and the information of the return.

Whenever the action of cancelling a payment results in funds being returned or reversed, an investigating agent may provide the details in the resolution related investigation component, to identify the return or reversal transaction. These details will facilitate the account reconciliations at the initiating bank and the intermediaries. It must be stressed that the return or reversal of funds is outside the scope of this Exceptions and Investigation service. The

features given here is only meant to transmit the information of return or reversal when it is available through the resolution of the case.

The ResolutionOfInvestigation message must:

- be forwarded by all subsequent case assignee(s) until it reaches the case creator;
- not be used in place of a RejectCaseAssignment or CaseStatusReport or NotificationOfCaseAssignment message.

The ResolutionOfInvestigation message should be the sole message to respond to a cancellation request. Details of the underlying transactions and the related statuses for which the cancellation request has been issued may be provided in the CancellationDetails component.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Resolution Of Investigation	<RsltnOfInvstgtn>	[1..1]			
1	Assignment	<Assgnmt>	[1..1]			
2	Identification	<Id>	[1..1]	text		
2	Assigner	<Assgnr>	[1..1]			
3	Agent	<Agt>	[1..1]			
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Assignee	<Assgne>	[1..1]			
3	Agent	<Agt>	[1..1]			
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
1	Status	<Sts>	[1..1]			
2	Confirmation	<Conf>	[1..1]	text		only RJCR supported
1	Cancellation Details	<CxlDtls>	[0..*]		[1..1]	
2	Transaction Information And Status	<TxInfAndSts>	[0..*]		[1..1]	
3	Cancellation Identification	<CxlId>	[0..1]	text	[1..1]	
3	Original Group Information	<OrgnlGrpInf>	[0..1]		[1..1]	
4	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
4	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pacs.008 supported
4	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODateTime	[1..1]	
3	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
3	Transaction Cancellation Status	<TxCxlSts>	[0..1]	code	[1..1]	only RJCR supported
3	Cancellation Reason Information	<CxlRsnInf>	[0..*]		[1..1]	
4	Originator	<Orgtr>	[0..1]		[1..1]	
5	Name	<Nm>	[0..1]	text	[1..1] {Or	
5	Identification	<Id>	[0..1]		[1..1] Or}	
6	Organisation Identification	<OrgId>	[1..1]			
7	Other	<Othr>	[0..*]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Reason	<Rsn>	[0..1]		[1..1]	
5	Code	<Cd>	[1..1]	text	{Or	
5	Proprietary	<Prtry>	[1..1]	text	Or}	
4	Additional Information	<AddtlInf>	[0..*]	text	[0..1]	only if /CxlRsnInf/Rsn/Cd is LEGL
3	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
4	Interbank Settlement Amount	<IntrBkSttlmAmt>	[0..1]	decimal		
4	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	ISODateTime		
4	Settlement Information	<SttlmInf>	[0..1]			
5	Settlement Method	<SttlmMtd>	[1..1]	code		only CLRG supported
5	Clearing System	<ClrSys>	[0..1]		[1..1]	
6	Proprietary	<Prtry>	[1..1]	text		only IPS supported
4	Payment Type Information	<PmtTplnf>	[0..1]			
5	Service Level	<SvcLvl>	[0..*]		[0..1]	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
6	Proprietary	<Prtry>	[1..1]	text		transfer type code
5	Local Instrument	<LclInstrm>	[0..1]			
6	Code	<Cd>	[1..1]	text		only INST supported
5	Category Purpose	<CtgyPurp>	[0..1]			
6	Proprietary	<Prtry>	[1..1]	text		initiation channel code
4	Remittance Information	<RmtInf>	[0..1]			
5	Unstructured	<Ustrd>	[0..*]	text	[0..1]	
4	Ultimate Debtor	<UltmtDbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<Orgld>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9]+\{1,30}		
4	Debtor	<Dbtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<Orgld>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			
8	Identification	<Id>	[1..1]	text		
6	Private Identification	<PrvtId>	[1..1]		Or}	
7	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
8	Birth Date	<BirthDt>	[1..1]	ISODate		
8	City Of Birth	<CityOfBirth>	[1..1]	text		
8	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
5	Contact Details	<CtctDtls>	[0..1]			
6	Phone Number	<PhneNb>	[0..1]	\+[0-9]-[0-9]+\{1,30}		
4	Debtor Account	<DbtrAcct>	[0..1]			
5	Identification	<Id>	[1..1]			
6	Other	<Othr>	[1..1]			
7	Identification	<Id>	[1..1]	text		
5	Name	<Nm>	[0..1]	text		
5	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
6	Financial Institution Identification	<FinInstnId>	[1..1]			
7	Other	<Othr>	[0..1]		[1..1]	
8	Identification	<Id>	[1..1]	text		
4	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
5	Financial Institution Identification	<FinInstnId>	[1..1]			
6	Other	<Othr>	[0..1]		[1..1]	
7	Identification	<Id>	[1..1]	text		
4	Creditor	<Cdtr>	[0..1]			
5	Name	<Nm>	[0..1]	text		
5	Identification	<Id>	[0..1]			
6	Organisation Identification	<Orgld>	[1..1]		{Or	
7	Other	<Othr>	[0..*]			

2.10.1 Sample of camt.029 message

page 48 / 66
 © 2020 TietoEVRY
 ips_interface.ipsi.eng.pdf


```

<LclInstrm><Cd>INST</Cd></LclInstrm>
<CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
</PmtTpInf>
<RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
<UltmtDbtr><Pty>
  <Nm>Ultimate debtor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-11222333</PhneNb></CtctDtls>
</Pty></UltmtDbtr>
<Dbtr><Pty>
  <Nm>Debtor Name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-11222333</PhneNb></CtctDtls>
</Pty></Dbtr>
<DbtrAcct>
  <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
  <Nm>Debtor account name</Nm>
</DbtrAcct>
<DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
<CdrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdrAgt>
<Cdr><Pty>
  <Nm>Creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-11222333</PhneNb></CtctDtls>
</Pty></Cdr>
<CdrAcct>
  <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
  <Nm>Creditor account name</Nm>
</CdrAcct>
<UltmtCdr><Pty>
  <Nm>Ultimate creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
  <!--Or
    <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-11222333</PhneNb></CtctDtls>
</Pty></UltmtCdr>
<Purp><Cd>SUPP</Cd></Purp>
</OrgnlTxRef>
</TxInfAndSts>
</CxlDtls>
</RslnOfInvstgtn>
</Document>

```

2.11 pacs.004.001.10

Scope

The PaymentReturn message is sent by an agent to the previous agent in the payment chain to undo a payment previously settled.

Usage

The PaymentReturn message is exchanged between agents to return funds after settlement of credit transfer instructions (that is FIToFICustomerCreditTransfer message and FinancialInstitutionCreditTransfer message) or direct debit instructions (FIToFICustomerDirectDebit message).

The PaymentReturn message should not be used between agents and non-financial institution customers. Non-financial institution customers will be informed about a debit or a credit on their account(s) through a BankToCustomerDebitCreditNotification message ('notification') and/or BankToCustomerAccountReport/BankToCustomerStatement message ('statement').

The PaymentReturn message can be used to return single instructions or multiple instructions from one or different files.

The PaymentReturn message can be used in domestic and cross-border scenarios.

The PaymentReturn message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Payment Return	<PmtRtr>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODatetime		
2	Number Of Transactions	<NbOfTxs>	[1..1]	[0-9]		only single transaction
2	Total Interbank Settlement Amount	<TtlIntrBkSttlmAmt>	[0..1]	decimal	[1..1]	
2	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	ISODate	[1..1]	
2	Settlement Information	<SttlmInf>	[1..1]			
3	Settlement Method	<SttlmMtd>	[1..1]	code		only CLRG supported
3	Clearing System	<ClrSys>	[0..1]		[1..1]	
4	Proprietary	<Prtry>	[1..1]	text		only IPS supported
2	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Instructed Agent	<InstdAggt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Transaction Information	<TxInf>	[0..*]		[1..1]	
2	Return Identification	<RtrId>	[0..1]	text	[1..1]	
2	Original Group Information	<OrgnlGrpInf>	[0..1]		[1..1]	
3	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
3	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pacs.008 supported
3	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODatetime	[1..1]	
2	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
2	Original Interbank Settlement Amount	<OrgnlIntrBkSttlmAmt>	[0..1]	decimal	[1..1]	
2	Returned Interbank Settlement Amount	<RtrdIntrBkSttlmAmt>	[1..1]	decimal		
2	Return Reason Information	<RtrRsnInf>	[0..*]		[0..1]	
3	Originator	<Orgtr>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]	text	[1..1] {Or	
4	Identification	<Id>	[0..1]		[1..1] Or}	
5	Organisation Identification	<OrgId>	[1..1]			
6	Other	<Othr>	[0..*]		[1..1]	
7	Identification	<Id>	[1..1]	text		
3	Reason	<Rsn>	[0..1]		[1..1]	
4	Code	<Cd>	[1..1]	text		only FOCR supported
2	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
3	Interbank Settlement Amount	<IntrBkSttlmAmt>	[0..1]	decimal		
3	Interbank Settlement Date	<IntrBkSttlmDt>	[0..1]	ISODatetime		
3	Settlement Information	<SttlmInf>	[1..1]			
4	Settlement Method	<SttlmMtd>	[1..1]	code		only CLRG supported
3	Payment Type Information	<PmtTpInf>	[0..1]			
4	Service Level	<SvcLvl>	[0..*]		[0..1]	
5	Proprietary	<Prtry>	[1..1]	text		transfer type code
4	Local Instrument	<LclInstrm>	[0..1]			
5	Code	<Cd>	[1..1]	text		only INST supported
4	Category Purpose	<CtgyPurp>	[0..1]			
5	Proprietary	<Prtry>	[1..1]	text		initiation channel code
3	Remittance Information	<RmtInf>	[0..1]			
4	Unstructured	<Ustrd>	[0..*]	text	[0..1]	

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
3	Ultimate Debtor	<UltmtDbtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
3	Debtor	<Dbtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
3	Debtor Account	<DbtrAcct>	[0..1]			
4	Identification	<Id>	[1..1]			
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
4	Name	<Nm>	[0..1]	text		
3	Debtor Agent	<DbtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor Agent	<CdtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor	<Cdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
3	Creditor Account	<CdtrAcct>	[0..1]			
4	Identification	<Id>	[1..1]			
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
4	Name	<Nm>	[0..1]	text		
3	Ultimate Creditor	<UltmtCdtr>	[0..1]			
4	Name	<Nm>	[0..1]	text		
4	Identification	<Id>	[0..1]			
5	Organisation Identification	<OrgId>	[1..1]		{Or	
6	Other	<Othr>	[0..*]			
7	Identification	<Id>	[1..1]	text		
5	Private Identification	<PrvtId>	[1..1]		Or}	
6	Date And Place Of Birth	<DtAndPlcOfBirth>	[0..1]			
7	Birth Date	<BirthDt>	[1..1]	ISODate		
7	City Of Birth	<CityOfBirth>	[1..1]	text		
7	Country Of Birth	<CtryOfBirth>	[1..1]	[A-Z]		
4	Contact Details	<CtctDtls>	[0..1]			
5	Phone Number	<PhneNb>	[0..1]	\+[0-9]{0-9}(\+ -){1,30}		
3	Purpose	<Purp>	[0..1]			
4	Code	<Cd>	[1..1]	text		

Sample of pacs.004 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pacs.004.001.10">
  <PmtRtr>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <TtlRtrdIntrBkSttlmAmt Ccy="EUR">123.45</TtlRtrdIntrBkSttlmAmt>
      <IntrBkSttlmDt>2020-06-13</IntrBkSttlmDt>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys><Prtry>IPS</Prtry></ClrSys>
      </SttlmInf>
      <InstgAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></InstgAgt>
      <InstdAgt><FinInstnId><Othr><Id>1000</Id></Othr></FinInstnId></InstdAgt>
    </GrpHdr>
    <TxInf>
      <RtrId>id00000000000000000000000000000002</RtrId>
      <OrgnlGrpInf>
        <OrgnlMsgId>id00000000000000000000000000000003</OrgnlMsgId>
        <OrgnlMsgNmId>pacs.008</OrgnlMsgNmId>
        <OrgnlCreDtTm>2020-06-13T14:12:10</OrgnlCreDtTm>
      </OrgnlGrpInf>
      <OrgnlEndToEndId>id00000000000000000000000000000005</OrgnlEndToEndId>
      <OrgnlIntrBkSttlmAmt Ccy="EUR">123.45</OrgnlIntrBkSttlmAmt>
      <RtrdIntrBkSttlmAmt Ccy="EUR">123.45</RtrdIntrBkSttlmAmt>
      <RtrRsnInf>
        <Orgtr>
          <Nm>Name of status reason originator</Nm>
        </Orgtr>
      </RtrRsnInf>
      <OrgnlTxRef>
        <IntrBkSttlmAmt Ccy="EUR">123.45</IntrBkSttlmAmt>
        <IntrBkSttlmDt>2020-06-13</IntrBkSttlmDt>
        <SttlmInf><SttlmMtd>CLRG</SttlmMtd></SttlmInf>
        <PmtTpInf>
          <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
          <LclInstrm><Cd>INST</Cd></LclInstrm>
          <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
        </PmtTpInf>
        <RmtInf><Ustrd>Additional info on payment purpose</Ustrd></RmtInf>
        <UltmtDbtr><Pty>
          <Nm>Ultimate debtor name</Nm>
          <Id>
            <PrvtId><DtAndPlcOfBirth>
              <BirthDt>1985-01-30</BirthDt>
              <CityOfBirth>City</CityOfBirth>
              <CtryOfBirth>KE</CtryOfBirth>
            </DtAndPlcOfBirth></PrvtId>
          </Id>
        </Pty>
      </UltmtDbtr>
    </TxInf>
  </PmtRtr>
</Document>
```

```
<!--Or      <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Pty></UltmtDbtr>
<Dbtr><Pty>
  <Nm>Debtor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
<!--Or      <OrgId><Othr><Id>0020</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Pty></Dbtr>
<DbtrAcct>
  <Id><Othr><Id>FI2112345600000785</Id></Othr></Id>
  <Nm>Debtor account name</Nm>
</DbtrAcct>
<DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
<CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
<Cdtr><Pty>
  <Nm>Creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
<!--Or      <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Pty></Cdtr>
<CdtrAcct>
  <Id><Othr><Id>FI2112345600000896</Id></Othr></Id>
  <Nm>Creditor account name</Nm>
</CdtrAcct>
<UltmtCdtr><Pty>
  <Nm>Ultimate creditor name</Nm>
  <Id>
    <PrvtId><DtAndPlcOfBirth>
      <BirthDt>1985-01-30</BirthDt>
      <CityOfBirth>City</CityOfBirth>
      <CtryOfBirth>KE</CtryOfBirth>
    </DtAndPlcOfBirth></PrvtId>
<!--Or      <OrgId><Othr><Id>0030</Id></Othr></OrgId>-->
  </Id>
  <CtctDtls><PhneNb>+254-111222333</PhneNb></CtctDtls>
</Pty></UltmtCdtr>
<Purp><Cd>SUPP</Cd></Purp>
</OrgnlTxRef>
</TxInf>
</PmtRtr>
</Document>
```

2.12 pacs.028.001.04

Scope

The FinancialInstitutionToFinancialInstitutionPaymentStatusRequest message is sent by the debtor agent to the creditor agent, directly or through other agents and/or a payment clearing and settlement system. It is used to request a FIToFIPaymentStatusReport message containing information on the status of a previously sent instruction.

Usage

The FIToFIPaymentStatusRequest message is exchanged between agents to request status information about instructions previously sent. Its usage will always be governed by a bilateral agreement between the agents.

The FIToFIPaymentStatusRequest message can be used to request information about the status (e.g. rejection, acceptance) of a credit transfer instruction, a direct debit instruction, as well as other intra-agent instructions (for example FIToFIPaymentCancellationRequest).

The FIToFIPaymentStatusRequest message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

The FIToFIPaymentStatusRequest message can be used in domestic and cross-border scenarios.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Financial Institution To Financial Institution Payment Status Request	<FIToFIPmtStsRpt>	[1..1]			
1	Group Header	<GrpHdr>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODatetime		
2	Instructing Agent	<InstgAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Instructed Agent	<InstdAgt>	[0..1]		[1..1]	
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Original Group Information And Status	<OrgnlGrpInfAndSts>	[0..*]		[1..1]	
2	Original Message Identification	<OrgnlMsgId>	[1..1]	text		
2	Original Message Name Identification	<OrgnlMsgNmId>	[1..1]	text		only pain.001, pacs.004, pacs.008, camt.0056 supported
2	Original Creation Date Time	<OrgnlCreDtTm>	[0..1]	ISODatetime	[1..1]	
1	Transaction Information And Status	<TxInfAndSts>	[0..*]		[1..1]	
2	StatusRequestIdentification	<StsReqId>	[0..1]	text	[1..1]	
2	Original End To End Identification	<OrgnlEndToEndId>	[0..1]	text	[1..1]	
2	Acceptance Date Time	<AcctncDtTm>	[0..1]	ISODatetime		mandatory for pacs.008
2	Original Transaction Reference	<OrgnlTxRef>	[0..1]		[1..1]	
3	Payment Type Information	<PmtTplnf>	[0..1]		[1..1]	
4	Service Level	<SvcLvl>	[0..*]		[1..1]	
5	Proprietary	<Prtry>	[1..1]	text		transfer type code
4	Local Instrument	<LclInstrm>	[0..1]		[1..1]	
5	Code	<Cd>	[1..1]	text		only INST supported
4	Category Purpose	<CtgyPurp>	[0..1]		[1..1]	
5	Proprietary	<Prtry>	[1..1]	text		initiation channel code
3	Debtor Agent	<DbtrAgt>	[1..1]		[1..1]	
4	Financial Institution Identification	<FinInstnId>	[0..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		
3	Creditor Agent	<DbtrAgt>	[0..1]		[1..1]	
4	Financial Institution Identification	<FinInstnId>	[1..1]			
5	Other	<Othr>	[0..1]		[1..1]	
6	Identification	<Id>	[1..1]	text		

2.12.1 Sample of pcs.028 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:pcs.028.001.04">
  <FIToFIPmtStsReq>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <InstgAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></InstgAgt>
      <InstdAgt><FinInstnId><Othr><Id>1000</Id></Othr></FinInstnId></InstdAgt>
    </GrpHdr>
    <OrgnlGrpInf>
      <OrgnlMsgId>id00000000000000000000000000000002</OrgnlMsgId>
      <OrgnlMsgNmId>pcs.008</OrgnlMsgNmId>
      <OrgnlCreDtTm>2020-06-13T14:12:10</OrgnlCreDtTm>
    </OrgnlGrpInf>
    <TxInf>
      <StsReqId>id00000000000000000000000000000003</StsReqId>
      <OrgnlEndToEndId>id00000000000000000000000000000005</OrgnlEndToEndId>
      <AcctncDtTm>2020-06-13T14:12:10</AcctncDtTm>
      <OrgnlTxRef>
        <PmtTpInf>
          <SvcLvl><Prtry>P2PT</Prtry></SvcLvl>
          <LclInstrm><Cd>INST</Cd></LclInstrm>
          <CtgyPurp><Prtry>IBNK</Prtry></CtgyPurp>
        </PmtTpInf>
        <DbtrAgt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></DbtrAgt>
        <CdtrAgt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></CdtrAgt>
      </OrgnlTxRef>
    </TxInf>
  </FIToFIPmtStsReq>
</Document>
```

2.13 acmt.023.001.01

Scope

The IdentificationVerificationRequest message is sent by an assigner to an assignee. It is used to request the verification of party and/or account identification information.

Usage

The IdentificationVerificationRequest message is sent before the sending of one or several transactions messages.

The IdentificationVerificationRequest message can contain one or more verification requests.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Identification Verification Request	<IdVrfctnReq>	[1..1]			
1	Assignment	<Assgnmt>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
2	Assigner	<Assgnr>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Assignee	<Assgne>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Verification	<Vrfctn>	[1..*]		[1..1]	
2	Identification	<Id>	[1..1]	text		
2	Party And Account Identificatio	<PtyAndAcctId>	[1..1]			
3	Party	<Pty>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]		[1..1]	
4	Account	<Acct>	[0..1]		[1..1]	
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		

Sample of acmt.023 message

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:acmt.023.001.01">
  <IdVrfctnReq>
    <Assgnmt>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
```

```
<Assgnr><Agt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></Agt></Assgnr>
<Assgne><Agt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></Agt></Assgne>
</Assgnmt>
<Vrfctn>
  <Id>id000000000000000000000000000002</Id>
  <PtyAndAcctId>
    <Pty><Nm>Debtor Name Surname</Nm></Pty>
    <Acct><Othr><Id>FI2112345600000785</Id></Othr></Acct>
  </PtyAndAcctId>
</Vrfctn>
</IdVrfctnReq>
</Document>
```

2.14 acmt.024.001.01

Scope

The IdentificationVerificationReport message is sent by an assigner to an assignee. It is used to confirm whether or not the presented party and/or account identification information is correct.

Usage

The IdentificationVerificationReport message is sent as a response to an IdentificationVerificationRequest message.

The IdentificationVerificationReport message can contain one or more reports.

The IdentificationVerificationReport message may include a reason if the presented party and/or account identification information is confirmed to be incorrect.

The IdentificationVerificationReport message may include the correct party and/or account identification information.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	Identification Verification Report	<IdVrfctnRpt>	[1..1]			
1	Assignment	<Assgnmt>	[1..1]			
2	Message Identification	<MsgId>	[1..1]	text		
2	Creation Date Time	<CreDtTm>	[1..1]	ISODateTime		
2	Assigner	<Assgnr>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
2	Assignee	<Assgne>	[1..1]			
3	Financial Institution Identification	<FinInstnId>	[1..1]			
4	Other	<Othr>	[0..1]		[1..1]	
5	Identification	<Id>	[1..1]	text		
1	Original Assignment	<OrgnlAssgnmt>	[0..1]			
2	Message Identification	<MsgId>	[0..1]			
2	Creation Date Time	<CreDtTm>	[0..1]			
1	Report	<Rpt>	[1..*]		[1..1]	
2	Original Identification	<OrgnId>	[1..1]	text		
2	Verification	<Vrfctn>	[1..1]	boolean		
3	Reason	<Rsn>	[0..1]			only if <Vrfctn> is false
4	Code	<Cd>	[1..1]	text	{Or	
4	Proprietary	<Prtry>	[1..1]	text	Or}	
2	Original Party And Account Identification	<OrgnlPtyAndAcctId>	[0..1]			
3	Party	<Pty>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]		[1..1]	
4	Account	<Acct>	[0..1]		[1..1]	
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		
2	Updated Party And Account Identification	<UpdtdPtyAndAcctId>	[0..1]			
3	Party	<Pty>	[0..1]		[1..1]	
4	Name	<Nm>	[0..1]		[1..1]	
4	Account	<Acct>	[0..1]		[1..1]	
5	Other	<Othr>	[1..1]			
6	Identification	<Id>	[1..1]	text		

Sample of acmt.024 message

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:acmt.024.001.01">
  <IdVrfctnRpt>
    <Assgnmt>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
      <Assgnr><Agt><FinInstnId><Othr><Id>0030</Id></Othr></FinInstnId></Agt></Assgnr>
      <Assgne><Agt><FinInstnId><Othr><Id>0020</Id></Othr></FinInstnId></Agt></Assgne>
    </Assgnmt>
    <OrgnlAssgnmt>
      <MsgId>id00000000000000000000000000000002</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
    </OrgnlAssgnmt>
    <Rpt>
      <OrgnId>id00000000000000000000000000000003</OrgnId>
      <Vrfctn>true</Vrfctn>
      <Rsn><Prtry>LEGL</Prtry></Rsn>
      <OrgnlPtyAndAcctId>
        <Pty><Nm>Debtor Name</Nm></Pty>
        <Acct><Othr><Id>FI2112345600000785</Id></Othr></Acct>
      </OrgnlPtyAndAcctId>
      <UpdtdPtyAndAcctId>
        <Pty><Nm>Debtor Name Surname</Nm></Pty>
        <Acct><Othr><Id>FI2112345600000111</Id></Othr></Acct>
      </UpdtdPtyAndAcctId>
    </Rpt>
  </IdVrfctnRpt>
</Document>
```

2.15 camt.053.001.08

Bank to customer account statement flow. The Statement message provides information for cash management and/or reconciliation. It is sent to every participant at the end of each liquidity adjustment cycle. It contains account balances and entry summaries for booked entries only. Blocked amounts, rejected messages are not reported.

MESSAGE ELEMENT	FORMAT	DESCRIPTION	CONSTRAINT
/Document/BkToCstmrStmnt/GrpHdr	-	Message Bulk Header	
./MsgId	35x	Identifier assigned by Instructing Party	
./CreDtTm	ISO Date and Time	Date and time when message was created	
/Document/BkToCstmrStmnt/Stmnt	-	Reports booked entries and balances for a cash account	
./Id	35x	Unique statement reference	
./FrToDt/FrDtTm	ISODate	Specifies the reporting period start	
./FrToDt/ToDtTm	ISODate	Specifies the reporting period end	
./Acct/Id/IBAN	2!a2!n30x	IBAN for the IPS account reported	
./Acct/Ccy	3!a	Account currency	
./Acct/Ownr/Id/OrgId/AnyBIC	4!a2!a2!c	Account owner BIC	Must not be used with ./Othr/Id
./Acct/Ownr/Id/OrgId/Othr/Id	35x	Account owner generic identification	Must not be used with ./AnyBIC
./Bal/Tp/CdOrPrtry/Cd	4x	Balance type	Must be equal to one of codes: OPBD, CLBD
./Bal/Amt	18d	Balance	
./Bal/Amt/@Ccy	3!a	Currency attribute with alpha currency code (EUR, USD, etc.)	
./Bal/CdtDbtInd	4x	Indicates whether the entry is a credit or a debit entry	Must be equal to one of values: CRDT, DBIT
./Bal/Dt/DtTm	ISO Date and Time	Calendar date of balance	
/Document/BkToCstmrStmnt/Stmnt/TxsSummry/TtlNtriesPerBkTxCd	-	Specifies the total number and sum of entries per bank transaction code	
./NbOfNtries	15n	Number of entries for the bank transaction code	
./Sum	18d	Total of entries for the bank transaction code	
./BkTxCd	-	Set of elements to identify the type of transactions (bank transaction code)	
./BkTxCd/Domn/Cd	4x	Business area	
./BkTxCd/Domn/Fmly/Cd	4x	Family within a domain	
./BkTxCd/Domn/Fmly/SubFmlyCd	4x	Sub-family within a family	
./BkTxCd/Prtry/Issr	35x	Identification of the issuer of the proprietary bank transaction code	Must be equal to 'IPS'
./BkTxCd/Prtry/Cd	35x	Proprietary bank transaction code to identify the underlying transaction	

2.15.1 Bank transaction codes

DOMAIN	FAMILY	SUB-FAMILY	PROPRIETARY ISSUER	PROPRIETARY CODE	DESCRIPTION
CAMT	ACCB	CAJT	IPS	LQFD	Liquidity funding
CAMT	ACCB	DAJT	IPS	LQRL	Liquidity release
CAMT	ACCB	CAJT	IPS	LSRL	Release liquidity serviced participant liquidity
CAMT	ACCB	DAJT	IPS	LSFD	Funding liquidity serviced participant
PMNT	RRCT	ACDT			Received credit transfer
PMNT	IRCT	ADBT			Issued credit transfer
PMNT	RRCT	ARET			Received payment return
PMNT	IRCT	ARET			Issued payment return (Positive response for a recall)

```
<?xml version='1.0' encoding='UTF-8'?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:camt.053.001.08">
  <BkToCstmrStmt>
    <GrpHdr>
      <MsgId>id00000000000000000000000000000001</MsgId>
      <CreDtTm>2020-06-13T14:12:10</CreDtTm>
    </GrpHdr>
    <Stmt>
      <Id>id00000000000000000000000000000002</Id>
      <FrToDt>
        <FrDtTm>2020-05-01T00:00:00</FrDtTm>
        <ToDtTm>2020-06-01T00:00:00</ToDtTm>
      </FrToDt>
      <Acct>
        <Id>
          <IBAN>FI2112345600000896</IBAN>
        </Id>
        <Ccy>EUR</Ccy>
        <Ownr><Id><OrgId><Othr><Id>0020</Id></Othr></OrgId></Id></Ownr>
      </Acct>
      <Bal>
        <Tp><CdOrPrtry><Cd>OPBD</Cd></CdOrPrtry></Tp>
        <Amt Ccy="EUR">123.45</Amt>
        <CdtDbtInd>CRDT</CdtDbtInd>
        <Dt><DtTm>2020-06-13T14:12:10</DtTm></Dt>
      </Bal>
      <Bal>
        <Tp><CdOrPrtry><Cd>CLBD</Cd></CdOrPrtry></Tp>
        <Amt Ccy="EUR">123.45</Amt>
        <CdtDbtInd>CRDT</CdtDbtInd>
        <Dt><DtTm>2020-06-13T14:12:10</DtTm></Dt>
      </Bal>
      <TxSummary>
        <TtlNtriesPerBkTxCd>
          <NbOfNtries>0</NbOfNtries>
          <Sum>0</Sum>
          <BkTxCd>
            <Domn>
              <Cd>CAMT</Cd>
              <Fmly>
                <Cd>ACCB</Cd>
                <SubFmlyCd>DAJT</SubFmlyCd>
              </Fmly>
            </Domn>
            <Prtry>
              <Cd>LQRL</Cd>
              <Issr>IPS</Issr>
            </Prtry>
          </BkTxCd>
        </TtlNtriesPerBkTxCd>
        <TtlNtriesPerBkTxCd>
          <NbOfNtries>0</NbOfNtries>
          <Sum>0</Sum>
          <BkTxCd>
            <Domn>
              <Cd>CAMT</Cd>
              <Fmly>
                <Cd>ACCB</Cd>
                <SubFmlyCd>CAJT</SubFmlyCd>
              </Fmly>
            </Domn>
            <Prtry>
              <Cd>LQFD</Cd>
              <Issr>IPS</Issr>
            </Prtry>
          </BkTxCd>
        </TtlNtriesPerBkTxCd>
        <TtlNtriesPerBkTxCd>
          <NbOfNtries>0</NbOfNtries>
          <Sum>0</Sum>
          <BkTxCd>
            <Domn>
              <Cd>CAMT</Cd>
              <Fmly>
                <Cd>ACCB</Cd>
                <SubFmlyCd>DAJT</SubFmlyCd>
              </Fmly>
            </Domn>
            <Prtry>
              <Cd>LSFD</Cd>
              <Issr>IPS</Issr>
            </Prtry>
          </BkTxCd>
        </TtlNtriesPerBkTxCd>
        <TtlNtriesPerBkTxCd>
          <NbOfNtries>0</NbOfNtries>
          <Sum>0</Sum>
          <BkTxCd>
            <Domn>
              <Cd>CAMT</Cd>
              <Fmly>
```

```

        <Cd>ACCB</Cd>
        <SubFmlyCd>CAJT</SubFmlyCd>
      </Fmly>
    </Domn>
    <Prtry>
      <Cd>LSRL</Cd>
      <Issr>IPS</Issr>
    </Prtry>
  </BkTxCd>
</TtlNtriesPerBkTxCd>
<TtlNtriesPerBkTxCd>
  <NbOfNtries>1</NbOfNtries>
  <Sum>10</Sum>
  <BkTxCd>
    <Domn>
      <Cd>PMNT</Cd>
      <Fmly>
        <Cd>IRCT</Cd>
        <SubFmlyCd>ADBT</SubFmlyCd>
      </Fmly>
    </Domn>
  </BkTxCd>
</TtlNtriesPerBkTxCd>
<TtlNtriesPerBkTxCd>
  <NbOfNtries>1</NbOfNtries>
  <Sum>100</Sum>
  <BkTxCd>
    <Domn>
      <Cd>PMNT</Cd>
      <Fmly>
        <Cd>RRCT</Cd>
        <SubFmlyCd>ACDT</SubFmlyCd>
      </Fmly>
    </Domn>
  </BkTxCd>
</TtlNtriesPerBkTxCd>
<TtlNtriesPerBkTxCd>
  <NbOfNtries>1</NbOfNtries>
  <Sum>1000</Sum>
  <BkTxCd>
    <Domn>
      <Cd>PMNT</Cd>
      <Fmly>
        <Cd>IRCT</Cd>
        <SubFmlyCd>ARET</SubFmlyCd>
      </Fmly>
    </Domn>
  </BkTxCd>
</TtlNtriesPerBkTxCd>
<TtlNtriesPerBkTxCd>
  <NbOfNtries>1</NbOfNtries>
  <Sum>10000</Sum>
  <BkTxCd>
    <Domn>
      <Cd>PMNT</Cd>
      <Fmly>
        <Cd>RRCT</Cd>
        <SubFmlyCd>ARET</SubFmlyCd>
      </Fmly>
    </Domn>
  </BkTxCd>
</TtlNtriesPerBkTxCd>
</TxSummary>
</Stmt>
</BkToCstmrStmt>
</Document>

```

2.16 admi.002.001.01

Admi.002.001.01 is a notification about processing fault.

LVL	NAME	XML TAG	MULT	TYPE / CODE	RESTR	ADDITIONAL DETAILS
0	admi.002.001.01	<admi.002.001.01>	[1..1]			
1	Message Reference	<RltdRef>	[1..1]			
2	Reference	<Ref>	[1..1]	text		
1	Reason	<Rsn>	[1..1]			
2	Rejecting Party Reason	<RjctgPtyRsn>	[1..1]	text		only RJCT supported
2	Rejection Date Time	<RjctnDtTm>	[0..1]	ISODateTime	[1..1]	
2	Reason Description	<RsnDesc>	[0..1]	text	[1..1]	
5	Additional Data	<AddtlData>	[0..1]	text	[1..1]	

2.16.1 Sample of admi.002 message

```
<?xml version="1.0" encoding="UTF-8"?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:admi.002.001.01">
  <admi.002.001.01>
    <RltdRef>
      <Ref>id000000000000000000000000000001</Ref>
    </RltdRef>
    <Rsn>
      <RjctgPtyRsn>RJCT</RjctgPtyRsn>
      <RjctnDtTm>2020-06-13T14:12:10</RjctnDtTm>
      <RsnDesc>Reason description</RsnDesc>
      <AddtlData>Additional data</AddtlData>
    </Rsn>
  </admi.002.001.01>
</Document>
```

2.17 admi.004.001.02

Unavailability notification is a broadcast notification about planned unavailability of participant system.

MESSAGE ELEMENT	FORMAT	DESCRIPTION	CONSTRAINT
/Document/SysEvtNtfctn/EvtInf	-	System event notification	
./EvtCd	4x	Event code	Must be equal to UNVL
./EvtParam[0]	4!c2!a2!c[3!c]	BIC of the participant reporting the unavailability	
./EvtParam[1]	ISO Date and Time	Start date and time of the unavailability	
./EvtParam[2]	ISO Date and Time	End date and time of the unavailability	
./EvtDesc	1000x	Description or reason of the unavailability	
./EvtTm	ISO Date and Time	Notification date and time	

2.17.1 Sample of admi.004.001.02 (unavailability notification) message

```
<?xml version='1.0' encoding='UTF-8'?>
<Document xmlns="urn:iso:std:iso:20022:tech:xsd:admi.004.001.02">
  <SysEvtNtfctn>
    <EvtInf>
      <EvtCd>UNVL</EvtCd>
      <EvtParam>ORIGLVXX</EvtParam>
      <EvtParam>2020-06-13T00:00:00</EvtParam>
      <EvtParam>2020-06-14T01:00:00</EvtParam>
      <EvtDesc>System maintenance</EvtDesc>
      <EvtTm>2020-06-13T14:12:10</EvtTm>
    </EvtInf>
  </SysEvtNtfctn>
</Document>
```

3 Appendix

4 Error codes

Status reason codes are present at two levels - payment info level (pain.002, pain.014) and transaction info level (pain.002, pain.014, pacs.002). Status reason codes have two types:

- defined by ISO20022 contained in Cd element;
- proprietary extensions contained in Prtry element.

ISO	PRTRY	DEFINITION	PACS.002 BY IPS	PACS.002 BY BB	PAIN.014 BY IPS	PAIN.014 BY OB	PAIN.002 BY OB	PAIN.002 BY BB	CAMT.029 BY BB	PACS.004 BY BB	CAMT.056 BY OB	ACMT.024 BY IPS	ACMT.024 BY BB
AB05		Timeout at the Creditor Agent		x									x
AB06		Timeout at the Instructed Agent	x		x		x					x	
	TE01	Timeout at the Debtor Agent				x		x					
AB07		Offline Agent	x	x	x	x	x	x				x	x
AB08		Offline Creditor Agent	x		x		x					x	
AB09		Error at the Creditor Agent		x									x
	TE02	Error at the Debtor Agent				x		x					
AC01		Account identifier invalid or does not exist	x	x	x	x	x	x					x
AC03		Wrong unique identifier of the account									x		
	AC04	Closed account number		x		x		x	x				x
AC06		Blocked account		x		x		x					x
AG01		Transaction forbidden on this type of account		x		x		x					x
AG02		Invalid bank operation code	x	x	x	x	x	x				x	
AG09		Original payment never received	x				x						
AG10		Agent suspended from the Real Time Payment system	x	x	x	x	x	x					
AG11		Creditor Agent suspended from the Real Time Payment system	x	x	x		x					x	

ISO	PRTRY	DEFINITION	PACS.002 BY IPS	PACS.002 BY BB	PAIN.014 BY IPS	PAIN.014 BY OB	PAIN.002 BY OB	PAIN.002 BY BB	CAMT.029 BY BB	PACS.004 BY BB	CAMT.056 BY OB	ACMT.024 BY IPS	ACMT.024 BY BB
AM01		Zero amount	x		x		x						
AM02		Amount exceeds the maximum authorized amount	x	x	x	x	x	x					
	AM04	Insufficient funds	x						x				
AM05		Duplication	x				x						
AM06		Amount is less than agreed minimum	x		x		x						
AM09		Wrong Amount									x		
AM11		Currency is invalid or missing	x			x		x					
AM12		Amount is invalid or missing	x			x		x					
AM14		Amount exceeds agreed limit	x			x		x					
AM18		Number of transactions is invalid or missing	x		x		x						
AM23		Amount exceeds settlement limit	x										
	ARDT	Already recalled transaction	x						x				
	TE03	PSP is not registered under this ID in the IPS					x						
CNOR		Creditor agent is not registered under this ID in the IPS	x		x		x						
CUST		Beneficiary decision without any reason specified							x				
DNOR		Debtor agent is not registered under this ID in the IPS	x		x		x						
DT01		Invalid settlement date	x		x		x						
DT02		Invalid creation date	x		x		x						
DUPL		Duplicate payment									x		
FOCR		Positive answer to the recall								x			

ISO	PRTRY	DEFINITION	PACS.002 BY IPS	PACS.002 BY BB	PAIN.014 BY IPS	PAIN.014 BY OB	PAIN.002 BY OB	PAIN.002 BY BB	CAMT.029 BY BB	PACS.004 BY BB	CAMT.056 BY OB	ACMT.024 BY IPS	ACMT.024 BY BB
	FRAD	Fraudulent originated instant credit transfer									x		
LEGL		Legal decision							x				
MD07		Beneficiary deceased		x		x		x	x				
MS02		Reason not specified		x		x		x					
	NOAS	No answer from beneficiary							x				
	NOOR	No original transaction received							x				
RC01		Bank identifier incorrect	x	x	x	x	x	x				x	
RR01		Missing debtor account or identification		x		x		x					x
RR02		Missing debtor name or address		x		x		x					x
RR03		Missing creditor Name or address		x		x		x					x
RR04		Regulatory reason		x		x		x					x
	TECH	Technical problems resulting in erroneous transactions									x		
	XT06	Invalid acceptance time	x										
	XT13	Unsupported XML field	x		x		x					x	
	XT33	Invalid data format	x		x		x					x	
	XT77	Original amount mismatch	x				x						
	XT79	Debtor Agent is not allowed to send pacs.008, pacs.028, camt.056 and receive NRR and PRR											

ISO	PRTRY	DEFINITION	PACS.002 BY IPS	PACS.002 BY BB	PAIN.014 BY IPS	PAIN.014 BY OB	PAIN.002 BY OB	PAIN.002 BY BB	CAMT.029 BY BB	PACS.004 BY BB	CAMT.056 BY OB	ACMT.024 BY IPS	ACMT.024 BY BB
	XT80	Creditor Agent is not allowed to receive pacs.008, pacs.028, camt.056 and send NRR and PRR											
	XT86	Time period for sending the cancellation request has expired	x										
	XT87	Inconsistent instructing agent	x		x		x					x	
FF08		End to End identifier is missing or invalid	x										
MD01		No mandate				x							

4.1 Transfer type codes

CODE	DESCRIPTION
P2PT	Person to person transaction
P2BT	Person to business transaction
P2GT	Person to government transaction
B2PT	Business to person transaction
G2PT	Government to person transaction
G2BT	Government to business transaction

4.2 Initiation channel codes

CODE	DESCRIPTION
ATM	Automated teller machine
POS	Point of sale
IBNK	Internet bank transfer