



IPS REQUIREMENTS FOR TESTS ON UAT ENVIRONMENT

V 1.0

10th Mar 2021

Please see below requirements to facilitate tests on UAT environment.

N0.	TASK	ACTION BY IPSL	ACTION BY BANKS	ADDITIONAL COMMENTS
1	TEST IPS IP ADDRESS	Provided by IPSL as 102.69.239.5	- Banks to add 102.69.239.5 to their VPN encryption domain - In a scenario where the transaction server on banks end does not have access to the Internet for the domain name resolution, the bank should configure local DNS to resolve the IP address (102.69.239.5) to the domain name provided above. - Note that the above step is crucial as the certificate file to be used by the IPS in encrypting end-to-end transactions only recognizes the api.start.ipsl.co.ke domain in the certificate.	Please note that the IP (102.69.239.5) has been mapped to IPSLs public DNS as api.start.ipsl.co.ke
2	BANKS TEST IP ADDRESS	Whitelist banks test IP address	Banks to provide their test IP address	
3	BANKS BASE URL	Configure the provided base URL from banks on the IPS	Banks to provide their base URL to IPSL.	
4	Certificates	IPSL has shared revised pdf document on secured messaging exchange.	Banks to review the attached pdf document and action accordingly.	