

IMT Outbound API

V 1.2

1.0 Token Generation

Method	POST
URL	https://10.11.6.111:8383/api/authenticate
Headers	Content-Type:application/json

REQUEST FIELDS:

FIELD	DESCRIPTION	MANDATORY	TYPE	DEFAULT
password	password	YES	String	-
rememberMe		YES	boolean	true
username	username	YES	String	-

TOKEN SAMPLE REQUEST

```
{
  "password": "password",
  "rememberMe": true,
  "username": "username"
}
```

TOKEN SAMPLE RESPONSE

```
{
  "id_token":
  "eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJhZG1pbilzImF1dGgiOiJST0xFJT0xOTFETUIOLFJPTEVfVW
  NFUilzImV4cCI6MTYxODExOTQxNX0.3DNUthKx-Z6OncvPgjh3MXsqlqyjwceUhyy75btxel7
  OqbF_I2-b3xt_6N499XILZ38nnBLMDhwAxo-NuNM4DA"
}
```

2.0 C2C Quote Generation

Method	POST
URL	https://10.11.6.111:8383/services/imtcorems/api/outward/mc/v1/c2c/quote
Headers	Authorization:Bearer {token}; Content-Type:application/json

REQUEST FIELDS:

FIELD	DESCRIPTION	MANDATORY	TYPE	DEFAULT
channel	Transaction channel	YES	String	STK, OTC
destination.accountNumber	Destination bank account number	YES	String	-
destination.amount	Destination amount	YES	String	-
destination.bankAccountType	Destination bank account type	YES	String	OAK, CAK
destination.bankCode	Destination bank code	YES	String	-
destination.bicWallet	Destination bank BIC code	YES	String	-
destination.countryCode	Destination bank country code	YES	String	-
destination.currency	Currency for the destination amount	YES	String	-
destination.receivingBankName	Name of receiving bank in the destination	YES	String	-
destination.sortCode	-	NO	String	-
mode	Transaction mode	NO	String	MASTERCARD
receiver.address.city	Receiver's city	YES	String	-
receiver.address.countryCode	Receiver's country code	YES	String	-
receiver.address.line1	Receiver's first address line	YES	String	-
receiver.address.line2	Receiver's second address line	NO	String	-
receiver.address.postalcode	Receiver's postal code	YES	String	-

[illegible]

RESPONSE FIELDS:

FIELD	DESCRIPTION	TYPE
channel	Transaction channel	String
charge.amount	Charge amount	String
charge.currency	Charge currency	String
destination.accountNumber	Destination bank account number	String
destination.amount	Destination amount	String
destination.bankAccountType	Destination bank account type	String
destination.bankCode	Destination bank code	String
destination.bicWallet	Destination bank BIC code	String
destination.countryCode	Destination bank country code	String
destination.currency	Currency for the destination amount	String
destination.receivingBankName	Name of receiving bank in the destination	String
destination.sortCode	-	String
mode	Transaction mode	String
receiver.address.city	Receiver's city	String

receiver.address.countryCode	Receiver's country code	String
receiver.address.line1	Receiver's first address line	String
receiver.address.line2	Receiver's second address line	String
receiver.address.postalcode	Receiver's postal code	String
receiver.firstName	Receiver's first name	String
receiver.lastName	Receiver's last name	String
receiver.middleName	Receiver's middle name	String
receiver.email	Receiver's email	String
receiver.mobileNumber	Receiver's mobile number	String
reference_number	Unique identifier for the transaction	String
rrn	Retrieval reference number	String
signature	Digital signature	String
source.accountNumber	Source account number	String
source.amount	Source amount	String
source.currency	Source currency	String
transactionId	Proposal Id from quote	String
status	Quote status	String
responseDesc	Response description	String
responseCode	Response code	String
providerGL	Provider GL	String
payerName	Payer name	String
transaction_type	Transaction type	String

POSSIBLE VALUES FOR THE *status* FIELD

STATUS(status)	DESCRIPTION
POSTED	Quote created successfully
FAILED	Failed to create quote

POSSIBLE VALUES FOR THE *responseCode* AND *responseDesc* FIELDS

RESPONSE CODE(responseCode)	DESCRIPTION(responseDesc)
00	Quote created successfully
-1	Missing configuration
01	Invalid or Missing Data
02	Could not obtain FX Rate

SAMPLE C2C QUOTE REQUEST:

```
{
  "channel": "STK",
  "destination": {
    "accountNumber": "123457",
    "amount": "1000",
    "bankAccountType": "OAK",
    "bankCode": "54",
    "bicWallet": "ANZBAU3M",
    "countryCode": "AUS",
    "currency": "AUD",
    "receivingBankName": "Barclays",
    "sortCode": "string"
  },
  "mode": "string",
  "receiver": {
    "address": {
      "city": "SYDNEY",
      "countryCode": "AUS",
      "line1": "line",
      "line2": "line2",
      "postalcode": "postal"
    },
    "email": "mymail@mail.com",
    "firstName": "John",
    "lastName": "Donald",
    "middleName": "Don",
    "mobileNumber": "66689979"
  },
  "reference_number": "098735677",
  "rrn": "098735677",
  "signature":
```

```
"b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOfafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
E/d+LAnF22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztKVbIgD6AO+de9II2faCtobD0rZjaKJph/
kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKYkmOAKQMrcW5AdHXYx3g5oB38lle
zFs9KoVaOtD1LICxiXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
4YChpP6Y6uBKqjNoJMKtT4xA==",
"source": {
  "accountNumber": "132232324",
  "amount": "1000",
  "currency": "KES"
},
"transaction_type": "C2C"
}
```

SAMPLE QUOTE RESPONSE:

```
{
  "rrn": "098735677",
  "reference_number": "098735677",
  "mode": "string",
  "transaction_type": "C2C",
  "source": {
    "currency": "KES",
    "amount": "9.07",
    "accountNumber": "132232324"
  },
  "destination": {
    "countryCode": "AUS",
    "bicWallet": "ANZBAU3M",
    "currency": "AUD",
    "amount": "9.00",
    "accountNumber": "123457",
    "sortCode": "string",
    "bankAccountType": "OAK",
    "bankCode": "54",
    "receivingBankName": "Barclays"
  },
  "status": "CREATED",
  "responseCode": "00",
  "responseDesc": "A quotation at fx: 1.273514",
  "transactionId": "4XKtbpVUrFf7b3NzdHL5Dajj1Q=",
  "channel": "STK",
  "charge": {
    "amount": "9.07",
    "currency": "USD"
  },
  "signature":
    "b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOfafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
    E/d+LAnF22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztKVbIgD6AO+de9II2faCtobD0rZjaKJph/
    kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKYkmOAKQMrcW5AdHXYx3g5oB38lle
    zFs9KoVaOtD1LICxiXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
  }
```



```
4YChpP6Y6uBKqjNoJMKtT4xA==",  
"providerGL": "343454545",  
"payerName": "098735677"  
}
```

2.1 C2C Transaction Generation

Method	POST
URL	https://10.11.6.111:8383/services/imtcorems/api/outward/mc/v1/c2c/transaction
Headers	Authorization:Bearer {token}; Content-Type:application/json

REQUEST FIELDS:

FIELD	DESCRIPTION	MANDATORY	TYPE	DEFAULT
channel	Transaction channel	YES	String	STK, OTC
destination.accountNumber	Destination bank account number	YES	String	-
destination.amount	Destination amount	YES	String	-
destination.bankAccountType	Destination bank account type	YES	String	OAK, CAK
destination.bankCode	Destination bank code	YES	String	-
destination.bicWallet	Destination bank BIC code	YES	String	-
destination.countryCode	Destination bank country code	YES	String	-
destination.currency	Currency for the destination amount	YES	String	-
destination.receivingBankName	Name of receiving bank in the destination	YES	String	-
destination.sortCode	-	NO	String	-
mode	Transaction mode	YES	String	MASTERCARD

orgReceiver.address.city	Receiving organization's city	NO	String	-
orgReceiver.address.line1	Receiving organization's first address line	NO	String	-
orgReceiver.address.line2	Receiving organization's first address line	NO	String	-
orgReceiver..address.postal code	Receiving organization's postal code	NO	String	-
orgReceiver.email	Receiving organization's email	NO	String	-
orgReceiver.mobileNumber	Receiving organization's mobile number	NO	String	-
orgReceiver.organizationName	Receiving organization's name	NO	String	-
orgReceiver.pin	Receiving organization's personal identification number	NO	String	-
orgReceiver.registrationNumber	Receiving organization's registration number	NO	String	-
purposeOfPayment	Purpose of payment	YES	String	-
sender.address.city	Sender's city	YES	String	-
sender.address.countryCode	Sender's country code	YES	String	-
sender.address.line1	Sender's first address line	YES	String	-
sender.address.line2	Sender's second address line	NO	String	-
sender.address.postalcode	Sender's postal code	YES	String	-
sender.firstName	Sender's first name	YES	String	-
sender.lastName	Sender's last name	YES	String	-
sender.middleName	Sender's middle name	YES	String	-
sender.dateOfBirth	Sender's date of birth	YES	String	-

sender.email	Sender's email	NO	String	-
sender.nationality	Sender's nationality	NO	String	-
sender.mobileNumber	Sender's mobile number	YES	String	-
reciever.address.city	Reciever's city	YES	String	-
reciever.address.countryCode	Sender's country code	YES	String	-
reciever.address.line1	Sender's first address line	YES	String	-
reciever.address.line2	Sender's second address line	NO	String	-
reciever.address.postalcode	Sender's postal code	YES	String	-
reciever.firstName	Sender's first name	YES	String	-
reciever.lastName	Sender's last name	YES	String	-
reciever.middleName	Sender's middle name	YES	String	-
reciever.email	Sender's email	NO	String	-
receiver.mobileNumber	Receiver's mobile number	YES	String	-
reference_number	Unique identifier for the transaction	YES	String	-
rrn	Retrieval reference number	YES	String	-
signature	Digital signature	YES	String	-
source.accountNumber	Source account number	YES	String	-
source.amount	Source amount	YES	String	-
source.currency	Source currency	YES	String	-
transactionId	Proposal Id from quote	YES	String	-
transaction_type	Transaction type	YES	String	C2C

RESPONSE FIELDS:

FIELD	DESCRIPTION	TYPE
-------	-------------	------

channel	Transaction channel	String
destination.accountNumber	Destination bank account number	String
destination.amount	Destination amount	String
destination.bankAccountType	Destination bank account type	String
destination.bankCode	Destination bank code	String
destination.bicWallet	Destination bank BIC code	String
destination.countryCode	Destination bank country code	String
destination.currency	Currency for the destination amount	String
destination.receivingBankName	Name of receiving bank in the destination	String
destination.sortCode	-	String
mode	Transaction mode	String
orgReceiver.address.city	Receiving organization's city	String
orgReceiver.address.line1	Receiving organization's first address line	String
orgReceiver.address.line2	Receiving organization's first address line	String
orgReceiver..address.postal code	Receiving organization's postal code	String
orgReceiver.email	Receiving organization's email	String
orgReceiver.mobileNumber	Receiving organization's mobile number	String
orgReceiver.organizationName	Receiving organization's name	String
orgReceiver.pin	Receiving organization's personal	String

	identification number	
orgReceiver.registrationNumber	Receiving organization's registration number	String
purposeOfPayment	Purpose of payment	String
sender.address.city	Sender's city	String
sender.address.countryCode	Sender's country code	String
sender.address.line1	Sender's first address line	String
sender.address.line2	Sender's second address line	String
sender.address.postalcode	Sender's postal code	String
sender.firstName	Sender's first name	String
sender.lastName	Sender's last name	String
sender.middleName	Sender's middle name	String
sender.dateOfBirth	Sender's date of birth	String
sender.email	Sender's email	String
sender.nationality	Sender's nationality	String
sender.mobileNumber	Sender's mobile number	String
reciever.address.city	Reciever's city	String
reciever.address.countryCode	Sender's country code	String
reciever.address.line1	Sender's first address line	String
reciever.address.line2	Sender's second address line	String
reciever.address.postalcode	Sender's postal code	String
reciever.firstName	Sender's first name	String
reciever.lastName	Sender's last name	String
reciever.middleName	Sender's middle name	String

reciever.email	Sender's email	String
receiver.mobileNumber	Receiver's mobile number	String
reference_number	Unique identifier for the transaction	String
rrn	Retrieval reference number	String
signature	Digital signature	String
source.accountNumber	Source account number	String
source.amount	Source amount	String
source.currency	Source currency	String
transactionId	Proposal Id from quote	String

POSSIBLE VALUES FOR THE *status* FIELD

STATUS(status)	DESCRIPTION
POSTED	Transaction posted successfully
FAILED	Transaction not posted

POSSIBLE VALUES FOR THE *responseCode* AND *responseDesc* FIELDS

RESPONSE CODE(responseCode)	DESCRIPTION(responseDesc)
00	Transaction posted successfully
-2	Quote for this transaction Not found
-10	KES 140000.00(Maximum transaction limit exceeded)
-9	KES 100.00(Minimum transaction limit not reached)
-3	{error description from Mastercard or Finacle ISO} - Transaction not posted, reversal completed

SAMPLE C2C TRANSACTION REQUEST:

{

```
"channel": "STK",
"destination": {
  "accountNumber": "123457",
  "amount": 0,
  "bankAccountType": "OAK",
  "bankCode": "ANZBAU3M",
  "bicWallet": "ANZBAU3M",
  "countryCode": "AUS",
  "currency": "AUD",
  "receivingBankName": "Barclays",
  "sortCode": "string"
},
"mode": "MASTERCARD",
"orgReceiver": {
  "address": {
    "city": "SYDNEY",
    "countryCode": "AUS",
    "line1": "line",
    "line2": "line2",
    "postalcode": "postal"
  },
  "email": "mymail@mail.com",
  "mobileNumber": 722000,
  "organizationName": "AIG",
  "pin": 1000,
  "registrationNumber": "1A200"
},
"purposeOfPayment": "FAMMILY_SUPPORT",
"receiver": {
  "address": {
    "city": "SYDNEY",
    "countryCode": "AUS",
    "line1": "line",
    "line2": "line2",
    "postalcode": "postal"
  },
  "email": "mymail@mail.com",
  "firstName": "John",
  "lastName": "Donald",
  "middleName": "Don",
  "mobileNumber": "Donelly"
},
"reference_number": "098735677",
"rrn": "098735677",
"sender": {
  "address": {
    "city": "NAIROBI",
    "countryCode": "KE",
    "line1": "line",
    "line2": "line2",
    "postalcode": "postal"
  },
  "dateOfBirth": "string",
  "email": "mymail@mail.com",
  "firstName": "Joe",
```

```
{
  "lastName": "Doe",
  "middleName": "Don",
  "mobileNumber": "12334242",
  "nationality": "Kenyan"
},
"signature":
"b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOfmafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
E/d+LANf22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKYkmOAKQMrcW5AdHXYx3g5oB38Ile
zFs9KoVaOtD1LICxlXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
4YChpP6Y6uBKqjNoJMKtT4xA==",
"source": {
  "accountNumber": "",
  "amount": "1000",
  "currency": "KES"
},
"transactionId": "4XKtbpVUrFf7b3NzdHL5Dajjl1Q=",
"transaction_type": "C2C"
}
```

SAMPLE C2C TRANSACTION RESPONSE

```
{
  "transactionReq": {
    "transactionId": "4XKtbpVUrFf7b3NzdHL5Dajjl1Q=",
    "rrn": "098735677",
    "reference_number": "098735677",
    "mode": "MASTERCARD",
    "transaction_type": "C2C",
    "source": {
      "currency": "KES",
      "amount": "1000",
      "accountNumber": ""
    },
    "sender": {
      "firstName": "Joe",
      "middleName": "Don",
      "lastName": "Doe",
      "mobileNumber": "12334242",
      "email": "mymail@mail.com",
      "address": {
        "countryCode": "KE",
        "postalcode": "postal",
        "line1": "line",
        "line2": "line2",
        "city": "NAIROBI"
      },
      "nationality": "Kenyan",
      "dateOfBirth": "string"
    },
    "destination": {
```



```
"countryCode": "AUS",
"bicWallet": "ANZBAU3M",
"currency": "AUD",
"amount": "0",
"accountNumber": "123457",
"sortCode": "string",
"bankAccountType": "OAK",
"bankCode": "ANZBAU3M",
"receivingBankName": "Barclays"
},
"receiver": {
  "firstName": "John",
  "lastName": "Donald",
  "middleName": "Don",
  "mobileNumber": "Donelly",
  "email": "mymail@mail.com",
  "address": {
    "countryCode": "AUS",
    "postalcode": "postal",
    "line1": "line",
    "line2": "line2",
    "city": "SYDNEY"
  }
},
"orgReceiver": {
  "organizationName": "AIG",
  "registrationNumber": "1A200",
  "pin": "1000",
  "mobileNumber": "722000",
  "email": "mymail@mail.com",
  "address": {
    "countryCode": "AUS",
    "postalcode": "postal",
    "line1": "line",
    "line2": "line2",
    "city": "SYDNEY"
  }
},
"purposeOfPayment": "FAMMILY_SUPPORT",
"channel": "STK",
"signature":
"b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOfafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
E/d+LANf22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKykmOAKQMrcW5AdHXYx3g5oB38Ile
zFs9KoVaOtD1LICxlXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
4YChpP6Y6uBKqjNoJMKtT4xA=="
},
"status": "POSTED",
"responseCode": "00",
"responseDesc": "PENDING"
}
```

3.0 C2B Quote

Method	POST
URL	https://10.11.6.111:8383/services/imtcorems/api/outward/mc/v1/c2c/quote
Headers	Authorization:Bearer {token}; Content-Type:application/json

REQUEST FIELDS:

FIELD	DESCRIPTION	MANDATORY	TYPE	DEFAULT
channel	Transaction channel	YES	String	STK, OTC
destination.accountNumber	Destination bank account number	YES	String	-
destination.amount	Destination amount	YES	String	-
destination.bankAccountType	Destination bank account type	YES	String	OAK, CAK
destination.bankCode	Destination bank code	YES	String	-
destination.bicWallet	Destination bank BIC code	YES	String	-
destination.countryCode	Destination bank country code	YES	String	-
destination.currency	Currency for the destination amount	YES	String	-
destination.receivingBankName	Name of receiving bank in the destination	YES	String	-
destination.sortCode	-	NO	String	-
mode	Transaction mode	YES	String	MASTERCARD
receiver.address.city	Receiver's city	YES	String	-
receiver.address.countryCode	Receiver's country code	YES	String	-
receiver.address.line1	Receiver's first address line	YES	String	-
receiver.address.line2	Receiver's second address line	NO	String	-
receiver.address.postalcode	Receiver's postal code	YES	String	-

receiver.firstName	Receiver's first name	NO	String	-
receiver.lastName	Receiver's last name	NO	String	-
receiver.middleName	Receiver's middle name	NO	String	-
receiver.email	Receiver's email	YES	String	-
receiver.mobileNumber	Receiver's mobile number	NO	String	-
reference_number	Unique identifier for the transaction	YES	String	-
rrn	Retrieval reference number	YES	String	-
signature	Digital signature	YES	String	-
source.accountNumber	Source account number	YES	String	-
source.amount	Source amount	YES	String	-
source.currency	Source currency	YES	String	-
transaction_type	Transaction type	YES	String	C2B

RESPONSE FIELDS:

FIELD	DESCRIPTION	TYPE
channel	Transaction channel	String
charge.amount	Charge amount	String
charge.currency	Charge currency	String
destination.accountNumber	Destination bank account number	String
destination.amount	Destination amount	String
destination.bankAccountType	Destination bank account type	String
destination.bankCode	Destination bank code	String
destination.bicWallet	Destination bank BIC code	String
destination.countryCode	Destination bank country code	String

destination.currency	Currency for the destination amount	String
destination.receivingBankName	Name of receiving bank in the destination	String
destination.sortCode	-	String
mode	Transaction mode	String
rrn	Retrieval reference number	String
signature	Digital signature	String
source.accountNumber	Source account number	String
source.amount	Source amount	String
source.currency	Source currency	String
transactionId	Proposal Id from quote	String
status	Quote status	String
responseDesc	Response description	String
responseCode	Response code	String
providerGL	Provider GL	String
payerName	Payer name	String
transaction_type	Transaction type	String

POSSIBLE VALUES FOR THE *status* FIELD

STATUS(status)	DESCRIPTION
POSTED	Quote created successfully
FAILED	Failed to create quote

POSSIBLE VALUES FOR THE *responseCode* AND *responseDesc* FIELDS

RESPONSE CODE(responseCode)	DESCRIPTION(responseDesc)
00	Quote created successfully
-1	Missing configuration
01	Invalid or Missing Data

02

Could not obtain FX Rate

SAMPLE C2B QUOTE REQUEST:

```
{
  "channel": "STK",
  "destination": {
    "accountNumber": "123457",
    "amount": "1000",
    "bankAccountType": "OAK",
    "bankCode": "54",
    "bicWallet": "ANZBAU3M",
    "countryCode": "AUS",
    "currency": "AUD",
    "receivingBankName": "Barclays",
    "sortCode": "string"
  },
  "mode": "string",
  "receiver": {
    "address": {
      "city": "SYDNEY",
      "countryCode": "AUS",
      "line1": "line",
      "line2": "line2",
      "postalcode": "postal"
    },
    "email": "mymail@mail.com",
    "firstName": "John",
    "lastName": "Donald",
    "middleName": "Don",
    "mobileNumber": "66689979"
  },
  "reference_number": "098735678",
  "rrn": "098735678",
  "signature":
    "b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOMafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
    E/d+LAnF22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
    kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKykmOAKQMrcW5AdHXYx3g5oB38lle
    zFs9KoVaOtD1LICxlXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
    4YChpP6Y6uBKqjNoJMKtT4xA==",
  "source": {
    "accountNumber": "132232324",
    "amount": "1000",
    "currency": "KES"
  },
  "transaction_type": "C2B"
}
```

SAMPLE C2B QUOTE RESPONSE:

```
{
  "rrn": "098735678",
}
```

```
"reference_number": "098735678",
"mode": "string",
"transaction_type": "C2B",
"source": {
  "currency": "KES",
  "amount": "9.07",
  "accountNumber": "132232324"
},
"destination": {
  "countryCode": "AUS",
  "bicWallet": "ANZBAU3M",
  "currency": "AUD",
  "amount": "9.00",
  "accountNumber": "123457",
  "sortCode": "string",
  "bankAccountType": "OAK",
  "bankCode": "54",
  "receivingBankName": "Barclays"
},
"status": "CREATED",
"responseCode": "00",
"responseDesc": "A quotation at fx: 1.273514",
"transactionId": "GkvAYPwED7uaAny+hMnPEPT5sf8=",
"channel": "STK",
"charge": {
  "amount": "9.07",
  "currency": "USD"
},
"signature":
"b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOmafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
E/d+LANf22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqjQYt9NpCKYkmOAKQMrcW5AdHXYx3g5oB38Ile
zFs9KoVaOtD1LICxIXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
4YChpP6Y6uBKqjNoJMKtT4xA==",
"providerGL": "343454545",
"payerName": "098735678"
}
```

3.1 C2B Transaction

Method	POST
URL	https://10.11.6.111:8383/services/imtcorems/api/outward/mc/v1/c2b/transaction
Headers	Authorization:Bearer {token}; Content-Type:application/json

REQUEST FIELDS:

FIELD	DESCRIPTION	MANDATORY	TYPE	DEFAULT
channel	Transaction channel	YES	String	STK, OTC
destination.accountNumber	Destination bank account number	YES	String	-
destination.amount	Destination amount	YES	String	-
destination.bankAccountType	Destination bank account type	YES	String	OAK, CAK
destination.bankCode	Destination bank code	YES	String	-
destination.bicWallet	Destination bank BIC code	YES	String	-
destination.countryCode	Destination bank country code	YES	String	-
destination.currency	Currency for the destination amount	YES	String	-
destination.receivingBankName	Name of receiving bank in the destination	YES	String	-
destination.sortCode	-	NO	String	-
mode	Transaction mode	YES	String	MASTERCARD
orgReceiver.address.city	Receiving organization's city	YES	String	-
orgReceiver.address.line1	Receiving organization's first address line	YES	String	-
orgReceiver.address.line2	Receiving organization's first address line	YES	String	-
orgReceiver..address.postal code	Receiving organization's postal code	YES	String	-
orgReceiver.email	Receiving organization's email	YES	String	-
orgReceiver.mobileNumber	Receiving organization's mobile number	YES	String	-
orgReceiver.organizationName	Receiving	YES	String	-

me	organization's name			
orgReceiver.pin	Receiving organization's personal identification number	YES	String	-
orgReceiver.registrationNumber	Receiving organization's registration number	YES	String	-
purposeOfPayment	Purpose of payment	YES	String	-
sender.address.city	Sender's city	YES	String	-
sender.address.countryCode	Sender's country code	YES	String	-
sender.address.line1	Sender's first address line	YES	String	-
sender.address.line2	Sender's second address line	NO	String	-
sender.address.postalcode	Sender's postal code	YES	String	-
sender.firstName	Sender's first name	YES	String	-
sender.lastName	Sender's last name	YES	String	-
sender.middleName	Sender's middle name	YES	String	-
sender.dateOfBirth	Sender's date of birth	YES	String	-
sender.email	Sender's email	NO	String	-
sender.nationality	Sender's nationality	NO	String	-
sender.mobileNumber	Sender's mobile number	YES	String	-
reciever.address.city	Reciever's city	YES	String	-
reciever.address.countryCode	Sender's country code	YES	String	-
reciever.address.line1	Sender's first address line	YES	String	-
reciever.address.line2	Sender's second address line	NO	String	-
reciever.address.postalcode	Sender's postal code	NO	String	-
reciever.firstName	Sender's first name	NO	String	-

reciever.lastName	Sender's last name	NO	String	-
reciever.middleName	Sender's middle name	NO	String	-
reciever.email	Sender's email	NO	String	-
receiver.mobileNumber	Receiver's mobile number	NO	String	-
reference_number	Unique identifier for the transaction	YES	String	-
rrn	Retrieval reference number	YES	String	-
signature	Digital signature	YES	String	-
source.accountNumber	Source account number	YES	String	-
source.amount	Source amount	YES	String	-
source.currency	Source currency	YES	String	-
transactionId	Proposal Id from quote	YES	String	-
transaction_type	Transaction type	YES	String	C2B

RESPONSE FIELDS:

FIELD	DESCRIPTION	TYPE
channel	Transaction channel	String
destination.accountNumber	Destination bank account number	String
destination.amount	Destination amount	String
destination.bankAccountType	Destination bank account type	String
destination.bankCode	Destination bank code	String
destination.bicWallet	Destination bank BIC code	String
destination.countryCode	Destination bank country code	String
destination.currency	Currency for the destination amount	String

destination.receivingBankName	Name of receiving bank in the destination	String
destination.sortCode	-	String
mode	Transaction mode	String
orgReceiver.address.city	Receiving organization's city	String
orgReceiver.address.line1	Receiving organization's first address line	String
orgReceiver.address.line2	Receiving organization's first address line	String
orgReceiver..address.postal code	Receiving organization's postal code	String
orgReceiver.email	Receiving organization's email	String
orgReceiver.mobileNumber	Receiving organization's mobile number	String
orgReceiver.organizationName	Receiving organization's name	String
orgReceiver.pin	Receiving organization's personal identification number	String
orgReceiver.registrationNumber	Receiving organization's registration number	String
purposeOfPayment	Purpose of payment	String
sender.address.city	Sender's city	String
sender.address.countryCode	Sender's country code	String
sender.address.line1	Sender's first address line	String
sender.address.line2	Sender's second address line	String
sender.address.postalcode	Sender's postal code	String

sender.firstName	Sender's first name	String
sender.lastName	Sender's last name	String
sender.middleName	Sender's middle name	String
sender.dateOfBirth	Sender's date of birth	String
sender.email	Sender's email	String
sender.nationality	Sender's nationality	String
sender.mobileNumber	Sender's mobile number	String
reciever.address.city	Reciever's city	String
reciever.address.countryCode	Sender's country code	String
reciever.address.line1	Sender's first address line	String
reciever.address.line2	Sender's second address line	String
reciever.address.postalcode	Sender's postal code	String
reciever.firstName	Sender's first name	String
reciever.lastName	Sender's last name	String
reciever.middleName	Sender's middle name	String
reciever.email	Sender's email	String
receiver.mobileNumber	Receiver's mobile number	String
reference_number	Unique identifier for the transaction	String
rrn	Retrieval reference number	String
signature	Digital signature	String
source.accountNumber	Source account number	String
source.amount	Source amount	String
source.currency	Source currency	String
transactionId	Proposal Id from quote	String

POSSIBLE VALUES FOR THE *status* FIELD

STATUS(status)	DESCRIPTION
POSTED	Transaction posted successfully
FAILED	Transaction not posted

POSSIBLE VALUES FOR THE *responseCode* AND *responseDesc* FIELDS

RESPONSE CODE(responseCode)	DESCRIPTION(responseDesc)
00	Transaction posted successfully
-2	Quote for this transaction Not found
-10	KES 140000.00(Maximum transaction limit exceeded)
-9	KES 100.00(Minimum transaction limit not reached)
-3	{error description from Mastercard or Finacle ISO} - Transaction not posted, reversal completed

SAMPLE C2B TRANSACTION REQUEST:

```
{
  "channel": "STK",
  "destination": {
    "accountNumber": "123457",
    "amount": "1000",
    "bankAccountType": "OAK",
    "bankCode": "54",
    "bicWallet": "ANZBAU3M",
    "countryCode": "AUS",
    "currency": "AUD",
    "receivingBankName": "Barclays",
    "sortCode": "string"
  },
  "mode": "MASTERCARD",
  "orgReceiver": {
    "address": {
      "city": "SYDNEY",
      "countryCode": "AUS",
      "line1": "line",
      "line2": "line2",
```

```
{
  "postalcode": "postal",
},
"email": "mymail@mail.com",
"mobileNumber": 722000,
"organizationName": "AIG",
"pin": 1000,
"registrationNumber": "1A200"
},
"purposeOfPayment": "FAMMILY_SUPPORT",
"receiver": {
  "address": {
    "city": "SYDNEY",
    "countryCode": "AUS",
    "line1": "line",
    "line2": "line2",
    "postalcode": "postal"
  },
  "email": "mymail@mail.com",
  "firstName": "John",
  "lastName": "Donald",
  "middleName": "Don",
  "mobileNumber": "66689979"
},
"reference_number": "098735678",
"rrn": "098735679",
"sender": {
  "address": {
    "city": "NAIROBI",
    "countryCode": "KE",
    "line1": "line",
    "line2": "line2",
    "postalcode": "postal"
  },
  "dateOfBirth": "string",
  "email": "mymail@mail.com",
  "firstName": "Joe",
  "lastName": "Doe",
  "middleName": "Don",
  "mobileNumber": "12334242",
  "nationality": "Kenyan"
},
"signature":
"b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOfafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
E/d+LANf22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKykmOAKQMrcW5AdHXYx3g5oB38lle
zFs9KoVaOtD1LICxlXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
4YChpP6Y6uBKqjNoJMKtT4xA==",
"source": {
  "accountNumber": "132232324",
  "amount": "1000",
  "currency": "KES"
},
"transactionId": "7oR3DF7Sz/Y3C2t7ViB6/7qwF/0=",
"transaction_type": "C2B"
}
```

SAMPLE C2B TRANSACTION RESPONSE:

```
{
  "transactionReq": {
    "transactionId": "7oR3DF7Sz/Y3C2t7ViB6/7qwF/0=",
    "rrn": "098735679",
    "reference_number": "098735678",
    "mode": "MASTERCARD",
    "transaction_type": "C2B",
    "source": {
      "currency": "KES",
      "amount": "1000",
      "accountNumber": "132232324"
    },
    "sender": {
      "firstName": "Joe",
      "middleName": "Don",
      "lastName": "Doe",
      "mobileNumber": "12334242",
      "email": "mymail@mail.com",
      "address": {
        "countryCode": "KE",
        "postalcode": "postal",
        "line1": "line",
        "line2": "line2",
        "city": "NAIROBI"
      },
      "nationality": "Kenyan",
      "dateOfBirth": "string"
    },
    "destination": {
      "countryCode": "AUS",
      "bicWallet": "ANZBAU3M",
      "currency": "AUD",
      "amount": "1000",
      "accountNumber": "123457",
      "sortCode": "string",
      "bankAccountType": "OAK",
      "bankCode": "54",
      "receivingBankName": "Barclays"
    },
    "receiver": {
      "firstName": "John",
      "lastName": "Donald",
      "middleName": "Don",
      "mobileNumber": "66689979",
      "email": "mymail@mail.com",
      "address": {
        "countryCode": "AUS",
        "postalcode": "postal",
        "line1": "line",
```

```

    "line2": "line2",
    "city": "SYDNEY"
  },
  "orgReceiver": {
    "organizationName": "AIG",
    "registrationNumber": "1A200",
    "pin": "1000",
    "mobileNumber": "722000",
    "email": "mymail@mail.com",
    "address": {
      "countryCode": "AUS",
      "postalcode": "postal",
      "line1": "line",
      "line2": "line2",
      "city": "SYDNEY"
    }
  },
  "purposeOfPayment": "FAMMILY_SUPPORT",
  "channel": "STK",
  "signature":
    "b0NC1H3HskiumVWNklvKUhMgfP3GmvlyAGJOmafdeySzzDcTeZaBKLYtZQDMESaJvdQU/zxV00nW
    E/d+LAnF22Xj1mujV0X1nLWDe+jCbaV/NvUFxjUXRNTzGYClztkVblgD6AO+de9II2faCtobD0rZjaKJph/
    kedF3NA42bHU1kG8150mGCMIRx63M3LRs/po6TfqiQYt9NpCKYkmOAKQMrcW5AdHXYx3g5oB38lle
    zFs9KoVaOtD1LICxlXxeAMLBrjXaG30nhlkAFC6Ewgf8aa3dWofL+bFqiT7GuF8xollsWPjgFguuXNQ/dH
    4YChpP6Y6uBKqjNoJMKtT4xA=="
  },
  "status": "POSTED",
  "responseCode": "00",
  "responseDesc": "PENDING"
}

```

3.1 Check Supported Corridor API

This API used to check whether a given country is supported by IMT

Method	GET
URL	/api/outward/mc/v1/corridor/{country_code}
Headers	Authorization:Bearer {token}

CHECK SUPPORTED CORRIDOR API REQUEST FIELD:

Field	Description	Type	Mandatory
country_code	ISO 3166-1 alpha-3 country code	String	Y

SAMPLE CHECK SUPPORTED CORRIDOR REQUEST:

```
http://10.11.6.111:8585/api/outward/mc/v1/corridor/DEU
```

SAMPLE CHECK SUPPORTED CORRIDOR REQUEST - SUPPORTED:

```
{
  "supported":true,
  "corridors":[
    "MASTERCARD",
    "THUNES"
  ]
}
```

SAMPLE CHECK SUPPORTED CORRIDOR REQUEST - NOT SUPPORTED:

```
{
  "supported":false,
  "providers":[]
}
```