

Aviso de isenção de responsabilidade: Este é um PDF gerado por máquina do conteúdo selecionado de nossos produtos. Essa funcionalidade é fornecida somente para sua conveniência e não deve nunca substituir o PDF escaneado originalmente. Nem a Cengage Learning nem suas licenciadas atestam ou garantem de alguma maneira esses PDFs gerados automaticamente. O PDF é gerado automaticamente "NO FORMATO EM QUE SE ENCONTRA" e "DE ACORDO COM A DISPONIBILIDADE" e não é mantido em nosso sistema. A CENGAGE LEARNING E SUAS LICENCIADAS ESPECIFICAMENTE SE ISENTAM DE RESPONSABILIDADE SOBRE QUALQUER GARANTIA EXPRESSA OU IMPLÍCITA, SEM LIMITAÇÕES, INCLUSIVE GARANTIAS DE DISPONIBILIDADE, PRECISÃO, PONTUALIDADE, COMPLETUDE, LEGALIDADE, COMERCIALIZABILIDADE OU ADEQUAÇÃO A UM PROPÓSITO ESPECÍFICO. O uso do PDF automático está sujeito a todas as restrições de uso incluídas no Contrato de Licença e Assinatura da Cengage Learning e/ou nos Gale Academic OneFile Termos e Condições. Ao usar a funcionalidade de PDF automático, você concorda em renunciar a qualquer alegação contra a Cengage Learning ou suas licenciadas pelo uso dessa funcionalidade e qualquer resultado derivado desta.

New study pinpoints likely path of COVID-related plastic waste in the ocean.

Data: Nov. 28, 2021

De: NewsRx Health

Editora: NewsRX LLC

Tipo de documento: Article

Extensão: 974 palavras

Texto completo:

2021 NOV 28 (VerticalNews) -- By a News Reporter-Staff News Editor at VerticalNews Health -- Around the world, the COVID-19 pandemic has led to an increased demand for single-use plastics such as face masks, gloves, and face shields. The resulting waste, some of which ends up in rivers and oceans, is intensifying pressure on an already out-of-control global plastic problem. While many researchers suspect there will be a massive influx of COVID-related mismanaged plastic waste, a new study is the first to project the magnitude and fate of the waste in the oceans.

Led by a team of researchers at Nanjing University's School of Atmospheric Sciences and UC San Diego's Scripps Institution of Oceanography, the study uses a newly developed ocean plastic numerical model to quantify the impact of the pandemic on plastic discharge from land sources. Graduate students Yiming Peng and Peipei Wu of Nanjing University led the research, which was published Nov. 8 in the journal *Proceedings of the National Academy of Sciences*.

Using the model, the researchers found that more than eight million tons of pandemic-associated plastic waste have been generated globally, with more than 25,000 tons entering the global ocean. Within three to four years, a significant portion of this ocean plastic debris is expected to make its way onto either beaches or the seabed. A smaller portion will go into the open ocean, eventually to be trapped in the centers of ocean basins or subtropical gyres, which can become garbage patches, and a circumpolar plastic accumulation zone in the Arctic Ocean.

The researchers incorporated data from the start of the pandemic in 2020 through August 2021, finding that most of the global plastic waste entering the ocean is coming from Asia, with hospital waste representing the bulk of the land discharge. The study reveals the need for better management of medical waste in developing countries.

"When we started doing the math, we were surprised to find that the amount of medical waste was substantially larger than the amount of waste from individuals, and a lot of it was coming from Asian countries, even though that's not where most of the COVID-19 cases were," said study co-author Amina Scharf, an assistant professor at Scripps Oceanography. "The biggest sources of excess waste were hospitals in areas already struggling with waste management before the pandemic; they just weren't set up to handle a situation where you have more waste."

Devised by the research team, the Nanjing University MITgcm-plastic model (NJU-MP) used in this study works like "a virtual reality," explained Yanxu Zhang, the corresponding author and a professor at the School of Atmospheric Sciences at Nanjing University. He said the model was built based on Newton's laws of motion and the law of conservation of mass.

"The model simulates how the seawater moves driven by wind and how the plastics float on the surface ocean, degraded by sunlight, fouled by plankton, landed on beaches, and sunk to the deep," said Zhang. "It can be used to answer 'what if' questions, for example, what will happen if we add a certain amount of plastics to the ocean?"

The study highlights the hotspot rivers and watersheds that require special attention in plastic waste management. The researchers found that most of the global plastic waste from the pandemic is entering the ocean from rivers. Asian rivers account for 73 percent of the total discharge of plastics, with the top three contributors being the Shatt al-Arab, Indus, and Yangtze rivers, which discharge into the Persian Gulf, Arabian Sea, and East China Sea. European rivers account for 11 percent of the discharge, with minor contributions from other continents.

While most of the pandemic-associated plastics are expected to settle on beaches and the seafloor, a smaller amount will likely end up circulating or settling in the Arctic Ocean, which study authors say appears to be a "dead-end" for plastic debris transported into it due to ocean circulation patterns.

"There is a pretty consistent circulation pattern in the ocean, and that's why we can build models that replicate how the ocean moves- it's just physical oceanography at this point," said Schartup, whose research normally focuses on understanding mercury in the oceans. "We know that if waste is released from Asian rivers into the North Pacific Ocean, some of that debris will likely end up in the Arctic Ocean-a kind of a circular ocean which can be a bit like an estuary, accumulating all kinds of things that get released from the continents."

The model shows that about 80 percent of the plastic debris that transits into the Arctic Ocean will sink quickly, and a circumpolar plastic accumulation zone is modeled to form by 2025.

The Arctic ecosystem is already considered to be particularly vulnerable due to the harsh environment and high sensitivity to climate change. The potential ecological impacts of exposure to accumulated Arctic plastics adds another layer of concern, said the researchers.

To combat the influx of plastic waste into the oceans, the authors urge for better management of medical waste in epicenters, especially in developing countries. They also called for global public awareness of the environmental impact of personal protection equipment (PPE) and other plastic products, and the development of innovative technologies for better plastic waste collection, classification, treatment, and recycling, and development of more environmentally friendly materials.

"Indeed, the COVID-related plastic is only a portion of a bigger problem we face in the 21st century: plastic waste," said Zhang. "To solve it requires a lot of technical renovation, transition of economy, and change of lifestyle."

Keywords for this news article include: Viral, COVID-19, Pandemic, Virology, SARS-CoV-2, RNA Viruses, Epidemiology, Medical Waste, Waste Products, Atmospheric Science, Health and Medicine, University of California - San Diego, Severe Acute Respiratory Syndrome Coronavirus 2.

Our reports deliver fact-based news of research and discoveries from around the world. Copyright 2021, NewsRx LLC

Copyright: COPYRIGHT 2021 NewsRX LLC

<http://www.Newsrx.com>

Citação da fonte (MLA9)

"New study pinpoints likely path of COVID-related plastic waste in the ocean." *NewsRx Health*, 28 Nov. 2021, p. 31. *Gale Academic OneFile*, link.gale.com/apps/doc/A683377918/AONE?u=capes&sid=bookmark-AONE&xid=7dce0bad. Accessed 5 Mar. 2023.

Número do documento Gale: GALE|A683377918