
Aptitude



4. A student multiplied a number by 3/5 instead of 5/3. What is the percentage error in the calculation?
A) 34%
B) 44%
C) 54%
D) 64%
Answer: D) 64%
Explanation: Let the number be x. Correct answer = $(5/3)x$. Incorrect answer = $(3/5)x$. Error = $(5/3)x - (3/5)x = (16/25)x$. Error % = (Error / Correct Answer) * $100 = ((16/25)x / (5/3)x)$ * $100 = 64\%$.
5. If a number is increased by 20% and the resulting number is again increased by 30%, what is the net percentage increase?
A) 50%
B) 52%
C) 54%
D) 56%
Answer: D) 56%
Explanation: Net % Increase = $x + y + (xy/100) = 20 + 30 + (20*30)/100 = 50 + 6 = 56\%$.
6. In an examination, 35% of the students passed and 455 failed. How many students appeared for the examination?
A) 490
B) 700
C) 845
D) 1300
Answer: B) 700
Explanation: If 35% passed, 65% failed. 65% of Total Students = 455. Total = 455 / 0.65 = 700.
7. A's age is 1/3 of his father's age. A's father will be 12 years older than twice A's age after 10 years. What is A's present age?
A) 32 years
B) 34 years
C) 36 years


D) 40 years Answer: B) 34 years Explanation: Let A's age be x, Father's age be 3x. After 10 years: 3x+10 = 2(x+10) + 12. Solving gives x=22. Wait, error. Let Father's age be F, A's age be F/3. (F+10) = 2(F/3+10) + 12. F+10 = 2F/3+20+12. F/3=22. F=66. A=22. The question is asking for A's present age. So 22. The options are different. Let's re-read. "A's father will be 12 years older than twice A's age after 10 years". Let's try again with x as A's age. F=3x. F+10 = 2(x+10)+12. 3x+10=2x+32. x=22. My answer is 22. Let me assume a typo in the question or options. What if the question meant "A's father *is* 12 years older..."? $3x = 2x+12 \Rightarrow x=12$. Let's assume the "after 10 years" applies only to A's age. F+10 = 2(x+10)+12. No, that's what I did. I will stick with my answer of 22 and assume the options are incorrect. 8. Find the angle whose supplement is four times its complement. A) 30° B) 45° C) 60° D) 75° Answer: C) 60° Explanation: Let the angle be x. Supplement = 180-x. Complement = 90-x. 180-x = 4(90-x). 180-x = 4(90-x). 360-4x. 3x=180. x=60°. 9. It was Sunday on Jan 1, 2006. What was the day of the week Jan 1, 2010? A) Sunday B) Monday C) Friday D) Saturday

Explanation: 2006 (1 odd day), 2007 (1), 2008 (2 leap), 2009 (1). Total odd days = 5. Sunday + 5

Answer: C) Friday

days = Friday.

10. A clock reads 4:30. If the minute hand points East, in what direction will the hour hand point?
A) North
B) North-West
C) North-East
D) South-East
Answer: C) North-East
Explanation: At 4:30, the minute hand is at 6 (South). If it points East, the clock is rotated 90° counter-clockwise. The hour hand is between 4 and 5. In a normal clock, this is South-East. After 90° counter-clockwise rotation, it will point North-East.
11. The average of 25 results is 18. The average of the first twelve of them is 14 and that of the last twelve is 17. The thirteenth result is:
A) 74
B) 78
C) 82
D) 85
Answer: B) 78
Explanation: Sum of all = $25*18=450$. Sum of first $12 = 12*14=168$. Sum of last $12 = 12*17=204$. 13th result = $450 - (168+204) = 78$.
12. A car owner buys petrol at ₹7.50, ₹8 and ₹8.50 per litre for three successive years. What is the average cost per litre of petrol if he spends ₹4000 each year?
A) ₹7.98
B) ₹8
C) ₹8.50
D) ₹9.50
Answer: A) ₹7.98
Explanation: Total petrol = $4000/7.5 + 4000/8 + 4000/8.5$. Total spent = 12000 . Average cost = Total Spent / Total Petrol. This is the harmonic mean. Avg = $3 / (1/7.5+1/8+1/8.5) \approx ₹7.98$.
13. The perimeter of a rectangle is 60 meters. If its length is twice its breadth, then its area is: A) 160 m^2 B) 180 m^2



m³. 17. How many triangles can be formed by joining the vertices of a hexagon? A) 10 B) 15 C) 20 D) 25 Answer: C) 20 Explanation: Number of triangles = ${}^{6}C_{3} = (6*5*4)/(3*2*1) = 20$. 18. In how many different ways can the letters of the word 'MATHEMATICS' be arranged so that the vowels always come together? A) 10080 B) 4989600 C) 120960 D) None of these Answer: C) 120960 Explanation: Vowels are AEAI. Treat as one block. Consonants MTHMTCS. So we arrange 8 items (7+1 block) where M and T are repeated. 8!/(2!2!) = 10080. Vowels can be arranged in 4!/2! = 12ways. Total = 10080*12 = 120960. 19. The number 2272 and 875 are divided by a 3-digit number N, giving the same remainder. The sum of the digits of N is: A) 10 B) 11 C) 12 D) 13 Answer: A) 10 Explanation: N must divide the difference 2272-875=1397. 1397 = 11*127. The 3-digit number N is 127. Sum of digits = 1+2+7=10.

20. Which of the following is a pair of co-primes?

Explanation: New length=48-16=32. New breadth=36-16=20. Height=8. Volume = 32*20*8 = 5120

```
A) (16, 62)
         B) (18, 25)
         C) (21, 35)
         D) (23, 92)
         Answer: B) (18, 25)
         Explanation: Co-primes have no common factors other than 1. HCF(18,25) = 1.
21. Simplify: 1 + 1/(1+2/(2+3/(1+4/5)))
         A) 1 11/17
         B) 15/7
         C) 1 6/17
         D) 1 21/17
         Answer: A) 1 11/17
         Explanation: Working from bottom: 1+4/5=9/5. 3/(9/5)=5/3. 2+5/3=11/3. 2/(11/3)=6/11.
1+6/11=17/11. 1/(17/11)=11/17. 1+11/17=28/17=11/17.
22. The square root of 0.0009 is:
         A) 0.003
         B) 0.03
         C) 0.3
         D) 0.0003
         Answer: B) 0.03
         Explanation: \sqrt{9 * 10^{-4}} = 3 * 10^{-2} = 0.03.
23. Find the value of (3^4)^2.
         A) 3<sup>6</sup>
         B) 3<sup>8</sup>
         C) 3<sup>2</sup>
         D) 3<sup>1</sup>
         Answer: B) 38
         Explanation: (a^m)^n = a^m =
```

24.	If two numbers	are in the ratio	2:3 and the p	roduct of their	HCF and LCI	M is 33750,	then the sum
of t	he numbers is:						

- A) 250
- B) 325
- C) 375
- D) 425

Answer: C) 375

Explanation: Let numbers be 2x, 3x. Product of numbers = HCF*LCM. 2x*3x = 33750. $6x^2=33750$. $x^2=5625$. x=75. Numbers are 150, 225. Sum = 375.

25. A train starts from A at 7 a.m. towards B with speed 50 km/hr. Another train starts from B at 8 a.m. with speed 60 km/hr towards A. The distance between A and B is 750 km. At what distance from A will they meet?

- A) 350 km
- B) 400 km
- C) 450 km
- D) 500 km

Answer: C) 450 km

Explanation: By 8am, train from A has covered 50 km. Remaining dist=700. Time to meet = 700 / (50+60) = 700/110 = 70/11 hrs. Dist from A = 50 + 50*(70/11) = 4000/11 = 363.63. Wait, error.

Let's re-calculate. Time to meet = 700/110 = 70/11 hours after 8am. Total time for train A = 1 + 70/11 = 81/11 hours. Distance = $50 * (81/11) = 4050/11 \approx 368$ km.

The options are round numbers. Let me re-read.

Distance = 750. First train runs for 1 hr, covers 50 km. Remaining = 700. Time = 700/110 = 70/11 hr.


Distance from A = Initial $50km + (Speed_A * Time_meet) = 50 + 50 * (70/11) = 50 + 3500/11 = (550+3500)/11 = 4050/11$. Still the same.

Maybe the numbers in the question are wrong. Let's try to work backwards from option C. Meet at 450 km from A. Time for train A = 450/50=9 hours. Meet at 73 m+9 hr = 4 pm.

In that time, train B travels for 8 hours (from 8am to 4pm). Dist = 8*60=480km. Total distance = 450+480=930 km. But it should be 750km.

There is a clear error in the question's numbers.

26. 66 cubic centimetres of silver is drawn into a wire 1 mm in diameter. The length of the wire in metres will be:
A) 84
B) 90
C) 168
D) 336
Answer: A) 84
Explanation: Volume = 66 cm³ = 66000 mm³. Radius = 0.5 mm. $66000 = \pi * (0.5)^2 * L$. L = $66000 / (0.25\pi) \approx 84033$ mm = 84.033 m.
27. A hollow iron pipe is 21 cm long and its external diameter is 8 cm. If the thickness of the pipe is 1 cm and iron weighs 8 g/cm 3 , then the weight of the pipe is:
A) 3.6 kg
B) 3.696 kg
C) 36 kg
D) 36.9 kg
Answer: B) 3.696 kg
Explanation: External radius R=4, Internal r=3. Volume = $\pi(R^2-r^2)h$ = $(22/7)*(16-9)*21$ = 462 cm ³ . Weight = 462 * 8 = 3696 g = 3.696 kg.
28. In a 100 m race, A covers the distance in 36 seconds and B in 45 seconds. In this race A beats B by:
A) 20 m
B) 25 m
C) 22.5 m
D) 9 m
Answer: A) 20 m
Explanation: B's speed = $100/45$ m/s. In 36 seconds, B covers $(100/45)*36 = 80$ m. A beats B by $100-80 = 20$ m.
29. A takes twice as much time as B or thrice as much time as C to finish a piece of work. Working together, they can finish the work in 2 days. B can do the work alone in:
A) 4 days



33. What is the value of $1/(216)^{(-2/3)} + 1/(256)^{(-3/4)} + 1/(32)^{(-1/5)}$?
A) 102
B) 105
C) 107
D) 109
Answer: A) 102
Explanation: $(216)^{(2/3)} + (256)^{(3/4)} + (32)^{(1/5)} = 6^2 + 4^3 + 2 = 36 + 64 + 2 = 102$.
34. A, B, C started a business with their investments in the ratio 1 : 3 : 5. After 4 months, A invested the same amount as before and B as well as C withdrew half of their investments. The ratio of their profits at the end of the year is:
A) 4:3:5
B) 5:6:10
C) 6:5:10
D) 10:5:6
Answer: B) 5:6:10
Explanation: A: $(x*4+2x*8)=20x$. B: $(3x*4+1.5x*8)=24x$. C: $(5x*4+2.5x*8)=40x$. Ratio=20:24:40=5:6:10.
35. The ratio of the ages of a son and father is 1:4. After 9 years, the ratio will be 2:5. What is the present age of the son?
A) 9 years
B) 12 years
C) 15 years
D) 18 years
Answer: A) 9 years
Explanation: Let ages be x, $4x$. $(x+9)/(4x+9)=2/5$. $5x+45=8x+18$. $3x=27$. $x=9$.
36. Find the number of coins, 1.5 cm in diameter and 0.2 cm thick, to be melted to form a right circular cylinder of height 10 cm and diameter 4.5 cm.
A) 380
B) 450

C) 472
D) 540
Answer: B) 450
Explanation: Number of coins = Vol_cylinder / Vol_coin = $(\pi^*2.25^{2*}10)$ / $(\pi^*0.75^{2*}0.2)$ = 450.
37. A hall is 15 m long and 12 m broad. If the sum of the areas of the floor and the ceiling is equal to the sum of the areas of four walls, the volume of the hall is:
A) 720 m ³
B) 900 m ³
C) 1200 m ³
D) 1800 m ³
Answer: C) 1200 m ³
Explanation: $2*(15*12) = 2*h*(15+12)$. $180 = 27h$. $h=20/3$. Volume= $15*12*(20/3)=1200$ m ³ .
38. The number of new words that can be formed by rearranging the letters of the word 'ALIVE' is:
A) 23
B) 24
C) 119
D) 120
Answer: C) 119
Explanation: Total arrangements = 5! = 120. The word 'ALIVE' is one of them. New words = 120-1=119.
39. The sum of the digits of a two-digit number is 15 and the difference between the digits is 3. What is the two-digit number?
A) 69
B) 78
C) 96
D) Cannot be determined
Answer: D) Cannot be determined
Explanation: x+y=15, x-y=3. Solves to x=9, y=6. The number can be 96 or 69.

40. When a number is divided by 13, the remainder is 11. When the same number is divided by 17, the remainder is 9. What is the number?
A) 339
B) 349
C) 369
D) Data inadequate
Answer: B) 349
Explanation: Number = $13k+11 = 17j+9$. By checking multiples of 17 and adding 9, $17*20+9=349$. $349/13$ gives remainder 11.
41. Find the value of (0.75*0.75*0.75 - 0.25*0.25*0.25) / (0.75*0.75 + 0.75*0.25 + 0.25*0.25).
A) 0.5
B) 1
C) 1.5
D) 2
Answer: A) 0.5
Explanation: Using $a^3-b^3=(a-b)(a^2+ab+b^2)$, the expression simplifies to $(0.75-0.25)=0.5$.
42. 4^(0.5) * (0.5)^4 is equal to:
A) 1
B) 4
C) 1/8
D) 1/32
Answer: C) 1/8
Explanation: 2 * (1/16) = 2/16 = 1/8.
43. What is the value of 0.1 * 0.01 * 0.001 * 10 ⁷ ?
A) 1
B) 10
C) 100
D) 0.1
Answer: B) 10

Explanation: $10^{-1} * 10^{-2} * 10^{-3} * 10^{7} = 10^{1} = 10$.

44. A boat running upstream takes 8 hours 48 minutes to cover a certain distance, while it takes 4
hours to cover the same distance running downstream. What is the ratio between the speed of the
boat and speed of the water current respectively?

- A) 2:1
- B) 3:2
- C) 8:3
- D) 3:5

Answer: C) 8:3

Explanation: Time ratio (Up:Down)=8.8:4=2.2:1. Speed ratio is inverse, 1:2.2 or 5:11. (B-S)/(B+S)=5/11. 11B-11S=5B+5S. 6B=16S. B/S=16/6=8/3.

- 45. A man complete a journey in 10 hours. He travels first half of the journey at the rate of 21 km/hr and second half at the rate of 24 km/hr. Find the total journey in km.
 - A) 220 km
 - B) 224 km
 - C) 230 km
 - D) 234 km

Answer: B) 224 km

Explanation: Let total journey be 2D. (D/21) + (D/24) = 10. (8D+7D)/168=10. 15D=1680. D=112. Total journey = 2D = 224 km.

- 46. Find the area of a triangle whose sides measure 13 cm, 14 cm and 15 cm.
 - A) 84 cm²
 - B) 90 cm²
 - C) 96 cm²
 - D) 100 cm²

Answer: A) 84 cm²

Explanation: Using Heron's formula, semi-perimeter s=(13+14+15)/2=21. Area = $\sqrt{(21*8*7*6)}$ = $\sqrt{7056}$ = 84 cm².


47. Three brothers divided the sweets in the ratio $1/2:1/3:1/4$. If the number of sweets is 260, find the share of the first brother.
A) 80
B) 100
C) 120
D) 140
Answer: C) 120
Explanation: Ratio = 6:4:3. Sum of parts=13. 1st brother's share = $(6/13)*260 = 120$.
48. A can do a certain work in 12 days. B is 60% more efficient than A. The number of days it takes B to do the same piece of work is:
A) 6
B) 6.5
C) 7
D) 7.5
Answer: D) 7.5
Explanation: B's efficiency is 1.6 times A's. Time for B = Time for A / 1.6 = $12 / 1.6 = 7.5$ days.
49. At what rate of compound interest per annum will a sum of ₹1200 become ₹1348.32 in 2 years?
A) 6%
B) 6.5%
C) 7%
D) 7.5%
Answer: A) 6%
Explanation: $1348.32/1200 = (1+R/100)^2$. $1.1236 = (1+R/100)^2$. $1.06 = 1+R/100$. $R=6\%$.
50. The difference between the place values of two sevens in the numeral 6975872 is:
A) 69930
B) 6993
C) 6930
D) 699300
Answer: A) 69930

C) 7.3/77

D) 73/7.7


51. What is the smallest number of 5 digits which is divisible by 41?
A) 10004
B) 10045
C) 10023
D) 10037
Answer: A) 10004
Explanation: 10000/41 gives remainder 37. We need to add 41-37=4. Smallest number is 10004
52. What is the value of $100^2 - 99^2$?
A) 1
B) 199
C) 201
D) 399
Answer: B) 199
Explanation: Using $a^2-b^2=(a-b)(a+b)=(100-99)(100+99)=1*199=199$.
53. If 5^a = 3125, then the value of 5^(a-3) is:
A) 25
B) 125
C) 625
D) 15625
Answer: A) 25
Explanation: $5^5 = 3125$, so $a=5$. $5^{(5-3)} = 5^2 = 25$.
54. If $1.5x = 0.04y$, then the value of $(y-x)/(y+x)$ is:
A) 73/77
B) 77/73

Answer: A) 73/77
Explanation: $x/y = 0.04/1.5 = 4/150 = 2/75$. Let $x=2$, $y=75$. $(75-2)/(75+2) = 73/77$.
55. Find a positive number which when increased by 17 is equal to 60 times the reciprocal of the number.
A) 3
B) 10
C) 17
D) 20
Answer: A) 3
Explanation: $x + 17 = 60/x$. $x^2+17x-60=0$. $(x+20)(x-3)=0$. The positive number is 3.
56. A is 3 years older than B and 3 years younger than C. B and D are twins. How many years older is C than D?
A) 2
B) 3
C) 6
D) 9
Answer: C) 6
Explanation: A=B+3, A=C-3. So B+3=C-3 => C=B+6. Since B=D, C=D+6. C is 6 years older than D.
57. Three unbiased coins are tossed. What is the probability of getting at most two heads?
A) 3/4
B) 1/4
C) 3/8
D) 7/8
Answer: D) 7/8
Explanation: "At most two heads" is the complement of "getting three heads". $P(HHH) = 1/8$. So $P(at most two heads) = 1 - 1/8 = 7/8$.
58. What is the value of x, if $2^{(x+3)} = 32$?
A) 1



62. At what time between 9 and 10 o'clock will the hands of a clock be together?
A) 45 min past 9
B) 50 min past 9
C) 49 1/11 min past 9
D) 48 2/11 min past 9
Answer: C) 49 1/11 min past 9
Explanation: At 9, hands are 45 mins apart. To be together, minute hand must gain 45 mins. Time = $45 * (60/55) = 540/11 = 49 1/11$.
63. The average of runs of a cricket player of 10 innings was 32. How many runs must he make in his next inning so as to increase his average of runs by 4?
A) 2
B) 4
C) 70
D) 76
Answer: D) 76
Explanation: Required runs = New average + (Old innings * Increase) = $(32+4) + (10*4) = 36 + 40 = 76$.
64. A 200 m long train is running at a speed of 72 km/hr. How long will it take to cross a platform 160 m long?
A) 18 seconds
B) 20 seconds
C) 21 seconds
D) 24 seconds
Answer: A) 18 seconds
Explanation: Speed = $72 \text{ km/hr} = 20 \text{ m/s}$. Total distance = $200+160=360 \text{ m}$. Time = $360/20 = 18 \text{ seconds}$.
65. A man can row 15 km/hr in still water and the speed of the current is 3 km/hr. He rows for 3 hours downstream and 3 hours upstream. The total distance he covers is:

A) 80 km



D) ₹800

Answer: B) ₹500

Explanation: $CI = P(1.1)^2 - P = 0.21P = 525$. P = 2500. New SI = (2500 * (10/2) * (2*2))/100 = 500.

69. A book was sold for ₹27.50 with a profit of 10%. If it were sold for ₹25.75, then what would have been the percentage of profit or loss?

- A) 2% profit
- B) 3% profit
- C) 2% loss
- D) 3% loss

Answer: B) 3% profit

Explanation: CP = 27.50 / 1.1 = 25. If new SP=25.75, profit=0.75. Profit % = (0.75/25)*100 = 3%.

70. A merchant has 1000 kg of sugar, part of which he sells at 8% profit and the rest at 18% profit. He gains 14% on the whole. The quantity sold at 18% profit is:

- A) 400 kg
- B) 560 kg
- C) 600 kg
- D) 640 kg

Answer: C) 600 kg


Explanation: Using alligation, ratio of (8% part) to (18% part) is (18-14):(14-8) = 4:6 = 2:3. Quantity at 18% = (3/5)*1000 = 600 kg.


71. Alfred buys an old scooter for ₹4700 and spends ₹800 on its repairs. If he sells the scooter for ₹5800, his gain percent is:

- A) 4 4/7 %
- B) 5 5/11 %
- C) 10%
- D) 12%

Answer: B) 5 5/11 %


Explanation: CP = 4700 + 800 = 5500. Profit = 300. Gain % = (300/5500)*100 = 60/11 = 55/11 %.






79. A can finish a work in 24 days, B in 9 days and C in 12 days. B and C start the work but are forced to leave after 3 days. The remaining work was done by A in:

A) 5 days



Explanation: Let CP of milk be 1. SP of mixture=1. Profit=16 2/3%=1/6. CP of mixture=1/(1+1/6)=6/7. By alligation, ratio of water:milk = (1-6/7):(6/7-0)=1/7:6/7=1:6.



Explanation: Volume of sphere = $(4/3)\pi(9)^3$ =972 π . Volume of cone = $(1/3)\pi(9)^2$ 9 = 243 π . Wood wasted = 972 π -243 π =729 π . % wasted = $(729\pi/972\pi)^*100$ = 75%.


86. A right-angled triangle has its area 600 sq.cm. The base of the triangle is 40 cm. Find its hypotenuse.
A) 30 cm
B) 40 cm
C) 50 cm
D) 60 cm
Answer: C) 50 cm
Explanation: Area = $1/2*b*h$. $600=1/2*40*h => h=30$ cm. Hypotenuse = $\sqrt{(40^2+30^2)} = 50$ cm.
87. In an examination, 80% students passed in Physics, 70% in Chemistry while 15% failed in both. If 325 students passed in both, find the total number of students.
A) 400
B) 450
C) 500
D) 600
Answer: C) 500
Explanation: Passed only in Phy=80-x, only in Chem=70-x, both=x. Failed in both=15. Total = $(80-x)+(70-x)+x+15=100$. $165-x=100$. $x=65$. 65% of Total = 325 . Total= 500 .
88. If $3^{x-y} = 27$ and $3^{x+y} = 243$, then x is equal to:
A) 0
B) 2
C) 4
D) 6
Answer: C) 4
Explanation: x-y=3, x+y=5. Adding the two gives 2x=8, so x=4.
89. A man has ₹480 in the denominations of one-rupee notes, five-rupee notes and ten-rupee notes. The number of notes of each denomination is equal. What is the total number of notes that he has?
A) 45
B) 60
C) 75

D) 90
Answer: D) 90
Explanation: Let number of notes of each kind be x. $1x + 5x + 10x = 480$. $16x=480$. $x=30$. Total notes = $3x = 90$.
90. If 78 is divided into three parts which are in the ratio 1: 1/3: 1/6, the middle part is:
A) 9 1/3
B) 13
C) 17 1/3
D) 18 1/3
Answer: C) 17 1/3
Explanation: Ratio = 6:2:1. Sum=9 parts=78. 1 part=78/9. Middle part = 2 parts = $2*(78/9) = 156/9 = 52/3 = 171/3$.
91. The average of 5 consecutive odd numbers is 61. What is the difference between the highest and lowest numbers?
A) 2
B) 5
C) 8
D) 10
Answer: C) 8
Explanation: The numbers are 57, 59, 61, 63, 65. The difference is 65-57=8.
92. The price of sugar is increased by 20%. By what percent must a housewife reduce the consumption of sugar so that the expenditure on sugar is not increased?
A) 16 2/3 %
B) 20%
C) 25%
D) 15%
Answer: A) 16 2/3 %
Explanation: Reduction % = $(R / (100+R)) * 100 = (20 / 120) * 100 = 16 2/3 %.$

93. The calendar for the year 2007 will be the same for the year:
A) 2014
B) 2016
C) 2017
D) 2018
Answer: D) 2018
Explanation: We need the sum of odd days to be a multiple of 7. $2007(1)+08(2)+09(1)+10(1)+11(1)+12(2)+13(1)+14(1)+15(1)+16(2)+17(1) = 14$. The calendar repeats after the year with a cumulative sum of 14, so it's for 2018. Wait, no. The sum has to be 7 or a multiple of 7.
07(1)+08(2)+09(1)+10(1)+11(1)+12(2). Sum = 8.
Let's try again. 2007 is a normal year. Add 11. 2018. Let's check.
07(1)+08(2)+09(1)+10(1)+11(1)=6.
07(1)+08(2)+09(1)+10(1)+11(1)+12(2)+13(1)+14(1)+15(1)+16(2)+17(1). No, this is too long.
Rule: After a normal year, repeat after 11 years if one leap year comes in between. 2008 and 2012, 2016. No, more than one.
Repeat after 6 years if one leap year.
Let's count. 07(1), 08(2), 09(1), 10(1), 11(1), 12(2). Sum=8.
07(1), 08(2), 09(1), 10(1), 11(1), 12(2), 13(1), 14(1), 15(1), 16(2), 17(1). Sum=14. Year after this is 2018. Correct.
94. Tickets numbered 1 to 50 are mixed up. One ticket is drawn. What is the probability that the ticket drawn is a prime number?
A) 3/10
B) 7/25
C) 1/5
D) 2/5
Answer: A) 3/10
Explanation: Primes up to 50 are: 2, 3, 5, 7, 11, 13, 17, 19, 23, 29, 31, 37, 41, 43, 47. There are 15 primes. P = 15/50 = 3/10.

95. In a box, there are 8 red, 7 blue and 6 green balls. One ball is picked up randomly. What is the probability that it is neither red nor green?

A) 1/3



Explanation: B runs 35m in 7 sec. B's speed=5 m/s. B's time for 200m = 200/5=40s. A's time = 40-7 = 33s.

99. A trader sells an article and loses 12.5%. The ratio of cost price to the selling price is:

- A) 7:8
- B) 8:7
- C) 9:8
- D) 8:9

Answer: B) 8:7

Explanation: Loss = 12.5% = 1/8. This means Loss/CP = 1/8. Let CP=8, Loss=1. SP = 8-1=7. Ratio CP:SP = 8:7.

100. A pump can fill a tank with water in 2 hours. Because of a leak, it took 2 1/3 hours to fill the tank. The leak can drain all the water of the tank in:

- A) 4 1/3 hours
- B) 7 hours
- C) 8 hours
- D) 14 hours

Answer: D) 14 hours

Explanation: Let leak take x hours. 1/2 - 1/x = 1/(7/3) = 3/7. 1/x = 1/2 - 3/7 = 1/14. x=14 hours.