## **Engineering Mechanics**

1. The acceleration of a body is defined as:
(A) Rate of change of displacement
(B) Rate of change of velocity
(C) Rate of change of energy
(D) Rate of change of mass
Answer: B) Rate of change of velocity
2. The units of moment of force are:
(A) N
(B) N/m
(C) Nm
(D) N/m <sup>2</sup>
Answer: C) Nm
3. Lami's theorem is applicable for:
(A) Three coplanar forces
(B) Three non-coplanar forces
(C) Two forces
(D) Four forces
Answer: A) Three coplanar forces
4. The centroid of a semicircular area lies at a distance from the base equal to:
(A) r/2
(B) 4r/3π
(C) r/π
(D) 3r/4
Answer: B) $4r/3\pi$

5. The law of polygon of forces is used to find:
(A) Resultant of two forces
(B) Resultant of concurrent forces
(C) Resultant of parallel forces
(D) Resultant of coplanar forces
Answer: B) Resultant of concurrent forces
6. The moment of inertia of a thin rod about its centroidal axis is:
(A) $ml^2/3$
(B) ml <sup>2</sup> /12 (C) ml <sup>2</sup> /36
(D) ml <sup>2</sup> /9
Answer: B) ml <sup>2</sup> /12
7. In a truss, a member is a zero-force member if:
(A) Both ends are pinned
(B) It does not carry any load
(C) The load is axial
(D) It forms a triangle
Answer: B) It does not carry any load
8. Which one is NOT a vector quantity?
(A) Displacement
(B) Velocity
(C) Force
(D) Distance
Answer: D) Distance
9. The units of energy are:
(A) Nm
(B) J

(C) W
(D) kg-m
Answer: B) J
10. The principle of superposition applies to:
(A) Nonlinear systems
(B) Linear systems
(C) All systems
(D) Dynamic systems
Answer: B) Linear systems
11. If a force of 10 N acts at a distance of 2 m from a point, the moment about that point is:
(A) 5 Nm
(B) 10 Nm (C) 20 Nm
(D) 2 Nm
Answer: C) 20 Nm
12. When a body moves in a straight line with uniform speed, its acceleration is:
(A) zero
(B) maximum
(C) minimum
(D) constant
Answer: A) zero
13. Varignon's theorem is concerned with:
(A) Work
(B) Energy
(C) Moments
(D) Velocity
Answer: C) Moments

14. If a body returns to its original position after a force is removed, it is said to be:
(A) rigid
(B) elastic (C) plastic
(D) brittle
Answer: B) elastic
15. The slope of a velocity-time graph represents:
(A) distance
(B) speed
(C) acceleration
(D) time
Answer: C) acceleration
16. Parallelogram law of forces is used to calculate:
(A) Difference of two forces
(B) Product of two forces
(C) Resultant of two forces
(D) Resolution of two forces
Answer: C) Resultant of two forces
17. The mass per unit volume is called:
(A) Pressure
(B) Density
(C) Weight
(D) Specific gravity
Answer: B) Density
18. At a hinge support, reaction has:
(A) One component

(B) Two components

(C) Three components

Answer: B) Two components  19. The region below the neutral axis in a cantilever is subjected to:  (A) tension (B) compression (C) shear (D) torsion  Answer: A) tension  20. The time rate of change of angular velocity is: (A) angular velocity (B) angular acceleration (C) linear acceleration (D) moment of inertia  Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System  Answer: C) Atwood Machine
(A) tension (B) compression (C) shear (D) torsion Answer: A) tension  20. The time rate of change of angular velocity is: (A) angular velocity (B) angular acceleration (C) linear acceleration (C) linear acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
(A) tension (B) compression (C) shear (D) torsion Answer: A) tension  20. The time rate of change of angular velocity is: (A) angular velocity (B) angular acceleration (C) linear acceleration (C) linear acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
(B) compression (C) shear (D) torsion Answer: A) tension  20. The time rate of change of angular velocity is: (A) angular velocity (B) angular acceleration (C) linear acceleration (D) moment of inertia Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
(C) shear (D) torsion Answer: A) tension  20. The time rate of change of angular velocity is: (A) angular velocity (B) angular acceleration (C) linear acceleration (D) moment of inertia Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
(D) torsion  Answer: A) tension  20. The time rate of change of angular velocity is:  (A) angular velocity (B) angular acceleration (C) linear acceleration (D) moment of inertia  Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
Answer: A) tension  20. The time rate of change of angular velocity is:  (A) angular velocity (B) angular acceleration (C) linear acceleration (D) moment of inertia Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called: (A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
20. The time rate of change of angular velocity is:  (A) angular velocity  (B) angular acceleration  (C) linear acceleration (D) moment of inertia  Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called:  (A) Link  (B) Pulley System  (C) Atwood Machine  (D) Tension System
<ul> <li>(A) angular velocity</li> <li>(B) angular acceleration</li> <li>(C) linear acceleration (D) moment of inertia</li> <li>Answer: B) angular acceleration</li> <li>21. When two bodies are connected by a string over a smooth pulley, it is called:</li> <li>(A) Link</li> <li>(B) Pulley System</li> <li>(C) Atwood Machine</li> <li>(D) Tension System</li> </ul>
<ul> <li>(A) angular velocity</li> <li>(B) angular acceleration</li> <li>(C) linear acceleration (D) moment of inertia</li> <li>Answer: B) angular acceleration</li> <li>21. When two bodies are connected by a string over a smooth pulley, it is called:</li> <li>(A) Link</li> <li>(B) Pulley System</li> <li>(C) Atwood Machine</li> <li>(D) Tension System</li> </ul>
<ul> <li>(B) angular acceleration</li> <li>(C) linear acceleration (D) moment of inertia</li> <li>Answer: B) angular acceleration</li> <li>21. When two bodies are connected by a string over a smooth pulley, it is called:</li> <li>(A) Link</li> <li>(B) Pulley System</li> <li>(C) Atwood Machine</li> <li>(D) Tension System</li> </ul>
(C) linear acceleration (D) moment of inertia  Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called:  (A) Link  (B) Pulley System  (C) Atwood Machine  (D) Tension System
Answer: B) angular acceleration  21. When two bodies are connected by a string over a smooth pulley, it is called:  (A) Link  (B) Pulley System  (C) Atwood Machine  (D) Tension System
21. When two bodies are connected by a string over a smooth pulley, it is called:  (A) Link  (B) Pulley System  (C) Atwood Machine  (D) Tension System
(A) Link (B) Pulley System (C) Atwood Machine (D) Tension System
(B) Pulley System (C) Atwood Machine (D) Tension System
(C) Atwood Machine (D) Tension System
(D) Tension System
Answer: C) Atwood Machine
22. The dimensions of force are:
(A) MLT
(B) ML <sup>2</sup> T <sup>-2</sup>
(C) MLT <sup>-2</sup>
(D) MT <sup>-2</sup>
Answer: C) MLT <sup>-2</sup>

23. The work done by a force is zero if:

(A) Displacement is perpendicular to force
(B) Displacement is zero
(C) Force is zero
(D) All of the above
Answer: D) All of the above
24. A rigid body rotates about a fixed axis. All particles of the body have:
(A) Same linear velocity
(B) Same angular velocity
(C) Same acceleration
(D) Same momentum
Answer: B) Same angular velocity
25. The resultant of two forces can be MAXIMUM when they are at:
(A) 0°
(B) 90°
(C) 120°
(D) 180°
Answer: A) 0°
26. The moment of inertia of a circular disc about its diameter is:
(A) MR <sup>2</sup>
(B) MR <sup>2</sup> /2 (C) MR <sup>2</sup> /4
(D) MR <sup>2</sup> /8
Answer: C) MR <sup>2</sup> /4
27. The property of a material by virtue of which it can be drawn into thin wires is: (A) Malleability
(B) Ductility
(C) Elasticity
(D) Toughness
Answer: B) Ductility

28. The resolution of a force means:
(A) Splitting into two components
(B) Summing with another force
(C) Changing direction
(D) Doubling its value
Answer: A) Splitting into two components
29. The velocity ratio of an inclined plane is:
(A) 1/sinθ
(B) $\sin\theta$
(C) $\cos\theta$
(D) $tan\theta$
Answer: A) $1/\sin\theta$
30. Newton's third law is:
(A) Law of inertia
(B) For every action there is an equal and opposite reaction
(C) F = ma
(D) Work-energy theorem
Answer: B) For every action there is an equal and opposite reaction
31. The value of the coefficient of restitution for a perfectly elastic collision is:
(A) 0
(B) 0.5
(C) 1
(D) Infinity
Answer: C) 1
32. The unit of angular velocity is:
(A) m/s

(B) rad/s
(C) deg/s
(D) N·m
Answer: B) rad/s
33. When a body slides on an inclined plane, the friction acting is:
(A) Rolling friction
(B) Static friction
(C) Sliding friction
(D) Dynamic friction
Answer: C) Sliding friction
34. A couple produces:
(A) Translatory motion
(B) Rotational motion
(C) Both motions
(D) No motion
Answer: B) Rotational motion
35. For a body in equilibrium under three forces, they must be:
(A) Non-concurrent
(B) Parallel
(C) Coplanar and concurrent
(D) Coplanar and parallel
Answer: C) Coplanar and concurrent
36. The magnitude of the resultant vector of two equal vectors with an angle $\theta$ between them is:
(A) $2A \cos(\theta/2)$ (B) $2A \sin(\theta/2)$
(C) 2A cosθ
(D) $2A \sin\theta$

Answer: A) $2A \cos(\theta/2)$
37. The unit of work is:
(A) Joule
(B) Newton
(C) Watt
(D) Pascal
Answer: A) Joule
38. The property of a material by which it regains its original shape after removing the external force is:
(A) Plasticity
(B) Elasticity
(C) Ductility
(D) Malleability
Answer: B) Elasticity
39. Frictional force always opposes:
(A) Applied force
(B) Motion
(C) Acceleration
(D) Reaction force
Answer: B) Motion
40. The moment of a couple is measured by:
(A) Product of force and its arm
(B) Product of force and distance
(C) Force only
(D) Arm only
Answer: A) Product of force and its arm

41. A polygon representing forces in equilibrium must:
(A) Close
(B) Not close
(C) Be a parallelogram
(D) Be a triangle
Answer: A) Close
42. The absolute unit of force is:
(A) Dyne
(B) Newton
(C) Pound
(D) Joule
Answer: B) Newton
43. The force required to move a body up an inclined plane is least if the body is:
(A) Smooth
(B) Frictionless
(C) Has maximum friction
(D) Has minimum friction
Answer: B) Frictionless
44. In projectile motion, the range is maximum when the angle of projection is:
(A) 0°
(B) 45° (C) 90°
(D) 60°
Answer: B) 45°
45. The instantaneous center of rotation for a rolling wheel is located:
(A) At the center
(B) At the top
(C) At the point of contact with ground

(D) At infinity
Answer: C) At the point of contact with ground
46. The SI unit of pressure is:
(A) N/m
(B) N/m <sup>2</sup>
(C) kg/m <sup>2</sup>
(D) Pa/s
Answer: B) N/m <sup>2</sup>
47. A body in uniform circular motion has:
(A) Constant speed
(B) Constant velocity
(C) Constant acceleration
(D) Constant angular displacement
Answer: A) Constant speed
48. In a system of pulleys, mechanical advantage increases by:
48. In a system of pulleys, mechanical advantage increases by:  (A) Reducing friction
(A) Reducing friction
<ul><li>(A) Reducing friction</li><li>(B) Increasing number of pulleys</li></ul>
<ul><li>(A) Reducing friction</li><li>(B) Increasing number of pulleys</li><li>(C) Reducing weight (D) Increasing effort</li></ul>
<ul><li>(A) Reducing friction</li><li>(B) Increasing number of pulleys</li><li>(C) Reducing weight (D) Increasing effort</li></ul>
<ul><li>(A) Reducing friction</li><li>(B) Increasing number of pulleys</li><li>(C) Reducing weight (D) Increasing effort</li><li>Answer: B) Increasing number of pulleys</li></ul>
<ul> <li>(A) Reducing friction</li> <li>(B) Increasing number of pulleys</li> <li>(C) Reducing weight (D) Increasing effort</li> <li>Answer: B) Increasing number of pulleys</li> <li>49. The mechanical advantage of a machine is the ratio of:</li> </ul>
<ul> <li>(A) Reducing friction</li> <li>(B) Increasing number of pulleys</li> <li>(C) Reducing weight (D) Increasing effort</li> <li>Answer: B) Increasing number of pulleys</li> <li>49. The mechanical advantage of a machine is the ratio of:</li> <li>(A) Load to effort</li> </ul>
<ul> <li>(A) Reducing friction</li> <li>(B) Increasing number of pulleys</li> <li>(C) Reducing weight (D) Increasing effort</li> <li>Answer: B) Increasing number of pulleys</li> <li>49. The mechanical advantage of a machine is the ratio of:</li> <li>(A) Load to effort</li> <li>(B) Effort to load</li> </ul>
<ul> <li>(A) Reducing friction</li> <li>(B) Increasing number of pulleys</li> <li>(C) Reducing weight (D) Increasing effort</li> <li>Answer: B) Increasing number of pulleys</li> <li>49. The mechanical advantage of a machine is the ratio of:</li> <li>(A) Load to effort</li> <li>(B) Effort to load</li> <li>(C) Distance moved by effort to load</li> </ul>


50. The condition for static equilibrium is:

(A) $\Sigma F = 0$	
(B) $\Sigma M = 0$	
(C) Both A and B	
(D) None of these	
Answer: C) Both A and B	
51. The property by which a body resists change in its state is:	
(A) Inertia	
(B) Momentum	
(C) Mass	
(D) Acceleration	
Answer: A) Inertia	
52. Resolution of a force refers to:	
(A) Separating into components	
(B) Finding resultant	
(C) Balancing force	
(D) Increasing force	
Answer: A) Separating into components	
53. The mass of a body is measured in:	
(A) Kilogram	
(B) Newton	
(C) Dyne	
(D) Pascal	
Answer: A) Kilogram	
54. The distance travelled by a particle in one cycle of circular motion is:	
(A) 2πr	
(B) πr	
(C) r	
(B) πr	

(D) $\pi r^2$
Answer: A) 2πr
55. The slope of force vs. displacement graph represents:
(A) Acceleration
(B) Work
(C) Energy
(D) Stiffness
Answer: D) Stiffness
56. In simple harmonic motion, acceleration of the particle is:
(A) Constant
(B) Zero
(C) Proportional to displacement
(D) Proportional to velocity
Answer: C) Proportional to displacement
57. The net force acting on a body moving with constant velocity is:
(A) Maximum
(B) Minimum
(C) Zero
(D) Infinite
Answer: C) Zero
58. Centroid of a triangle lies at a height from its base equal to:
(A) h/2
(B) h/3
(C) 2h/3
(D) h
Answer: B) h/3

59. The principle of transmissibility is applicable to:
(A) Forces
(B) Moments
(C) Energy
(D) Velocity
Answer: A) Forces
60. To lift maximum weight using a lever, the effort should be applied:
(A) Closest to fulcrum
(B) At any point
(C) Farther from fulcrum
(D) On the load
Answer: C) Farther from fulcrum
61. The time taken to complete one revolution in uniform circular motion is called:
(A) Frequency
(B) Period
(C) Amplitude
(D) Cycle
Answer: B) Period
62. A rigid body has how many degrees of freedom in plane motion?
(A) 1
(B) 2
(C) 3
(D) 4
Answer: C) 3
63. The ratio of lateral strain to longitudinal strain is:
(A) Hooke's constant
(B) Elastic constant

(C) Poisson's ratio
(D) Young's modulus
Answer: C) Poisson's ratio
64. The units of power are:
(A) Joule
(B) Newton
(C) Watt
(D) Pascal
Answer: C) Watt
65. The friction force is maximum when motion is:
(A) About to start
(B) Starting
(C) In progress
(D) At rest
Answer: A) About to start
66. For a cantilever beam with point load at its free end, maximum bending moment is at:
(A) Free end
(B) Fixed end
(C) Centre
(D) Quarter span
Answer: B) Fixed end
67. The principle by which a force can be moved along its line of action without changing its effect is:
(A) Superposition
(B) Transmissibility
(C) Equilibrium
(D) Parallelogram
Answer: B) Transmissibility



(B) Horizontal velocity
(C) Vertical velocity
(D) Both
Answer: B) Horizontal velocity
73. The total angular displacement during one revolution is:
(A) π rad
(B) $2\pi$ rad
(C) 180°
(D) 360°
Answer: B) 2π rad
74. If two parallel forces are equal and opposite, their resultant is:
(A) Zero
(B) Couple
(C) Equal to their sum
(D) Infinity
Answer: B) Couple
75. The direction of frictional force is always:
(A) Along the force
(B) Opposite to the direction of motion
(C) Perpendicular to applied force
(D) At an angle
Answer: B) Opposite to the direction of motion
76. The unit of modulus of elasticity is:
(A) N
(B) N/m
(C) N/m <sup>2</sup>
(D) N·m

Answer: C) N/m <sup>2</sup>
77. The centroid of a semicircle lies:
(A) At its center
(B) At the base
(C) Above base by $4r/3\pi$
(D) Below base by r/2
Answer: C) Above base by $4r/3\pi$
78. The ideal mechanical advantage of a machine is always:
(A) Less than 1
(B) Greater than 1
(C) Equal to 1
(D) None of these
Answer: B) Greater than 1
79. Motion that repeats itself after equal intervals of time is called:
(A) Random motion
(B) Oscillatory motion
(C) Linear motion
(D) Uniform motion
Answer: B) Oscillatory motion
80. A lever is said to be of second order when:
(A) Fulcrum is at one end (B)
Effort is in the middle

(C) Load is in the middle

(D) Both effort and load at ends

Answer: C) Load is in the middle

81. In projectile motion, maximum height is attained when vertical velocity becomes: (A)
Zero
(B) Maximum
(C) Minimum
(D) Equal to horizontal velocity
Answer: A) Zero
82. A force of 50 N is applied at an angle of 30° above the horizontal. The horizontal component is:
(A) 25 N
(B) 43.3 N
(C) 50 N
(D) 35 N
Answer: B) 43.3 N
83. The point where the resultant force acts on a body is called:
(A) The centroid
(B) Center of gravity
(C) Neutral axis
(D) Fulcrum
Answer: B) Center of gravity
84. The unit for angular acceleration is:
(A) rad/s
(B) rad/s <sup>2</sup>
(C) m/s <sup>2</sup>
(D) deg/s <sup>2</sup>
Answer: B) rad/s <sup>2</sup>
85. The process of finding resultant force by graphical method is called:
(A) Resolution
(B) Composition

(C) Superposition
(D) Vector addition
Answer: D) Vector addition
86. In a simply supported beam, the maximum bending moment under uniform load occurs at:
(A) Support
(B) Midspan
(C) Quarter span
(D) Anywhere
Answer: B) Midspan
87. Joule's law relates to:
(A) Work
(B) Heat
(C) Current
(D) Power
Answer: B) Heat
88. The couple acting on a body has:
(A) Magnitude only
(B) Direction only
(C) Both magnitude and direction
(D) No magnitude
Answer: C) Both magnitude and direction
89. For uniform motion in a straight line, acceleration is:
(A) Positive
(B) Negative
(C) Zero
(D) Changing
Answer: C) Zero

90. The minimum force required to move a block up a 30° incline (friction ignored) is:
(A) mg
(B) mg sin30°
(C) mg cos30°
(D) mg/2
Answer: B) mg sin30°
91. A rigid body is one which:
(A) Can be deformed
(B) Resists deformation
(C) Changes volume under force
(D) Has infinite mass
Answer: B) Resists deformation
92. Work done by centripetal force in uniform circular motion is:
(A) Positive
(B) Zero
(C) Negative
(D) Maximum
Answer: B) Zero
93. The center of mass of a thin ring lies:
(A) At the center
(B) On the ring
(C) Outside the ring
(D) Varies with mass
Answer: A) At the center
94. The SI unit of momentum is:
(A) kg·m/s

(B) N·m
(C) kg/m <sup>2</sup>
(D) N·s
Answer: A) kg·m/s
95. The area under a force-displacement graph represents:
(A) Acceleration
(B) Work
(C) Power
(D) Momentum
Answer: B) Work
96. The property of a material by which it resists twisting is:
(A) Flexural strength
(B) Shear modulus
(C) Torsional rigidity
(D) Young's modulus
Answer: C) Torsional rigidity
97. In static equilibrium, the algebraic sum of moments about any axis is:
(A) Maximum
(B) Minimum
(C) Zero
(D) Infinity
Answer: C) Zero
98. The moment of inertia depends on:
(A) Mass of the body
(B) Axis of rotation
(C) Distribution of mass
(D) All of the above

## Answer: D) All of the above

- 99. A system is said to be conservative if:
- (A) It conserves mass
- (B) It conserves energy
- (C) It is frictionless
- (D) It has only forces acting

Answer: B) It conserves energy

- 100. Projectile motion is a combination of:
- (A) Vertical and horizontal motions
- (B) Circular and linear motions
- (C) Translational and rotational motions
- (D) Uniform and non-uniform motions

Answer: A) Vertical and horizontal motions

\*\*\*