

Entanglement-Driven Gravity: Emergent Spacetime from Quantum Correlations and Empirical Constraints

Kenneth G. Young II, Ph.D.

August 29, 2025

Abstract

Quantum entanglement is proposed as a fundamental driver of spacetime curvature in Young’s Entanglement-Driven Gravity (EDG), bridging quantum information theory and general relativity (GR). We derive a covariant field equation where gradients in coarse-grained entanglement entropy S_{ent} source curvature alongside the stress-energy tensor $T_{\mu\nu}$. Linearizing around GR backgrounds yields testable deviations parameterized by a deformation factor ϵ and entanglement length L_q . A rigorous 13-stage validation pipeline (R1-R13p) confirms EDG’s consistency with GR in weak fields, including solar-system tests, light bending, Shapiro delay, and Cassini constraints, while imposing new bounds $L_q < 1.17 \times 10^{13}$ m from Event Horizon Telescope (EHT) ring sizes and LIGO gravitational-wave (GW) phasing. Evolving 3D entanglement graphs and simulations reveal dynamic quantum structures potentially resolving black-hole singularities. EDG forecasts distinct signatures in next-generation EHT and LIGO data, offering a falsifiable path to quantum gravity.

1 Introduction

General relativity (GR) elegantly describes gravity as spacetime curvature sourced by mass-energy, validated across scales from planetary orbits to gravitational waves^(1;2). Yet GR falters at quantum scales, predicting singularities and failing to incorporate quantum mechanics intrinsically. Converging evidence from black-hole thermodynamics⁽³⁾, holographic duality^(4;5), and tensor networks⁽⁶⁾ suggests spacetime emerges from quantum entanglement in an underlying many-body system⁽⁷⁾.

Entanglement-Driven Gravity (EDG) posits that coarse-grained entanglement entropy density $S_{\text{ent}}(x)$ and its dynamics act as covariant curvature sources, extending GR to include quantum backreaction. In weak fields or uniform S_{ent} , EDG recovers GR; near horizons or high curvatures, entanglement gradients induce deviations. Parameterized by $\epsilon \approx 1$ (GR fidelity) and L_q (entanglement reconfiguration scale), EDG is empirically constrained via a 13-stage pipeline incorporating solar-system data, EHT shadows⁽⁸⁾, and LIGO GWs⁽⁹⁾. Recent work formalizes a geometry–information duality supporting information-theoretic sources⁽¹⁰⁾.

2 Derivation of EDG

EDG extends thermodynamic derivations of Einstein’s equations^(3;11) by incorporating quantum entanglement as an active geometric source. We begin with $S_{\text{ent}} = -\text{Tr}(\rho_A \ln \rho_A)$ and the Ryu–Takayanagi relation⁽¹²⁾. We vary the total entropy functional $S_{\text{total}} = S_{\text{BH}} + S_{\text{ent}} + S_{\text{matter}}$ and use the first law of entanglement⁽¹³⁾, relative entropy⁽¹⁴⁾, and quantum corrections⁽¹⁵⁾ to assemble

$$G_{\mu\nu}[g] + \alpha \nabla_\mu \nabla_\nu S_{\text{ent}} - \beta g_{\mu\nu} \square S_{\text{ent}} + \gamma \mathcal{C}_{\mu\nu}[S_{\text{ent}}] + \delta \mathcal{Q}_{\mu\nu}[S_{\text{ent}}] = 8\pi G T_{\mu\nu}. \quad (1)$$

Interpretation: S_{ent} is a coarse-grained entropy density; $\mathcal{C}_{\mu\nu}$ collects curvature-coupled contractions with ∇S_{ent} ; $\mathcal{Q}_{\mu\nu}$ are quadratic forms in ∇S_{ent} . In uniform (adiabatic) backgrounds, the extra pieces vanish and Eq. (1) reduces to Einstein's equation. Rewriting as $G_{\mu\nu} = 8\pi G(T_{\mu\nu} + T_{\mu\nu}^{(\text{info})})$ with a minimal covariant choice $\mathcal{Q}_{\mu\nu} = \nabla_\mu S_{\text{ent}} \nabla_\nu S_{\text{ent}} - \frac{1}{2}g_{\mu\nu}(\nabla S_{\text{ent}})^2$ makes the information-stress interpretation explicit.




Figure 1: 3D entanglement graphs at $t = 1.00$ (left) and $t = 4.90$ (right), showing tensor-network evolution to curvature emergence.

3 Theory: Tensorial and Parameterized EDG

3.1 Parameterized Form for Data

For constraints we linearize about a GR background and parameterize the response by (ϵ, L_q) . For EHT rings we model

$$\frac{D_{\text{obs}} - D_{\text{GR}}}{D_{\text{GR}}} \approx \kappa \left(\frac{L_q}{r_s} \right)^p, \quad (2)$$

with r_s a Schwarzschild scale; for perihelion, $A_0 \approx \epsilon A_{0,\text{GR}}$.




Figure 2: Quantum Earth orbit with EDG corrections (left); 2D black hole entanglement vs. Hawking flux (right).

4 Validation Framework (R1–R13p)

Overview: Early stages (R1–R6) check Newtonian dynamics, Bianchi identities, curvature scaling, and numerical convergence; R7–R12 assemble post-Newtonian observables and PPN cross-checks; R13p performs a joint grid likelihood over (ϵ, L_q) with optional strong-field rows (EHT, GW).




Figure 3: EDG validation pipeline (R1–R13p): sanity $\rightarrow$ post-Newtonian $\rightarrow$ strong-field joint fit.

4.1 R1–R2: Sanity Checks

R1 verifies Newtonian orbits with period errors $< 10^{-6}$. R2 checks Bianchi residuals $< 10^{-12}$. Figure 4 shows orbital energy residuals confirming conservation.




Figure 4: R1–R2: Newtonian orbits (left) and Bianchi residuals (right).

4.2 R4: Perihelion Advance

Tests Mercury, Earth, Venus precession vs. GR (Table 1).

Table 1: R4: Perihelion advance vs GR for inner planets.

ϵ best	$\Delta\phi$ model corr	$\Delta\phi_{\text{GR}}$ (rad)	relative error	Δt	periods	steps per orbit	T (s)	bias raw
0.93	5.0e-7	5.0e-7	2.3e-4	190	120	40000	7.6e6	2.5e-6

4.3 R5: Entropy Diagnostics

Horizon thermality linkage to⁽³⁾ with entropy-flux consistency.




Figure 5: R5: Entropy diagnostics.

4.4 R6: Numerical Convergence

Convergence for RK4 and velocity Verlet (Table 2).

planet	integrator	ϵ used	GR rad per orbit	A_0 extrapolated	relative error	min Δt	max Δt	periods	p order
Mercury	rk4	1.0	5.0e-7	5.0e-7	5.9e-7	20	40	120	4
Earth	rk4	1.0	1.9e-7	1.9e-7	8.7e-6	82	330	120	4

Table 2: R6: Perihelion convergence and GR baselines.




Figure 6: R4, R6: Perihelion agreement and convergence.

4.5 R7: Light Bending

This table shows how we compare deflection angles.

Table 3: R7a: Light bending near the Sun (core metrics).

planet	integrator	min Δt	max Δt	advance mean	advance std	A_0 extrapolated	relative error	GR rad per orbit	ϵ used	periods	p order
Earth	rk4	82	330	1.9e-7	1.5e-12	1.9e-7	8.7e-6	1.9e-7	1.0	120	4
Mercury	rk4	20	40	5.0e-7	2.3e-13	5.0e-7	5.9e-7	5.0e-7	1.0	120	4

Table 4: R7b: Light bending near the Sun (R6 cross-check columns).

ϵ used R6	GR rad per orbit R6	A_0 extrapolated R6	relative error R6	min Δt R6	max Δt R6	periods R6	p order R6
1.0	1.9e-7	1.9e-7	8.7e-6	82	330	120	4
1.0	5.0e-7	5.0e-7	5.9e-7	20	40	120	4

4.6 R8: Bootstrap and Consensus Uncertainties

R8 uses bootstrap resampling and multi-integrator consensus (Tables 5, 6).

Table 5: R8: Bootstrap uncertainties for perihelion coefficients.

planet	integrator	p_order	rows	A_0 .hat	A_0 .boot.mean	A_0 .boot.std	A_0 .boot.q16	A_0 .boot.q84	gr_rad_per_orbit	rel_err	epsilon_used	periods	min_dt	max_dt
Earth	rk4	4	3	1.8611e-07	1.8611e-07	7.2241e-13	1.8611e-07	1.8611e-07	1.8611e-07	8.7403e-06	1	120	82.1833	328.733
Earth	vv	2	3	1.4955e-07	1.4836e-07	1.3577e-08	1.3473e-07	1.6225e-07	1.8611e-07	0.1965	1	120	82.1833	328.733
Mercury	rk4	4	2	5.0204e-07	5.0204e-07	0	5.0204e-07	5.0204e-07	5.0204e-07	5.9164e-07	1	120	19.7881	39.5762
Mercury	vv	2	3	5.0324e-07	5.0325e-07	9.4062e-11	5.0316e-07	5.0335e-07	5.0204e-07	0.002396	1	120	9.89405	39.5762
Venus	rk4	4	3	2.5727e-07	2.5727e-07	1.5613e-13	2.5726e-07	2.5727e-07	2.5726e-07	3.4871e-06	1	120	50.5507	202.203
Venus	vv	2	3	1.6912e-07	1.6628e-07	3.2485e-08	1.3367e-07	1.9950e-07	2.5726e-07	0.3426	1	120	50.5507	202.203

Table 6: R8: Consensus across integrators for perihelion precession.

planet	A0_consensus	A0_consensus_std	gr_rad_per_orbit	relative_error_consensus	n_integrators
Earth	1.8611e-07	7.2241e-13	1.8611e-07	8.3808e-06	2
Mercury	5.0265e-07	0.7071	5.0204e-07	0.001206	2
Venus	2.5727e-07	1.5613e-13	2.5726e-07	3.5434e-06	2

4.7 R9: PPN Cross-Checks

We test PPN parameter γ_{PPN} and classic observables:

Light bending. For impact parameter b ,

$$\alpha = \frac{2(1 + \gamma_{\text{PPN}})GM_{\odot}}{c^2 b} \Rightarrow \alpha_{\text{GR}} = \frac{4GM_{\odot}}{c^2 b} \quad (\gamma_{\text{PPN}} = 1).$$

Our entries reproduce $\alpha \simeq 1.751$ arcsec at solar limb for $\gamma_{\text{PPN}} = 1$ (Table 7), consistent with Cassini-era constraints of $|\gamma - 1| \lesssim 10^{-5}$ (1).

Shapiro delay. The round-trip time delay between stations at heliocentric radii r_1, r_2 with separation R is

$$\Delta t_{\text{Shapiro}} = \frac{(1 + \gamma_{\text{PPN}})GM_{\odot}}{c^3} \ln\left(\frac{r_1 + r_2 + R}{r_1 + r_2 - R}\right),$$

matching the values in Table 7 under standard geometry. Together these confirm EDG→GR in the post-Newtonian regime and provide the γ prior used downstream.

Table 7: R9: PPN cross-checks and consistency tests.

gamma_ppn	light_bending_rad	light_bending_arcsec	shapiro_delay_seconds	config_r1_m	config_r2_m	config_R_m
1	8.4903e-06	1.7512	6.6554e-05	1.4960e+11	1.4960e+11	2.9850e+11

4.8 R10: Perihelion and PPN Validation Summary

R10 aggregates R7–R9.

Table 8: R10a: R7 summary (per planet $\times$ integrator)—core metrics.

planet	integrator	rows	min dt	max dt	advance mean	advance std
Earth	rk4	3	82.1833	328.7333	1.8611e-07	1.4995e-12

Table 9: R10b: R7 summary—GR baselines and R6 cross-checks.

rel. err. check	GR rad/orbit	ϵ used	periods	p order	ϵ used R6	GR rad/orbit R6	A_0 extr. R6
8.7403e-06	1.8611e-07	1.0	120	4	1.0	1.8611e-07	1.8611e-07

Table 10: R10: R8 integrator consensus (per planet).

planet	A_0 consensus	A_0 consensus std	GR rad per orbit	relative error consensus
Earth	1.8611e-07	7.2241e-13	1.8611e-07	8.3808e-06

Table 11: R10: R9 PPN cross-checks.

gamma ppn	light bending rad	light bending arcsec	shapiro delay seconds	config r1 m	config r2 m	config R m
1.0	8.4903e-06	1.7512	6.6554e-05	1.4960e+11	1.4960e+11	2.9850e+11

4.9 R11: EDG Epsilon Constraints

R11 infers ϵ from perihelion data (Tables 12, 13).

Table 12: R11: Per-integrator epsilon estimates.

planet	integrator	$\hat{\epsilon}$	σ_ϵ	A_0 boot mean	A_0 boot std	GR rad per orbit
Earth	rk4	0.999992	3.8816e-06	1.8611e-07	7.2241e-13	1.8611e-07
Earth	vv	0.797157	0.0729511	1.4836e-07	1.3577e-08	1.8611e-07
Mercury	rk4	1	1.0e-12	5.0204e-07	0	5.0204e-07
Mercury	vv	1.00241	1.8736e-04	5.0325e-07	9.4062e-11	5.0204e-07
Venus	rk4	1	6.0689e-07	2.5726e-07	1.5613e-13	2.5726e-07
Venus	vv	0.64635	0.12627	1.6628e-07	3.2485e-08	2.5726e-07

Table 13: R11: Per-planet epsilon consensus.

planet	ϵ consensus	σ_ϵ consensus	n integrators
Earth	0.999992	3.8816e-06	2
Mercury	1	1.0e-12	2
Venus	1	6.0689e-07	2

Global $\epsilon = 1 \pm 10^{-12}$ (68% CI).

4.10 R12: Epsilon Sweep

R12 sweeps ϵ to test EDG sensitivity (Table 14).

Table 14: R12: A_0 vs ϵ consensus.

ϵ	planet	A_0 consensus	σ_{A_0} consensus	GR rad per orbit	relative error consensus	n integrators
0.9	Earth	1.6750e-07	1.2532e-13	1.8611e-07	0.1000	1
0.9	Mercury	4.5184e-07	1.9544e-15	5.0204e-07	0.1000	1
0.9	Venus	2.3154e-07	7.5107e-13	2.5726e-07	0.09999	1
0.95	Earth	1.7681e-07	2.6304e-13	1.8611e-07	0.04999	1
0.95	Mercury	4.7694e-07	3.5353e-14	5.0204e-07	0.04999	1
0.95	Venus	2.4440e-07	8.4211e-13	2.5726e-07	0.05000	1
1.0	Earth	1.8611e-07	3.7316e-13	1.8611e-07	7.4936e-06	1
1.0	Mercury	5.0204e-07	7.0224e-15	5.0204e-07	1.9105e-06	1
1.0	Venus	2.5727e-07	1.6366e-12	2.5726e-07	6.5130e-06	1
1.05	Earth	1.9542e-07	3.4779e-13	1.8611e-07	0.05001	1
1.05	Mercury	5.2714e-07	7.6379e-14	5.0204e-07	0.05000	1
1.05	Venus	2.7013e-07	1.8415e-16	2.5726e-07	0.05002	1
1.1	Earth	2.0472e-07	2.6535e-13	1.8611e-07	0.1000	1
1.1	Mercury	5.5224e-07	1.3024e-13	5.0204e-07	0.1000	1
1.1	Venus	2.8299e-07	4.1735e-13	2.5726e-07	0.1000	1

4.11 R13p: Strong-Field Joint Fit

We combine EHT ring-size constraints with LIGO GW phasing in a discrete-grid posterior over (ϵ, L_q) . The baseline fit yields $\epsilon = 1$ and $L_q = 1.078 \times 10^{13}$ m with $\chi^2 = 1.867 \times 10^4$, and a 95% upper limit $L_q < 1.166 \times 10^{13}$ m under current data quality. Forecasts scale with EHT systematics; model comparison proxies are summarized in the tables below.

Table 15 shows marginals; forecasts appear in Table 16; model comparison in Table 17.

Table 15: R13p: Discrete-grid 1D posteriors.

param	mean	std
ϵ	1.0	0.0
L_q	1.0551e13	8.3866e11

Table 16: R13p: EHT σ -forecast grid (fractional mode).

σ mult	$L_{q,95}$ est
1.0	1.1947e13
0.75	1.1690e13
0.5	1.1414e13
0.33	1.1215e13
0.25	1.1118e13
0.2	1.1055e13
0.1	1.0928e13

Table 17: R13p: Model comparison proxies (EDG vs GR).

χ^2_{EDG}	χ^2_{GR}	ΔAIC	ΔBIC	$\Delta\log Z$
1.8671e4	1.8687e4	-14.00	-14.05	7.03




Figure 7: R13p: Joint posterior over (ϵ, L_q) .

5 Strong-Field Physics

5.1 Near-horizon regularization and curvature caps

EDG introduces a repulsive contribution in $T_{\mu\nu}^{(\text{info})}$ that caps curvature, replacing classical blow-ups by finite, state-dependent cores while recovering GR when $\nabla S_{\text{ent}} \rightarrow 0$.

5.2 Black-hole imaging: photon ring shifts

Fractional shifts obey $\Delta d/d_{\text{GR}} \simeq \kappa(L_q/r_s)^p$ (Eq. 2). Current EHT systematics yield $L_q < 1.17 \times 10^{13}$ m (95%).

5.3 Gravitational-wave phasing and ringdown

EDG maps to a phase deformation $\delta\Psi(f) = \beta_{\text{EDG}}(L_q/M)^p v^n$ with $v = (\pi M f)^{1/3}$, and predicts percent-level QNM shifts for $(L_q/r_s) \gtrsim 10^{-2}$ as targets for next-gen detectors.

6 Broader Impact and Motivation

Blueprint for information-aware gravity: (i) Quantum networks at scale, (ii) Gravitational sensors tuned to the EDG phase channel, (iii) Black-hole informatics with EHT imaging + EDG ringdown templates, (iv) Deep-space curvature-resilient quantum links. Geometry–information duality⁽¹⁰⁾

suggests optimizing information flow can minimize “gravitational cost”; EDG provides (ϵ, L_q) to make this operational.

7 Reproducibility and Open-Source Availability

All code, configuration files, and artifacts used to generate the results in this paper (R1–R13p) are openly available at github.com/keninayoung/EntanglementSpacetime. The repository README provides step-by-step instructions and environment details. Analyses in this manuscript are pinned to a specific release tag and commit hash cited as⁽¹⁶⁾.

Acknowledgments

Thanks to the open-source community, the University of South Florida (USF), the University of South Florida Health Informatics Institute (USF-HII), Paul Bransford, and OpenAI and xAI tools for code refactoring and support.

References

- [1] Bruno Bertotti, Luciano Iess, and Paolo Tortora. A test of general relativity using radio links with the cassini spacecraft. *Nature*, 425:374–376, 2003. doi: 10.1038/nature01997.
- [2] Clifford M. Will. The confrontation between general relativity and experiment. *Living Reviews in Relativity*, 17(4), 2014. doi: 10.12942/lrr-2014-4.
- [3] Ted Jacobson. Thermodynamics of spacetime: The einstein equation of state. *Phys. Rev. Lett.*, 75:1260–1263, 1995. doi: 10.1103/PhysRevLett.75.1260.
- [4] Juan Maldacena. The large n limit of superconformal field theories and supergravity. *Adv. Theor. Math. Phys.*, 2:231–252, 1998.
- [5] Edward Witten. Anti-de sitter space and holography. *Adv. Theor. Math. Phys.*, 2:253–291, 1998.
- [6] Brian Swingle. Entanglement renormalization and holography. *Phys. Rev. D*, 86:065007, 2012. doi: 10.1103/PhysRevD.86.065007.
- [7] Mark Van Raamsdonk. Building up spacetime with quantum entanglement. *Gen. Relativ. Gravit.*, 42:2323–2329, 2010. doi: 10.1007/s10714-010-1034-0.
- [8] Event Horizon Telescope Collaboration. First M87 Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole. *The Astrophysical Journal Letters*, 875(1):L1, 2019. doi: 10.3847/2041-8213/ab0ec7.
- [9] LIGO Scientific Collaboration and Virgo Collaboration. GWTC-1: A Gravitational-Wave Transient Catalog of Compact Binary Mergers Observed by LIGO and Virgo during the First and Second Observing Runs. *Physical Review X*, 9(3):031040, 2019. doi: 10.1103/PhysRevX.9.031040.
- [10] Robert Neukart. Geometry–information duality: A general theory. *Annals of Physics*, 460: 171516, 2025. doi: 10.1016/j.aop.2025.171516.

- [11] Ted Jacobson. Entanglement equilibrium and the einstein equation. *Phys. Rev. Lett.*, 116(20):201101, 2016. doi: 10.1103/PhysRevLett.116.201101.
- [12] Shinsei Ryu and Tadashi Takayanagi. Holographic derivation of entanglement entropy from ads/cft. *Phys. Rev. Lett.*, 96:181602, 2006. doi: 10.1103/PhysRevLett.96.181602.
- [13] David D. Blanco, Horacio Casini, Ling-Yan Hung, and Robert C. Myers. Relative entropy and holography. *JHEP*, 2013(8):060, 2013. doi: 10.1007/JHEP08(2013)060.
- [14] Daniel L. Jafferis, Aitor Lewkowycz, Juan Maldacena, and S. J. Suh. Relative entropy equals bulk relative entropy. *JHEP*, 2016(6):004, 2016. doi: 10.1007/JHEP06(2016)004.
- [15] Thomas Faulkner, Aitor Lewkowycz, and Juan Maldacena. Quantum corrections to holographic entanglement entropy. *JHEP*, 2013(11):074, 2013. doi: 10.1007/JHEP11(2013)074.
- [16] Kenneth G. II Young. Entanglementspacetime (r1-r13+ pipeline). <https://github.com/keninayoung/EntanglementSpacetime>, 2025. Accessed 2025-08-28.