

Project: New Haven Urgent Care

Team#4

Test Case ID#: 7

Test Date:

Name(s) of Tester(s):

Jian Wang

Test Description (What are you testing? – you must be specific):

Can only service providers make a diagnosis(es)?

NOTE: The following information must be provided to be given credit for any test.

Test Data (Provide the file name of the script used to insert data, provide a screen capture to reflect data, or provide script here):

```
insert into DEPARTMENT  
values ('1', 'INTAKE');
```

```
insert into INTAKE_DEPARTMENT  
values ('1','INTAKE');
```

```
insert into EMPLOYEE  
values ('121','Charle', 'C', 'Andrew', '12345678', '1');
```

```
INSERT INTO SERVICE_PROVIDER  
values ('121','Charle', 'C', 'Andrew', '12345678');
```

```
INSERT INTO DIAGNOSIS  
values ('12312312441','nama', '12-12-2018','12-13-2018','12345678');
```

SQL Query(s) used for testing:

select *

from DIAGNOSIS;

SQL File 9* X SQL File 12* X SQL File 14* X DIAGNOSIS X SQL File 6* X

Limit to 1000 rows

```
1 • SELECT * FROM C4707F19U48.DIAGNOSIS;
```

Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:

#	ICD_10_CM	NAME	Time_In	Time_Out	SP_ID
1	12312312441	nama	2018-12-12	2018-12-13	12345678
*	NULL	NULL	NULL	NULL	NULL

We don't satisfy the requirement. Although, I have the result of diagnosis. But it is not done by service provider only. Service provider have foreign key from EMPLOYEE. EMPLOYEE have foreign key from INTAKE_DEPARTMENT. Therefore, SERVICE PROVIDER can not make DIAGNOSIS ONLY.