


建構專案：視窗介面


外掛WindowBuilder


新增
專案資料夾




在File(選單)新增 Java Project


新增
Packge





新增
Class





work - NewJavaProject/src/com/B_Main.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- Company
 - JRE System Library [JavaSE-11]
 - src
 - com
 - AddOrderUI.java
 - Order.java
- javaExam
 - JRE System Library [JavaSE-11]
 - src
 - com
 - jframeEx
 - Exam1.java
- NewJavaProject
 - JRE System Library [JavaSE-11]
 - src
 - com
 - A_NoMain.java
 - B_Main.java

1 package
2
3 public class
4
5
6
7
8 }
9
10 }
11

New Java Class

Java Class

Type already exists.

Source folder: NewJavaProject/src Browse...

Package: com Browse...

Enclosing type: Browse...

Name: B_Main

Modifiers: ☒ public ☐ package ☐ private ☐ protected
☐ abstract ☐ final ☐ static

Superclass: java.lang.Object Browse...

Interfaces: Add... Remove

Which method stubs would you like to create?

- ☒ public static void main(String[] args)
- ☐ Constructors from superclass
- ☒ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments

Finish Cancel

名稱要記得輸入(大小寫隨意)
其他欄位不要動

Outline

- com
 - B_Main
 - main(String[]) : void

Problems Javadoc Declaration Console

<terminated> AddOrderUI [Java Application] C:\Users\User\p2\pool\plugins\org.eclipse.justi.openjdk.hotspot.jre.full.win32.x86_64_23.0.1.v20241024-1700\jre\bin\javaw.exe (2025年1月4日 下午6:30:02 - 下


com - NewJavaProject/src

跟有 main主程式的


```
1 package com;  
2  
3 public class B_Main {  
4  
5     public static void main(String[] args) {  
6         // TODO Auto-generated method stub  
7  
8     }  
9  
10 }  
11
```

差異在於有無這一行

新增(class的另一種)
外掛-WindowBuilder
視窗設計界面



在Package新增Other...



選擇WindowBuilder/SwingDesigner底下的JFrame

work - NewJavaProject/src/com/B_Main.java - Eclipse IDE

File Edit Source Refactor Navigate Search Project Run Window Help

Package Explorer

- Company
 - JRE System Library [JavaSE-11]
 - src
 - com
 - AddOrderUI.java
 - Order.java
- javaExam
 - JRE System Library [JavaSE-11]
 - src
 - com
 - jframeEx
 - Exam1.java
- NewJavaProject
 - JRE System Library [JavaSE-11]
 - src
 - com
 - A_NoMain.java
 - B_Main.java

```
1 package com;
2
3 public class B_Main {
4
5     public
6     //
7
8 }
9
10 }
11
```

New JFrame

Create JFrame

Create an empty JFrame.

Source folder: NewJavaProject/src Browse...

Package: com Browse...

Name: HomeWorkOrder

Superclass: javax.swing.JFrame Browse...

☒ Use advanced template for generate JFrame

< Back Next > Finish Cancel

Task List

Find All Activate...

Outline


- com
 - B_Main
 - main(String[]): void

Problems Javadoc Declaration Console


<terminated> AddOrderUI [Java Application] C:\Users\User\p2\pool\plugins\org.eclipse.justj.openjdk.hotspot.jre.full.win32.x86_64_23.0.1.v20241024-1700\jre\bin\javaw.exe (2025年1月4日 下午6:30:02 - 下

com - NewJavaProject/src

名稱要記得輸入(大小寫隨意)
其他欄位不要動





預設會在Source介面




點選Design可以切換成設計界面

Run As執行程式







需要注意的: 如果同時開啟多個檔案，要選對才會執行。