TWD Windows Ltd. Unit 4 GWI Buisiness Park, Collooney, Co.Sligo

Quotation Mrs. Anne-Marie McCullagh (2859) Clonlea Lodge Ballinteer Dublin 16

Quotation No.: Client No.: Phone: Date:

QT17S016 2859 MCCULLAGH 085-1202223 2017/01/30

Aluclad - Wooden Windows and Doors Specification

Timber: Laminated & Engineered Pine Finger Jointed

Moisture Content 11 (-1,+1)%.

Density 430 + kg/m3

Profile System: HPL78 (78mm) according CE (EN14351-1:2006+A1:2010)

Glazing: As per specifications attached. Triple glazing 44mm.

Thermal Conductivity Rating Ug=0,55 W/m2K.

Solar factor G=54%. Light transmission 74%.

Warm Edge Spacer: Swisspacer-V

Glass type 4(6)Gr -Safety Tempered Glass acc.BS6262

Fittings: Multifunctional provided by G.-U. (Gretch-Unitas-BKS).

Turn/Tilt windows with integrated Micro ventilation.

Hidden Hinges as standard.

Sealants: Two lines of milled EPDM gum sealant.

Resistant to low temperatures.
Resistant to mechanical influence.

Surface Finish: First coating - wet surface impregnation.

Two coats of acrylic Colour Sikkens

Windows & doors drawings are presented from the interior of building.

Item	No.	Quantity	Description	Unit	cost EUR excl	Total . VAT	cost
1	. 3	1 No.	D01 Front Door Profile : IV78HPL (Fr Timber : PINE FJ FSC Painting : RAL/RAL Aluclad : RAL Sealants : Standard 2x Threshold : ALU HTS18.2 Glazing : 3 1 x 4XNGr-16Ar-4-16Ar-4 1 x 4XN-16Ar-4-16Ar-4XN 1 x Insulated Door Pane Fittings : 2 x Fix 1 x ASSA FIX2025 VR / P U value : 1.15 Thermal Threshold Exten Rubber DPC Threshold Bo Sill Profile "Z" ALU RA Size: 1500 x 2500	XNGr I Pine V (INW	VA30 44mm ARD)		
		1 No.	Warm Edge Spacer Swissp	acer	13,60		
	-0.	11 Wm2K	Uw reduction for Swissp	acer			
2	714 1536 2250	1 No.	W01 Family Room Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden H 1 x Fix U value : 0.97 Sill Profile "Z" ALU RA Size: 2250 x 1825	XNGr Linges I	L. Tilt F 287 , 88	First 1.327	7,10

1 No. Warm Edge Spacer Swisspacer

-0.13 Wm2K Uw reduction for Swisspacer

39,22

Item No	. Q	uantity	Description	Unit	cost EUR exc	
			Brought from prev	vious :	page:	2.978 , 78
3	2275	1 No.	W02 Stairs Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-4X Fittings : 1 x Fix U value : 1.09 Sill Profile "Z" ALU RAL Size: 675 x 2275	KNGr		
					472 , 26	486,17
	1	No.	Warm Edge Spacer Swisspa	acer	13,91	
	-0.17	Wm2K	Uw reduction for Swisspa	acer		
4	T 1000 	1 No.	W03 WC Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden Hi U value : 1.26 Sill Profile "Z" ALU RAL Size: 675 x 1000	lXN F. .nges :	ROSTED R. Tilt 375,51	
	1	No.	Warm Edge Spacer Swisspa	acer	4,37	
	-0.18	Wm2K	Uw reduction for Swisspa	acer		

Quotation No.:QT17S016 2017/01/30 4

Item No.	Quantity	Description	Unit cost Total cost EUR excl. VAT
		Brought from pre	vious page: 3.844,83
950	1 No.	D02 Utility Profile : IV78HPL Timber : PINE FJ FSC Painting : RAL/RAL Aluclad : RAL Sealants : Standard 2x Threshold : ALU HTS18.2 Glazing : 2 1 x 4XN-16Ar-4-16Ar-4XN 1 x 4XNGr-16Ar-4-16Ar-4 Fittings : 1 x Fix 1 x ASSA FIX2025 VR / P U value : 1.16 Thermal Threshold Exten Rubber DPC Threshold Bo Sill Profile "Z" ALU RA Size: 950 x 2500	.1 + HVA30 XNGr V (INWARD) sion HVA30
	1 No.	Warm Edge Spacer Swissp	pacer 17,23
	-0.15 Wm2K	Uw reduction for Swissp	pacer
6	1 No.	W04 Utility Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Tilt/Turn. Hidden H	
		U value : 1.26 Sill Profile "Z" ALU RA Size: 675 x 1000	
	1 No.	Warm Edge Spacer Swissp	
	-0.18 Wm2K	Uw reduction for Swissp	acer

Item No	. Quantity	Description	Unit	cost EUR exc	Total cost l. VAT
		Brought from pre	evious	page:	5.562,22
1 1 120		W05 Lounge Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-4 Fittings : 1 x Fix U value : 0.94 Sill Profile "Z" ALU RA Size: 1200 x 2000	X XNGr		
				614,14	637 , 97
	1 No.	Warm Edge Spacer Swissp	acer	23,83	
	-0.12 Wm2K	Uw reduction for Swissp	acer		
1	1 No. 2 2550 41 640 3280	D03 Dining Area Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Threshold : GU Thermost Glazing : 2 2 x 6XNGr-14Ar-4-14Ar-6 Fittings : 1 x FF 1 x GU-934H Sch.A ALU U value : 1.00 Rubber DPC Threshold Bo Sill Profile "Z" ALU RA Size: 3280 x 2550	zep 174 SXNGr Lift/S ottom		
	1 No.	Warm Edge Spacer Swissp	acer	76 , 19	
	-0.09 Wm2K	Uw reduction for Swissp	acer		

Ite	m No.	Quantity	Description	Unit	cost EUR excl		st
			Brought from prev	ious	page:	11.212,9	6
9	1 + 2 714 1740	1 No.	W06 Dining Area Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-4X Fittings : 1 x Fix 1 x Tilt/Turn. Hidden Hi U value : 1.13 Sill Profile "Z" ALU RAL Size: 1740 x 1000	NGr nges	R. Tilt F 715,67		9
		1 No.	Warm Edge Spacer Swisspa		14,42		-
	-0	.18 Wm2K	Uw reduction for Swisspa	cer	11,12		
10	1 + 1125	1 No.	W07 Kitchen Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 1.07 Sill Profile "Z" ALU RAL Size: 1125 x 1000		280,56	290,7	6
		1 No.	Warm Edge Spacer Swisspa	cer	10,20		
	-0	.16 Wm2K	Uw reduction for Swisspa	cer			

Ite	m No.	Quantity	Description	Unit	cost EUR exc	Total cost
			Brought from pre	vious	page:	12.233,81
11	1 + 1536 2250	1 No.	W08 Play Room Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-42 Fittings : 1 x Fix 1 x Tilt/Turn. Hidden Hill U value : 1.07 Sill Profile "Z" ALU RAI Size: 2250 x 1000	XNGr inges		First 854,67
		1 No.	Warm Edge Spacer Swisspa	acer	19,58	
	- C).16 Wm2K	Uw reduction for Swisspa	acer		
12	1 + 100	1 No.	W09 Family Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 1.19 Sill Profile "Z" ALU RAI Size: 675 x 1000			
					207,58	213,15
		1 No.	Warm Edge Spacer Swisspa	acer	5 , 57	
	- C).21 Wm2K	Uw reduction for Swisspa	acer		

Item No.	Quantity	Description	Unit	cost EUR excl		cost
		Brought from prev	vious	page:	13.30	1,63
13	1 No.	W10 Family Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 1.19 Sill Profile "Z" ALU RAL Size: 675 x 1000		207,59	21.	3,16
				201700	210	J , ± 0
	1 No.	Warm Edge Spacer Swisspa	acer	5,57		
- C).21 Wm2K	Uw reduction for Swisspa	cer			
714 1086	1 No.	W11 Bedroom No.3 Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Tilt/Turn. Hidden Hi 1 x Fix		L. Tilt I	First	
		U value : 1.06 Sill Profile "Z" ALU RAL Size: 1800 x 1400	ı			
				775 , 78	798	3 , 17
	1 No.	Warm Edge Spacer Swisspa	cer	22,39		
-0).16 Wm2K	Uw reduction for Swisspa	cer			

Item No.	Q:	uantity	Description	Unit	cost EUR exc	
			Brought from prev	vious	page:	14.312,96
900	1100	1 No.	W12 Bathroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden H: U value : 1.16 Sill Profile "Z" ALU RAN Size: 900 x 1100	4XN F inges L	L. Tilt	
					468,76	476,07
	1	No.	Warm Edge Spacer Swisspa	acer	7,31	
	-0.16	Wm2K	Uw reduction for Swisspa	acer		
16	1845	1 No.	W13 Landing Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-42 Fittings : 1 x Fix U value : 1.11 Sill Profile "Z" ALU RAN Size: 675 x 1845	XNGr L		
					394 , 77	405 , 87
	1	No.	Warm Edge Spacer Swisspa	acer	11,10	
	-0.18	Wm2K	Uw reduction for Swisspa	acer		

Item N	o. Quantity	Description	Unit cost Total cost EUR excl. VAT
		Brought from pre	vious page: 15.194,90
17	1 No.	W14 En-Suite Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar- Fittings : 1 x Tilt/Turn. Hidden H U value : 1.16 Sill Profile "Z" ALU RA Size: 900 x 1100	4XN FROSTED inges R. Tilt First
	1 No.	Warm Edge Spacer Swissp	acer 7,31
	-0.16 Wm2K	Uw reduction for Swissp	acer
18	1 No. + 1400 1500	W15 Master Bedroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 0.96 Sill Profile "Z" ALU RA Size: 1500 x 1400	
	1 No.	Warm Edge Spacer Swissp	acer 20,64
	-0.12 Wm2K	Uw reduction for Swissp	acer

Quotation No.:QT17S016 2017/01/30 11

Item No.	Quantity	Description	Unit	cost EUR excl		cost
		Brought from prev	vious	page:	16.104	1,43
19 1 + 2 786 714 1500	1 No.	W16 Master Bedroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-42 Fittings : 1 x Fix				
		1 x Tilt/Turn. Hidden H: U value : 1.13 Sill Profile "Z" ALU RAI	_	R. Tilt F	'irst	
		Size: 1500 x 1245		767,01	782	2,63
	1 No.	Warm Edge Spacer Swisspa	acer	15,62		
-0.	.18 Wm2K	Uw reduction for Swisspa	acer			
786 714	1 No.	W17 Bedroom No.17 Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-42 Fittings : 1 x Fix 1 x Tilt/Turn. Hidden H: U value : 1.13 Sill Profile "Z" ALU RAI Size: 1500 x 1245	XNGr inges	R. Tilt F	'irst	
				767,01	782	2,63
	1 No.	Warm Edge Spacer Swisspa	acer	15,62		
-0.	.18 Wm2K	Uw reduction for Swisspa				
Q-ty Area		Windows & Doors Total Area Total				

Carried to next page: 17.669,69

Quotation No.:QT17S016 2017/01/30 12

Item No.	Quantity	Description	Unit cost EUR exc	Total cost
		Brought from p	revious page:	17.669,69
Handle	10 No.	Window Handle Maco Sil	lver N102 6,01	60,10
	on's sum wit	hout VAT		17.729,79
Measur: Instal: Delive:	lation			2.056,53 780,00
VAT 13	.50%			2.776,45
Total o	cost:		== €	23.342,77
Discou	nt:		- €	2.342,77
OFFER !	FOTAL:	(€18.502,20 ex VAT)	€	21.000,00

The Certified U-Value for the Window type (Standard Window Sample 1230mm x 1480mm) contained in this Quotation for the MAIN HOUSE;

EN10077-2 is 0.88 Wm2K. and EN12207 (Airtightness) Class 4

We trust that this offer will be of interest to you.

Sincerely yours, Brian Raftery TWD Windows Ltd

