



Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | A |
| Revision | |



Specification

| | |
|-------------|--------------------------|
| Description | Ceiling ligh |
| Name | Opal glass ceiling light |
| Order code | ~ |
| Finish | Opal glass |
| Dimensions | Height: 125mm |
| | Width: 100mm |
| | Length: 100mm |

| | |
|------------------|-------|
| Cut-out required | ~ |
| Depth required | ~ |
| Technology | Mains |

Lamp Details



| | |
|-------------|-------------|
| Description | Halogen G9 |
| Wattage | 30W |
| Voltage | 230V |
| Base | G9 |
| Dimming | YES - mains |



Opal glass ceiling light



Dimensions for ceiling fitting





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | B |
| Revision | |

Specification

Description Adj. recessed downlight


Finish White
Dimensions See drawing

Cut-out required Ø93mm
Depth required 143mm
Technology LED

Lamp Details

Description LED
Wattage 5.5W
Voltage 230V
Output 220lm
Dimming Yes, Mains
Base GU10

Adj. recessed downlight





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | C |
| Revision | |

Specification

Description IP rated LED downlight


Finish White
Dimensions See drawing

Cut-out required 55mm
Depth required 47mm
Technology

Lamp Details

Description LED
Wattage 4.5W
Voltage 350mA remote driver to be supplied
Output 220lm
Dimming No

IP rated LED downlight





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | G |
| Revision | |

Specification

Description Recessed general light

Finish White
Dimensions See drawing

Cut-out required 205mm
Depth required 17mm
Technology LED


Lamp Details

Description LED
Wattage 20W
Voltage 230V
Dimming No

Recessed general light



20W



Ø225x17mm



Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | H |
| Revision | |

Specification

| | |
|-------------|---|
| Description | LED Tapelight in surface alu channel |
| Name | LED Tapelight Warm white |
| Order code | |
| Finish | ~ |
| Dimensions | As per drawing LED tape: 5m roll Alu profile: 2m length |

| | |
|------------|-----|
| Technology | LED |
|------------|-----|

Lamp Details

| | |
|--------------------|------------|
| Description | LED |
| Wattage | 14.4W / m |
| Voltage | 24V DC |
| Beam Angle | 120 Degree |
| Colour temperature | 2700K |
| Dimming | No |


Remote driver to be provided

LED Tapelight in surface alu channel



11x16mm

Cutable at 100mm Intervals





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | K |
| Revision | |

Mesmeri Halo




Specification

| | | |
|------------------|---------------------------|-------|
| Description | Surface mounted wall lamp | |
| Name | Mesmeri Halo | |
| Order code | | |
| Finish | Silver | |
| Dimensions | Projection: | 221mm |
| | Width: | 340mm |
| | Depth: | |
| Cut-out required | ~ | |
| Depth required | ~ | |
| Technology | Mains | |

Lamp Details

| | |
|-------------|----------------------|
| Description | Double ended halogen |
| Wattage | 230W |
| Voltage | 240V, mains |
| Base | R7 s |





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea house |
| Project No. | 16232 |
| Dwg Ref | M |
| Revision | |

Specification


| | |
|-------------|-------------------------|
| Description | Wall mounted task light |
| Name | Amglepoise light |
| Finish | Aluminum polished |
| Dimensions | See drawing |

| | |
|------------|-----|
| Technology | ~ |
| | ~ |
| | LED |

Lamp Details

| | |
|-------------|-----|
| Description | |
| Wattage | 8W |
| Voltage | 24V |
| Base | N/A |

Amglepoise light





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | N |
| Revision | |

Specification


| | |
|-------------|---------------------|
| Description | Wall lamp |
| Name | Round wall light |
| Finish | Anthracite |
| Dimensions | Projection: 134 mm |
| | Width: 198 mm |
| | Length: 198 mm Diam |

| | |
|------------------|-------|
| Cut-out required | |
| Depth required | |
| Technology | Mains |

Lamp Details

| | |
|-------------|-------------|
| Description | Fluorescent |
| Wattage | 75W |
| Voltage | 230v |
| Base | E27 |

Round Kasko





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | P |
| Revision | |


Specification

| | |
|-------------|---------------------|
| Description | External wall light |
| Name | |
| Finish | Black / Clear glass |
| Dimensions | See drawing |

| | |
|------------------|-------|
| Cut-out required | ~ |
| Depth required | ~ |
| Technology | Mains |

Lamp Details

| | |
|-------------|---------------|
| Description | Squirrel cage |
| Wattage | 60W |
| Voltage | 230V, mains |
| Base | E27 |
| Dimming | NO |



Recess in Wall for Terminal Block
60x60x60mm



Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | Q |
| Revision | |

Specification

| | |
|-------------|---|
| Description | LED Tapelight in plaster in alu channel |
| Name | LED Tapelight Warm white |
| Order code | |
| Finish | ~ |
| Dimensions | As per drawing LED tape: 5m roll Alu profile: 7m length |



| | |
|------------|-----|
| Technology | LED |
|------------|-----|

Lamp Details


| | |
|--------------------|------------|
| Description | LED |
| Wattage | 14.4W / m |
| Voltage | 24V DC |
| Beam Angle | 120 Degree |
| Colour temperature | 2700K |
| Dimming | Yes, Phase |

Remote driver to be provided
First fix element required

LED Tapelight in plaster in alu channel



Cutable at 100mm Intervals





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification



| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | S |
| Revision | |

Specification

| | |
|------------------|--|
| Description | Wall ligh |
| Name | Opal glass wall light |
| Order code | ~ |
| Finish | Opal glass |
| Dimensions | Height: 105mm Width: 100mm Length: 100mm |
| Cut-out required | ~ |
| Depth required | ~ |
| Technology | Mains |

Lamp Details

| | |
|-------------|-------------|
| Description | Halogen G9 |
| Wattage | 60W |
| Voltage | 230V |
| Base | G9 |
| Dimming | YES - mains |



Opal glass wall light



Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | T |
| Revision | |

Specification

| | |
|-------------|-----------------|
| Description | Micro downlight |
| Finish | Black |
| Dimensions | As per drawing |
| Cutout | Ø29mm |


| | |
|------------|-----|
| Technology | LED |
|------------|-----|

Lamp Details

| | |
|--------------------|-----------|
| Description | LED Incl. |
| Wattage | 2W |
| Voltage | 630mA |
| Beam Angle | 30° |
| Dimmable | No |
| Colour temperature | 2700K |

630mA drivers to be supplied

Micro downlight





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | U |
| Revision | |

Specification

Description Bathroom mirror light

Finish Polished chrome frame
Dimensions See drawing

Cut-out required
Depth required
Technology Mains

Lamp Details


Description Fluorescent
Wattage 2 x 14W
Voltage Mains
Base T5

Includes integral switch

Includes integral ballast



Bathroom mirror light





Ballywaltrim Business Centre, Bray, Co. Wicklow

T +353 (1) 276 2200

F +353 (1) 276 2201

E info@wink.ie www.wink.ie

Lighting Specification

| | |
|-------------|---------------|
| Project | Clonlea House |
| Project No. | 16232 |
| Dwg Ref | V |
| Revision | |

Specification

| | |
|-------------|--|
| Description | LED Tapelight in plaster in alu channel |
| Name | LED Tapelight Warm white |
| Order code | |
| Finish | ~ |
| Dimensions | As per drawing LED tape: 5m roll Alu profile: 4.5 m length |



| | |
|------------|-----|
| Technology | LED |
|------------|-----|

Lamp Details

| | |
|--------------------|------------|
| Description | LED |
| Wattage | 14.4W / m |
| Voltage | 24V DC |
| Beam Angle | 120 Degree |
| Colour temperature | 2700K |
| Dimming | Yes, 1-10V |

Remote driver to be provided
First fix element required

LED Tapelight in plaster in alu channel



Cutable at 100mm Intervals

