

Offer OFER 16/03474 date 16/12/15
WINDOOR - KEN MCCULLAGH


page 1

WINDOOR is pleased to offer high quality, energy-efficient windows and doors. Our products in New Line 68 and Thermo 88 systems are manufactured from laminated pine, meranti and oak. We equip our products with German envelope fittings ROTO NT or Siegenia Titan AF. All our products are factory finished with 4-layer waterborne, transparent or opaque paint system supplied by PPG Sigma Coatings. As standard our windows are equipped with 3-gasket system between frame and sash and also a modern drip cap Guttman Spree 24. This ensures high airtightness and soundproofing. Standard low emission glazing packages are: New Line 68 (4-18-4) - $U_g=1,1$ W/m²K, Thermo 88 (4-18-4-18-4) - $U_g=0,5$ W/m²K (acc. norm EN 673). Approximate heat transfer coefficient U_w is specified next to each position in the offer.

Price include set of handles and hinge caps.


Windows are viewed from the inside, doors are viewed from the side of hinges.

Lift and sliders are tested under maximum pressure of 600 Pa.



Total net value euro =

Our products were tested according to norm PN-EN 14351-1+A1
Please check products' compatibility with project's requirements




page 1

WINDOOR offers high quality, energy-efficient alu-clad windows and doors manufactured from laminated pine, meranti and oak in systems Marconi, Marconi Max, Thermax and Thermax Ultra, equipped with German envelope fittings ROTO NT or Siegenia Titan AF. All products are factory finished with 4-layer waterborne, transparent or opaque paint system by PPG Sigma Coatings. System of 4 gaskets ensures high airtightness and soundproofing. Standard RAL colours of alu-clad are: 1013,1033,3002,3003,5010,5013,5015,6005,6029,7001,7016,7035,7042,8001,8003,8007,8011,8017,8019,9005,9006,9007 and 9016. Low emission glazing packages are: Marconi (4-18-4) - $U_g=1,1$ W/m²K, Marconi Max (4-16-4-16-4) - $U_g=0,6$ W/m²K, Thermax and Thermax Ultra (4-18-4-18-4) - $U_g=0,5$ W/m²K (acc. norm EN 673). Approximate heat transfer coefficient U_w is specified next to each position in the offer.

Price include set of handles and hinge caps.

Lift and sliders are tested under maximum pressure of 600 Pa.



Pos.no 1: D01

size (W x H): 1500 x 2500

quantity	price	value
----------	-------	-------

System: ALU-CLAD THERMAX 2 Pine jointed

colour: RAL

glass: 0,5 3T

window U (W/m²K)= 0.91

Frame: 88x69mm+DAFA

Sash: 88x120mm

alu-clad type: Classic 86mm

alu-clad colour: RAL extra, ACC1

hinge caps: R01.1 silver

Handle: Hoppe Secustik F1

ALU CLAD DOOR

INWARD OPENING

SEEN FROM INSIDE


HINGES ON RIGHT SIDE

HANDLE AND LOCK ON BOTH SIDES

ALU THRESHOLD DAFA

FULLY GLAZED DOOR

see next page



Pos.no 2: D03
size (W x H): 3280 x 2500
quantity price value

System: ALU-CLAD THERMAX Pine jointed
colour: RAL
glass: 0,5 3T
window U (W/m2K)= 0.73
Frame: 204x56mm
Sash: 88x99mm
alu-clad type: Classic 86mm
alu-clad colour: RAL extra, ACC1
hinge caps: R01.1 silver
Handle: Hoppe Secustik F1


SEEN FROM INSIDE
HANDLE ONLY INSIDE

surface = 11.950 m2
circumference = 19.560 m

ALL POSITIONS =

Total value euro =

Our products were tested according to norm PN-EN 14351-1+A1
Please check products' compatibility with project's requirements



Offer ZLEC 16/102486 date 16/12/15
WINDOOR - KEN MCCULLAGH

page 1


WINDOOR is pleased to offer high quality, energy-efficient windows and doors. Our products in outward opening alu-clad system DURWIN are manufactured from laminated pine, meranti and oak. We equip our products with IPA fittings. All our products are factory finished with 4-layer waterborne, transparent or opaque paint system supplied by PPG Sigma Coatings. Standard RAL colours of alu-clad are:

1013,1033,3002,3003,5010,5013,5015,6005,6029,7001,7016,7035,7042,8001,8003,8007,8011,8017,8019,9005,9006,9007 and 9016. Standard low emission glazing packages are: (4-16-4) - $U_g=1,1$ W/m²K and (4-16-4-16-4) - $U_g=0,6$ W/m²K. Approximate heat transfer coefficient U_w is specified next to each position in the offer.

Price include set of handles.


All positions are viewed from the outside.

Offer is valid for 30 days.



Pos. No 1: W11
Size (W x H): 1800 x 1400
quantity Price Value


System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED, U=0,7 TRIPLE GLAZED
window U (W/m²K)= 0.96
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver



Pos. No 2: W12
Size (W x H): 900 x 1400
quantity Price Value


System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m²K)= 0.98
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

See next page



Pos. No 3: W01
Size (W x H): 2250 x 1825
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T,0,6 3T
window U (W/m2K)= 0.90
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 4: W22
Size (W x H): 3525 x 2025
quantity Price Value

1. JOINT: - Cover strip


System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T,0,6 3T
window U (W/m2K)= 0.92
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

3 UNITS




Pos. No 5: W14
Size (W x H): 900 x 1400
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m2K)= 0.98
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 6: W15
Size (W x H): 1500 x 1400
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 0.99
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 7: W05
Size (W x H): 1200 x 2000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T
window U (W/m2K)= 0.89
Frame: 56x92mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 8: W16
Size (W x H): 1500 x 1245
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 1.00
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 9: W17
Size (W x H): 1500 x 1245
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 1.00
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 10: W06
Size (W x H): 1740 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 1.00
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 11: W07
Size (W x H): 1125 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 1.08
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 12: W08
Size (W x H): 2250 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED,U=0,7 TRIPLE GLAZED
window U (W/m2K)= 1.03
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 13: W09
Size (W x H): 675 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m2K)= 1.08
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 14: W10
Size (W x H): 675 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m2K)= 1.08
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 15: W02
Size (W x H): 675 x 2275
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T
window U (W/m2K)= 0.97
Frame: 56x92mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver




Pos. No 16: W03
Size (W x H): 675 x 1000
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m2K)= 1.08
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver



Pos. No 17: W13
Size (W x H): 675 x 1845
quantity Price Value


System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T
window U (W/m2K)= 0.98
Frame: 56x92mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver



Pos. No 18: D02
 Size (W x H): 950 x 2465
 quantity Price Value

System: ALU-CLAD DURWIN pine jointed
 Colour: RAL
 Glass: 0,6 3T
 window U (W/m2K)= 0.98
 Frame: 56x92mm+DAFA
 Sash: 94x68mm
 alu-clad colour: RAL extra; ACC1
 Handle: Hoppe Mini Silver

FRENCH DOOR
 OUTWARD OPENING
 SEEN FROM OUTSIDE
 HINGES ON LEFT SIDE
 HANDLE AND LOCK ON BOTH SIDES
 ALU THRESHOLD DAFA
 MAX HEIGHT 2465 mm




Pos. No 19: W04
 Size (W x H): 675 x 1000
 quantity Price Value

1. JOINT: - Cover strip

System: ALU-CLAD DURWIN pine jointed
 Colour: RAL
 Glass: U=0,6 TRIPLE GLAZED
 window U (W/m2K)= 1.08
 Frame: 56x92mm
 Sash: 56x68mm
 alu-clad colour: RAL extra; ACC1
 Handle: Hoppe Mini Silver

WINDOW WILL BE COUPLED WITH DOOR D02




Pos. No 20: W23 + D04 + W24
Size (W x H): 3350 x 2025
quantity Price Value

1. JOINT: - Cover strip

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T,0,6 3T
window U (W/m2K)= 0.97
Frame: 56x92mm,56x92mm+DAFA
Sash: 94x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

FRENCH DOOR
OUTWARD OPENING
SEEN FROM OUTSIDE
LEFT LEAF MASTER
HANDLE AND LOCK ON BOTH SIDES
ALU THRESHOLD DAFA
3 UNITS



Pos. No 21: W20
Size (W x H): 600 x 1025
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,6 TRIPLE GLAZED
window U (W/m2K)= 1.11
Frame: 56x92mm
Sash: 56x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

See next page

Offer ZLEC 16/102486 date 16/12/15

WINDOOR - KEN MCCULLAGH

page 9

Surface = 44.857 m²

All positions =

Circumference = 119.430 m

1. JOINT - 9.12 m: - *Cover strip*

Additional materials =

Total net value euro =


Our products were tested according to norm PN-EN 14351-1+A1
Please check products' compatibility with project's requirements

Offer ZLEC 16/102487 date 16/12/15
WINDOOR - KEN MCCULLAGH ALT



page 1


WINDOOR is pleased to offer high quality, energy-efficient windows and doors. Our products in outward opening alu-clad system DURWIN are manufactured from laminated pine, meranti and oak. We equip our products with IPA fittings. All our products are factory finished with 4-layer waterborne, transparent or opaque paint system supplied by PPG Sigma Coatings. Standard RAL colours of alu-clad are: 1013,1033,3002,3003,5010,5013,5015,6005,6029,7001,7016,7035,7042,8001,8003,8007,8011,8017,8019,9005,9006,9007 and 9016. Standard low emission glazing packages are: (4-16-4) - $U_g=1,1$ W/m²K and (4-16-4-16-4) - $U_g=0,6$ W/m²K. Approximate heat transfer coefficient U_w is specified next to each position in the offer.
Price include set of handles.
All positions are viewed from the outside.
Offer is valid for 30 days.



Pos. No 1: W21 ALT
Size (W x H): 800 x 800
quantity Price Value

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: U=0,7 TRIPLE GLAZED
window U (W/m²K)= 1.03
Frame: 56x92mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

See next page



Pos. No 2: D03 ALT
Size (W x H): 3280 x 2500
quantity Price Value

1. JOINT: - Cover strip

System: ALU-CLAD DURWIN pine jointed
Colour: RAL
Glass: 0,7 3T,0,6 3T
window U (W/m2K)= 0.96
Frame: 56x92mm,56x92mm+DAFA
Sash: 94x68mm
alu-clad colour: RAL extra; ACC1
Handle: Hoppe Mini Silver

FRENCH DOOR
OUTWARD OPENING
SEEN FROM OUTSIDE
LEFT LEAF MASTER
HANDLE AND LOCK ON BOTH SIDES
ALU THRESHOLD DAFA
3 UNITS

Surface = 8.840 m2
Circumference = 14.760 m

All positions =

1. JOINT - 5.00 m: - Cover strip

Additional materials =

Total net value euro =

Our products were tested according to norm PN-EN 14351-1+A1
Please check products' compatibility with project's requirements