TWD Windows Ltd. Unit 4 GWI Buisiness Park, Collooney, Co.Sligo

Quotation Mrs. Anne-Marie McCullagh (2859) Clonlea Lodge Ballinteer Dublin 16

Quotation No.: Client No.: Phone: Date:

QT17S016 2859 MCCULLAGH 085-1202223 2017/01/30

Aluclad - Wooden Windows and Doors Specification

Timber: Laminated & Engineered Pine Finger Jointed

Moisture Content 11 (-1,+1)%.

Density 430 + kg/m3

Profile System: HPL78 (78mm) according CE (EN14351-1:2006+A1:2010)

Glazing: As per specifications attached. Triple glazing 44mm.

Thermal Conductivity Rating Ug=0,55 W/m2K.

Solar factor G=54%. Light transmission 74%.

Warm Edge Spacer: Swisspacer-V

Glass type 4(6)Gr -Safety Tempered Glass acc.BS6262

Fittings: Multifunctional provided by G.-U. (Gretch-Unitas-BKS).

Turn/Tilt windows with integrated Micro ventilation.

Hidden Hinges as standard.

Sealants: Two lines of milled EPDM gum sealant.

Resistant to low temperatures.
Resistant to mechanical influence.

Surface Finish: First coating - wet surface impregnation.

Two coats of acrylic Colour Sikkens ............

Windows & doors drawings are presented from the interior of building.

1 No.

Item No. Quantity Description Unit cost Total cost EUR excl. VAT 1 D01 Front Door 1 No. Profile : IV78HPL (Frame-Aluclad.Sash-Timber) 440 : PINE FJ FSC ALU Timber Painting : RAL/RAL 2500 Aluclad : RAL 2060 Sealants : Standard 2x Threshold: ALU HTS18.2.1 + HVA30 Glazing 440 1060 1 x 4XNGr-16Ar-4-16Ar-4XNGr 1500  $1 \times 4XN-16Ar-4-16Ar-4XN$ 1 x Insulated Door Panel Pine 44mm Fittings : 2 x Fix 1 x ASSA FIX2025 VR / PV (INWARD) : 1.15 Thermal Threshold Extension HVA30 Rubber DPC Threshold Bottom Sill Profile "Z" ALU RAL Size: 1500 x 2500 1.638,08 1.651,68 1 No. Warm Edge Spacer Swisspacer 13,60 -0.11 Wm2K Uw reduction for Swisspacer 2 W01 Family Room 1 No. Profile : IV78HPL Timber : PINE FJ FSC ALU Painting : 2xRAL 1825 : RAL Aluclad Sealants : Standard 2x : L20/V20 Sill Glazing : 2 714 1536 2 x 4XNGr-16Ar-4-16Ar-4XNGr 2250 Fittings 1 x Tilt/Turn. Hidden Hinges L. Tilt First 1 x Fix U value : 0.97 Sill Profile "Z" ALU RAL Size: 2250 x 1825 1.287,88 1.327,10

Warm Edge Spacer Swisspacer

-0.13 Wm2K Uw reduction for Swisspacer

39,22

Item No.	Quantity	Description	Unit	cost EUR excl		ost
		Brought from pre	vious	page:	2.978,	78
3	1 No.	W02 Stairs Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-4 Fittings : 1 x Fix U value : 1.09 Sill Profile "Z" ALU RA Size: 675 x 2275	: XNGr .L	472 <b>,</b> 26	486,	17
	1 27			172/20	1007	_ /
	1 No.	Warm Edge Spacer Swissp	acer	13,91		
	-0.17 Wm2K	Uw reduction for Swissp	acer			
675	1 No.	W03 WC Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar- Fittings : 1 x Tilt/Turn. Hidden H U value : 1.26 Sill Profile "Z" ALU RA Size: 675 x 1000	4XN F inges L			
				375 <b>,</b> 51	379 <b>,</b>	88
	1 No.	Warm Edge Spacer Swissp	acer	4,37		
	-0.18 Wm2K	Uw reduction for Swissp	acer			

Item No.	Quantity	Description		Total cost
5	1 No.  440 2500 2060	D02 Utility Profile : IV78HPL Timber : PINE FJ Painting : RAL/RAL Aluclad : RAL Sealants : Standard Threshold : ALU HTS1 Glazing : 2 1 x 4XN-16Ar-4-16Ar- 1 x 4XNGr-16Ar-4-16A Fittings : 1 x Fix 1 x ASSA FIX2025 VR	1 2x 8.2.1 + HVA30 4XN r-4XNGr	3.844,83
	1 No.	U value : 1.16 Thermal Threshold Ex Rubber DPC Threshold Sill Profile "Z" ALU Size: 950 x 2500 Warm Edge Spacer Swi	Bottom RAL 1.336,35	
	-0.15 Wm2K	Uw reduction for Swi		
6	1 No.	W04 Utility Profile : IV78HPL Timber : PINE FJ Painting : 2xRAL Aluclad : RAL Sealants : Standard Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar- Fittings :	FSC ALU  2x  4XN	
		1 x Tilt/Turn. Hidde U value : 1.26 Sill Profile "Z" ALU Size: 675 x 1000	-	
	1 No.	Warm Edge Spacer Swi	sspacer 4,37	
	-0.18 Wm2K	Uw reduction for Swi	sspacer	

Item	No. Q	uantity	Description	Unit	cost EUR exc		cost
			Brought from prev	7ious	page:	5.562 <b>,</b>	22
7	1 + 2000	1 No.	W05 Lounge Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-4X Fittings : 1 x Fix U value : 0.94 Sill Profile "Z" ALU RAI Size: 1200 x 2000	KNGr			
					614,14	637,	. 97
	1	No.	Warm Edge Spacer Swisspa	acer	23,83		
	-0.12	Wm2K	Uw reduction for Swisspa	acer			
8	1640 16	1 No.	D03 Dining Area Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Threshold : GU Thermoste Glazing : 2 2 x 6XNGr-14Ar-4-14Ar-6x Fittings : 1 x FF 1 x GU-934H Sch.A ALU I U value : 1.00 Rubber DPC Threshold Bot Sill Profile "Z" ALU RAI	ep 174 KNGr Lift/S		io Door	
			Size: 3280 x 2550		.936,58	5.012,	. 77
	1	No.	Warm Edge Spacer Swisspa		76,19	,	
	-0.09	Wm2K	Uw reduction for Swisspa	acer			

Iten	n No.	Quantity	Description	Unit	cost EUR exc	
			Brought from prev	/ious	page:	11.212,96
9	1026 714	1 No.	W06 Dining Area Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-4X Fittings : 1 x Fix 1 x Tilt/Turn. Hidden Hi U value : 1.13 Sill Profile "Z" ALU RAL Size: 1740 x 1000	KNGr Inges		
					715,67	730,09
		1 No.	Warm Edge Spacer Swisspa	acer	14,42	
	-0.	18 Wm2K	Uw reduction for Swisspa	acer		
10	1125	1 No.	W07 Kitchen Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 1.07 Sill Profile "Z" ALU RAL Size: 1125 x 1000		280,56	290 <b>,</b> 76
		1	-, -,		200,30	230 <b>,</b> 10
		1 No.	Warm Edge Spacer Swisspa	acer	10,20	
	-0.	16 Wm2K	Uw reduction for Swisspa	acer		

Ite:	m No.	Quantity	Description	Unit	cost EUR exc	Total cost 1. VAT
11		1 No.	Brought from pr	revious	page:	12.233,81
	1 + 1536 2250	1000	Profile : IV78HPL Timber : PINE FJ FS Painting : 2xRAL Aluclad : RAL Sealants : Standard 2 Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar- Fittings : 1 x Fix 1 x Tilt/Turn. Hidden U value : 1.07 Sill Profile "Z" ALU R Size: 2250 x 1000	ex -4XNGr Hinges	R. Tilt	First
			512c. 2250 A 1000		835,09	854 <b>,</b> 67
		1 No.	Warm Edge Spacer Swiss	spacer	19,58	
	- C	).16 Wm2K	Uw reduction for Swiss	spacer		
12	1 + 100	1 No.	W09 Family Profile : IV78HPL Timber : PINE FJ FS Painting : 2xRAL Aluclad : RAL Sealants : Standard 2 Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4X Fittings : 1 x Fix U value : 1.19 Sill Profile "Z" ALU R Size: 675 x 1000	2x XN		
					207,58	213,15
		1 No.	Warm Edge Spacer Swiss	spacer	5 <b>,</b> 57	
	- C	).21 Wm2K	Uw reduction for Swiss	spacer		

Item No.	Quantity	Description	Unit	cost EUR excl	Total cost
13	1 No.	Brought from prev W10 Family Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix		page:	13.301,63
		U value : 1.19 Sill Profile "Z" ALU RAL Size: 675 x 1000		207,59	213,16
	1 No.	Warm Edge Spacer Swisspa	ıcer	5 <b>,</b> 57	
<del>-</del>	-0.21 Wm2K	Uw reduction for Swisspa	cer		
714 10	1 No.	W11 Bedroom No.3 Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Tilt/Turn. Hidden Hi		L. Tilt F	'irst
		1 x Fix U value : 1.06 Sill Profile "Z" ALU RAI Size: 1800 x 1400		775,78	798,17
	1 No.	Warm Edge Spacer Swisspa	ıcer	22,39	
-	-0.16 Wm2K	Uw reduction for Swisspa	cer		

Item No.	Q <sup>-</sup>	uantity	Description	Unit	cost EUR exc	Total cost
			Brought from pre	vious	page:	14.312,96
900	T 1100 L	1 No.	W12 Bathroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden H: U value : 1.16 Sill Profile "Z" ALU RAN Size: 900 x 1100	4XN F inges L		
	1	No.	Warm Edge Spacer Swisspa	acer	7,31	
	-0.16	Wm2K	Uw reduction for Swisspa	acer		
16	1845	1 No.	W13 Landing Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XNGr-16Ar-4-16Ar-42 Fittings : 1 x Fix U value : 1.11 Sill Profile "Z" ALU RAN Size: 675 x 1845	XNGr L	394 <b>,</b> 77	405,87
	1	No.	Warm Edge Spacer Swisspa		·	400 <b>,</b> 07
					11,10	
	-0.18	Wm2K	Uw reduction for Swisspa	acer		

Item No.	Quantity	Description	Unit	cost EUR exc	Total l. VAT	cost
		Brought from prev	vious :	page:	15.19	4,90
900	1 No.	W14 En-Suite Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden H: U value : 1.16 Sill Profile "Z" ALU RAI Size: 900 x 1100	4XN F. inges :			6 <b>,</b> 07
	1 No.	Warm Edge Spacer Swisspa	acer	7,31		
	-0.16 Wm2K	Uw reduction for Swisspa	acer			
18 1500	1 No.	W15 Master Bedroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 0.96 Sill Profile "Z" ALU RAN Size: 1500 x 1400	L	412 <b>,</b> 82	43	3,46
	1 No.	Warm Edge Spacer Swisspa			10.	J <b>,</b> 10
	-0.12 Wm2K	Uw reduction for Swisspa	acer	20,64		

Quotation No.:QT17S016 2017/01/30 11

Ite	m No.	Quantity	Description	Unit		Total cost
			Brought from pre	vious	page:	16.104,43
19	786 714	1 No.	W16 Master Bedroom Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-4			
			Fittings : 1 x Fix 1 x Tilt/Turn. Hidden H U value : 1.13 Sill Profile "Z" ALU RA	_	R. Tilt	First
			Size: 1500 x 1245		767,01	782 <b>,</b> 63
		1 No.	Warm Edge Spacer Swissp	acer	15 <b>,</b> 62	
	-0.	.18 Wm2K	Uw reduction for Swissp	acer		
20	786 714	1 No.	W17 Bedroom No.17 Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 2 2 x 4XNGr-16Ar-4-16Ar-4 Fittings : 1 x Fix 1 x Tilt/Turn. Hidden H U value : 1.13	XNGr	R. Tilt	First
			Sill Profile "Z" ALU RA Size: 1500 x 1245	L	767,01	782,63
		1 No.	Warm Edge Spacer Swissp	acer	15,62	
	-0.	.18 Wm2K	Uw reduction for Swissp	acer		
			Windows & Doors Total Area Total			

Carried to next page: 17.669,69

Quotation No.:QT17S016 2017/01/30 12

Item No.	Quantity	Description		Total cost
		Brought from	previous page:	17.669,69
Handle	10 No.	Window Handle Maco S	ilver N102 6,01	60,10
Positic Measuri	on's sum wit	hout VAT		17.729 <b>,</b> 79
Install Deliver	Lation			2.056,53 780,00
VAT 13.	. 50%			2.776,45
Total o	cost:		=: €	23.342,77
Discour	nt:		- €	2.342,77
OFFER T	FOTAL:	(€18.502,20 ex VAT)	€	21.000,00

The Certified U-Value for the Window type (Standard Window Sample 1230mm x 1480mm) contained in this Quotation for the MAIN HOUSE;

## EN10077-2 is 0.88 Wm2K. and EN12207 (Airtightness) Class 4

We trust that this offer will be of interest to you.

Sincerely yours, Brian Raftery TWD Windows Ltd



TWD Windows Ltd. Unit 4 GWI Buisiness Park, Collooney, Co.Sligo

Quotation Mrs. Anne-Marie McCullagh (2859) Extension Extension To House Ballinteer Dublin 16

Quotation No.: Client No.: Phone: Date:

QT17S017 2859 MCCULLAGH 085-1202223 2017/01/30

Aluclad - Wooden Windows and Doors Specification

Timber: Laminated & Engineered Pine Finger Jointed

Moisture Content 11 (-1,+1)%.

Density 430 + kg/m3

Profile System: HPL78 (78mm) according CE (EN14351-1:2006+A1:2010)

Glazing: As per specifications attached. Triple glazing 44mm.

Thermal Conductivity Rating Ug=0,55 W/m2K.

Solar factor G=54%. Light transmission 74%.

Warm Edge Spacer: Swisspacer-V

Glass type 4(6)Gr -Safety Tempered Glass acc.BS6262

Fittings: Multifunctional provided by G.-U. (Gretch-Unitas-BKS).

Turn/Tilt windows with integrated Micro ventilation.

Hidden Hinges as standard.

Sealants: Two lines of milled EPDM gum sealant.

Resistant to low temperatures.
Resistant to mechanical influence.

Surface Finish: First coating - wet surface impregnation.

Two coats of acrylic Colour Sikkens ............

Windows & doors drawings are presented from the interior of building.

Ite	m No.	Quantity	Description	Unit	cost EUR exc		cost
1	774.5900.59	2025	D04+W24+W23 Extension Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Threshold : ALU HTS18.2. Glazing : 4 4 x 4XNGr-16Ar-4-16Ar-4x Fittings : 2 x Fix 1 x ASSA FIX2025 VR / PV 1 x ASSA FIX2025 VR / PV U value : 1.06 Thermal Threshold Extens Rubber DPC Threshold Bot Sill Profile "Z" ALU RAI Size: 3350 x 2025	1 + H' INGr INGR INW. INW. Ion H' tom	ARD) ARD)	2 001	0.0
		1 1 -	Manus Balan Communication Continues		919,11	2.901	.,09
		1 No.	Warm Edge Spacer Swisspa	.cer	61,98		
	-0.	15 Wm2K	Uw reduction for Swisspa	.cer			
1A	2	2.025 m	Corner Post Cladding ALU 1 x 2025 (mm)	RAL	42,05	85	5 <b>,</b> 15
1B	2	2.025 m	Corner Post Cladding PIN 1 x 2025 (mm)	E RAL	57 <b>,</b> 83	117	' <b>,</b> 11
2	775 1975 3525	1 No.  1 1175 2025 850 775	W22 Extension Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 5 2 x 4XN-16Ar-4-16Ar-4XN 1 x 6XNGr-12Ar-6-14Ar-6X 2 x 4XNGr-16Ar-4-16Ar-4X Fittings : 1 x Tilt/Turn. Hidden Hi 3 x Fix 1 x Tilt/Turn. Hidden Hi U value : 1.03 Thermal Threshold Extens Rubber DPC Threshold Bot Sill Profile "Z" ALU RAI	NGr NGr nges : nges :	R. Tilt		

Carried to next page: 3.183,35

Item No.	Q.	uantity	Description	Unit	cost EUR exc	Total cost
			Brought from prev	rious	page:	3.183,35
			Size: 3525 x 2025	2.	536,96	2.609,54
	1	No.	Warm Edge Spacer Swisspa	cer	72 <b>,</b> 58	
	-0.14	Wm2K	Uw reduction for Swisspa	cer		
600	1025 	1 No.	W29 Shower Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Sill : L20/V20 Glazing : 1 1 x 4XN-16Ar-4Mat-16Ar-4 Fittings : 1 x Tilt/Turn. Hidden Hi U value : 1.30 Sill Profile "Z" ALU RAL Size: 600 x 1025	XN E	L. Tilt	
	1	No	Warm Edge Chager Cuigana		377 <b>,</b> 98	381,95
	1	No.	Warm Edge Spacer Swisspa	icer	3,97	
	-0.19	Wm2K	Uw reduction for Swisspa	cer		
900	)	1 No.	Profile : IV78HPL Timber : PINE FJ FSC Painting : 2xRAL Aluclad : RAL Sealants : Standard 2x Glazing : 1 1 x 4XN-16Ar-4-16Ar-4XN Fittings : 1 x Fix U value : 1.14 Size: 900 x 900	ALU		
					497,29	502 <b>,</b> 99
	1	No.	Warm Edge Spacer Swisspa	ıcer	5 <b>,</b> 70	
	-0.19	Wm2K	Uw reduction for Swisspa	cer		
Q-ty		4 No.	Windows & Doors Total			

Quotation No.:QT17S017 2017/01/30 4

Item No.	Quantity	Description		cost EUR ex	Total cost
		Brought fro	m previous p	age:	6.677,83
Area	15.18 sq.m	Area Total			
Handle	3 No.	Window Handle Maco	Silver N102	6,30	18,90
Position's sum without VAT Measuring Installation Delivery					6.696,73 1.046,73 780,00
VAT 13	3.50%				1.150,67
Total	cost:			= €	9.674,13
Disco	unt:			- €	824,13
OFFER	TOTAL:	(€7.797,35 ex VAT	)	€	8.850,00

The Certified U-Value for the Window type (Standard Window Sample 1230mm x 1480mm) contained in this Quotation for the MAIN HOUSE;

EN10077-2 is  $0.88\ Wm^2K.$  and EN12207 (Airtightness) Class 4

We trust that this offer will be of interest to you.

Sincerely yours, Brian Raftery TWD Windows Ltd

