

Rootbeer Repository Activity - Executive Summary

Default branch: master | 36 historical source paths | 237 source-path touches | 20 authors

Analysis: GitHub commit history was mined for historical Java, Kotlin, C/C++, and header paths encountered across Rootbeer's dynamically discovered default branch. Each chart point represents one author changing one source path during one repository week.

1. Contributor concentration


stealthcopter (91) and scottyab (86) account for **74.7%** of all historical source-path touches. Repository knowledge is strongly concentrated in two contributors.

2. Source-path hotspots

RootBeer.java (53 touches) and **Const.java** (25 touches) represent **32.9%** of historical source-path activity, identifying the main maintenance hotspots.

3. Maintenance exposure

12 of 36 historical paths have only one recorded author; **25 of 36** have no more than two. This suggests knowledge-transfer and review exposure in less active areas.



How to read the visualization

Rows are historical source paths, the x-axis is repository age in weeks, and colors identify authors. Repeated changes by the same author to the same path within one week are shown as one point. Dense rows indicate recurring maintenance.

Recent activity

Only **1** historical source-path touch occurred during the 12 months ending with the latest observed change on March 05, 2026. The isolated recent event suggests maintenance rather than sustained development.

Limitation

The extension-based selection covers historical paths ending in .java, .kt, .cpp, .c, or .h. It may omit source in other languages or include generated code using a recognized extension. Renamed or moved files are treated as separate historical paths. Touch counts measure change frequency, not effort or code quality.