Critical Care Guidelines FOR CRITICAL CARE USE ONLY



STRESS ULCER PROPHYLAXIS

Indications:

- -All patients who are critically ill and have risk factors for stress related mucosal disease.
- -Patients who are usually on a proton-pump inhibitor (PPI) prior to admission to critical care should continue on this if clinically appropriate, providing there are no contra-indications **e.g. C. Difficile infection.**

Risk factors:

Independent

- Coagulopathy -platelet count <50, INR >1.5, or APTTr >2
- Mechanical ventilation

Other (list not exhaustive)

- History of upper GI ulceration or bleeding
- Dual antiplatelet therapy while in ICU
- Vasopressor use/septic shock
- Renal replacement therapy
- Liver disease
- Traumatic brain injury
- Spinal cord injury
- Corticosteroid therapy
- Partial hepatectomy

Dose: Pantoprazole 40mg iv once daily

Discontinue when patients are established on full enteral feed, unless there is a separate indication to continue IV PPI therapy. If patients are absorbing enteral feed and it is felt clinically indicated to continue gastroprotection, switch to orodispersible lansoprazole 30mg daily via nasogastric tube or via oral route if available.

References:

- Ye Z, Reintam Blaser A, Lytvyn L, Wang Y, Guyatt G H, Mikita J S et al. Gastrointestinal bleeding prophylaxis for critically ill patients: a clinical practice guideline BMJ 2020; 368:l6722 doi:10.1136/bmj.l6722
 Zhou X, Fang H, Xu J, Chen P, Hu X, Chen B, Wang H, Hu C, Xu Z. Stress ulcer prophylaxis with proton pump inhibitors or
- Zhou X, Fang H, Xu J, Chen P, Hu X, Chen B, Wang H, Hu C, Xu Z. Stress ulcer prophylaxis with proton pump inhibitors or histamine 2 receptor antagonists in critically ill adults - a meta-analysis of randomized controlled trials with trial sequential analysis. BMC Gastroenterol. 2019 Nov 21;19(1):193. doi: 10.1186/s12876-019-1105-y. PMID: 31752703; PMCID: PMC6873751.
- 3. Barbateskovic, M., Marker, S., Granholm, A. et al. Stress ulcer prophylaxis with proton pump inhibitors or histamin-2 receptor antagonists in adult intensive care patients: a systematic review with meta-analysis and trial sequential analysis. Intensive Care Med 45, 143–158 (2019). https://doi.org/10.1007/s00134-019-05526-z
- 4. Hui-Bin Huang et al. Stress ulcer prophylaxis in intensive care unit patients receiving enteral nutrition:a systematic review and meta-analysis. Critical Care (2018)22:20.

Stress Ulcer Prophylaxis	
Author: Niall Alexander	Authoriser: Lothian Critical Care Directorate QIT Editorial Board
Document Version: 3.0	
Authorisation date: November 2023	Review date: November 2025