Critical Care Guidelines FOR CRITICAL CARE USE ONLY



HEPARIN FOR HAEMOFILTRATION

PRESENTATION: Heparin sodium 1000units/ml, 10ml ampoules, preservative

free heparin.

INDICATION: Maintaining patency of haemofiltration circuit.

DOSE AND ADMINISTRATION: ICU STANDARD INFUSION FOR HAEMOFILTRATION

10,000 units heparin sodium (10ml) diluted with 30ml of

sodium chloride 0.9% to a final volume of 40ml.

CONCENTRATION: 250 units/ml

STABILITY: Physically and chemically stable for 24 hours at room

temperature.

References

1. Heparin sodium 1000units/ml solution for infusion. Summary of Product Characteristics. Fannin UK. Accessed 02/07/14.

2. Personal communication. Fannin UK. 23/07/2014

| Title: HEPARIN FOR HAEMOFILTRATION | |
|------------------------------------|--------------------------------|
| ID : TOPG140612v1 | Lead Author:Claire Hannah |
| | Co Authors: Morag Naysmith |
| Category: 1 | Document Version ; 3 |
| Status Draft/Final: FINAL | Review Date: March 2020 |
| Authoriser; Lothian Critical Care | Date Authorisation: March 2017 |
| Directorate | |
| Editorial Board. | |
| Date added to intranet | |
| Key Words; | |
| Comments; | |