

```

`html
<!DOCTYPE html>
<html lang="en" class="h-full">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>AttendEase - Modern Attendance Management System</title>
  <!-- Tailwind CSS CDN -->
  <script src="https://cdn.tailwindcss.com"></script>
  <!-- Chart.js CDN for Analytics -->
  <script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
  <!-- FontAwesome for Icons -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.4.0/css/all.min.css">
  <!-- Google Fonts Inter -->
  <link
href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;500;600;700&display=swap" rel="stylesheet">
  <script>
    tailwind.config = {
      darkMode: 'class',
      theme: {
        extend: {
          fontFamily: {
            sans: ['Inter', 'sans-serif'],
          },
        },
      },
    }
  </script>
</head>
<body class="h-full bg-slate-50 text-slate-800 font-sans antialiased flex flex-col">

  <!-- Navbar -->
  <header class="bg-white border-b border-slate-200 sticky top-0 z-30 shadow-sm">
    <div class="max-w-7xl mx-auto px-4 sm:px-6 lg:px-8 h-16 flex items-center justify-between">
      <div class="flex items-center space-x-3">
        <div class="bg-indigo-600 text-white p-2.5 rounded-xl shadow-md flex items-center justify-center">
          <i class="fa-solid fa-clipboard-user text-xl"></i>
        </div>
      </div>
    </div>
  </header>

```

```

        <h1 class="text-xl font-bold bg-gradient-to-r from-indigo-600 to-violet-600
bg-clip-text text-transparent">AttendEase</h1>
        <p class="text-xs text-slate-500 font-medium" id="role-subtitle">Smart Attendance
& Roster Manager</p>
    </div>
</div>
<div class="flex items-center space-x-3">
    <div id="current-date-display" class="hidden md:flex items-center text-sm
font-medium text-slate-600 bg-slate-100 px-3 py-1.5 rounded-lg border border-slate-200">
        <i class="fa-regular fa-calendar-days mr-2 text-indigo-600"></i>
        <span id="date-text">Loading date...</span>
    </div>
    <button onclick="openModal('exportModal')" class="bg-slate-100 hover:bg-slate-200
text-slate-700 px-3.5 py-2 rounded-xl text-sm font-medium transition flex items-center space-x-2
border border-slate-200 shadow-sm">
        <i class="fa-solid fa-download text-slate-500"></i>
        <span class="hidden sm:inline">Export</span>
    </button>
    <button onclick="openModal('authModal')" class="bg-indigo-50 hover:bg-indigo-100
text-indigo-700 px-3.5 py-2 rounded-xl text-sm font-semibold transition flex items-center
space-x-2 border border-indigo-200">
        <i class="fa-solid fa-shield-halved"></i>
        <span id="auth-btn-text">Admin / Member Mode</span>
    </button>
</div>
</div>
</header>

<!-- Main Container -->
<main class="flex-1 max-w-7xl w-full mx-auto px-4 sm:px-6 lg:px-8 py-6 flex flex-col gap-6">

    <!-- Navigation Tabs -->
    <div class="flex flex-wrap items-center justify-between gap-4 border-b border-slate-200
pb-4">
        <div class="flex space-x-2 bg-slate-200/70 p-1.5 rounded-2xl w-full sm:w-auto
overflow-x-auto">
            <button onclick="switchTab('dashboard')" id="tab-btn-dashboard" class="flex-1
sm:flex-none px-5 py-2.5 rounded-xl text-sm font-semibold transition bg-white text-indigo-600
shadow-sm flex items-center justify-center space-x-2">
                <i class="fa-solid fa-chart-pie"></i>
                <span>Dashboard</span>
            </button>

```

```

        <button onclick="switchTab('attendance')" id="tab-btn-attendance" class="flex-1
sm:flex-none px-5 py-2.5 rounded-xl text-sm font-semibold transition text-slate-600
hover:text-slate-900 flex items-center justify-center space-x-2">
            <i class="fa-solid fa-clipboard-check"></i>
            <span>Mark Attendance</span>
        </button>
        <button onclick="switchTab('roster')" id="tab-btn-roster" class="flex-1 sm:flex-none
px-5 py-2.5 rounded-xl text-sm font-semibold transition text-slate-600 hover:text-slate-900 flex
items-center justify-center space-x-2">
            <i class="fa-solid fa-users"></i>
            <span>Directory / Roster</span>
        </button>
        <button onclick="switchTab('history')" id="tab-btn-history" class="flex-1 sm:flex-none
px-5 py-2.5 rounded-xl text-sm font-semibold transition text-slate-600 hover:text-slate-900 flex
items-center justify-center space-x-2">
            <i class="fa-solid fa-clock-rotate-left"></i>
            <span>History Log</span>
        </button>
    </div>

```

```

    <div id="admin-action-btn-container" class="flex items-center space-x-3 w-full sm:w-auto
justify-end">
        <button onclick="openModal('addPersonModal')" class="bg-indigo-600
hover:bg-indigo-700 text-white px-4 py-2.5 rounded-xl text-sm font-medium transition
shadow-md hover:shadow-indigo-500/25 flex items-center space-x-2">
            <i class="fa-solid fa-user-plus"></i>
            <span>Add Member</span>
        </button>
    </div>
</div>

```

```

<!-- TAB 1: DASHBOARD -->
<div id="tab-dashboard" class="tab-content flex flex-col gap-6">
    <!-- Stat Cards Grid -->
    <div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4">
        <div class="bg-white p-5 rounded-2xl border border-slate-200 shadow-sm flex
items-center justify-between">
            <div>
                <p class="text-xs font-semibold uppercase tracking-wider text-slate-400">Total
Roster</p>
                <h3 id="stat-total" class="text-2xl font-bold text-slate-800 mt-1">0</h3>
            </div>
            <div class="w-12 h-12 bg-indigo-50 text-indigo-600 rounded-xl flex items-center
justify-center text-xl">

```

```

        <i class="fa-solid fa-users-rectangle"></i>
      </div>
    </div>
    <div class="bg-white p-5 rounded-2xl border border-slate-200 shadow-sm flex
items-center justify-between">
      <div>
        <p class="text-xs font-semibold uppercase tracking-wider
text-emerald-500">Present Today</p>
        <h3 id="stat-present" class="text-2xl font-bold text-emerald-600 mt-1">0</h3>
      </div>
      <div class="w-12 h-12 bg-emerald-50 text-emerald-600 rounded-xl flex
items-center justify-center text-xl">
        <i class="fa-solid fa-user-check"></i>
      </div>
    </div>
    <div class="bg-white p-5 rounded-2xl border border-slate-200 shadow-sm flex
items-center justify-between">
      <div>
        <p class="text-xs font-semibold uppercase tracking-wider text-amber-500">Late /
Excused</p>
        <h3 id="stat-late" class="text-2xl font-bold text-amber-600 mt-1">0</h3>
      </div>
      <div class="w-12 h-12 bg-amber-50 text-amber-600 rounded-xl flex items-center
justify-center text-xl">
        <i class="fa-solid fa-user-clock"></i>
      </div>
    </div>
    <div class="bg-white p-5 rounded-2xl border border-slate-200 shadow-sm flex
items-center justify-between">
      <div>
        <p class="text-xs font-semibold uppercase tracking-wider text-rose-500">Absent
Today</p>
        <h3 id="stat-absent" class="text-2xl font-bold text-rose-600 mt-1">0</h3>
      </div>
      <div class="w-12 h-12 bg-rose-50 text-rose-600 rounded-xl flex items-center
justify-center text-xl">
        <i class="fa-solid fa-user-xmark"></i>
      </div>
    </div>
  </div>
  <!-- Charts & Quick summary cards -->
  <div class="grid grid-cols-1 lg:grid-cols-3 gap-6">
    <!-- Main Chart -->

```

```

<div class="lg:col-span-2 bg-white p-6 rounded-2xl border border-slate-200
shadow-sm flex flex-col justify-between">
  <div class="flex items-center justify-between mb-4">
    <h2 class="text-base font-bold text-slate-800">Attendance Overview (Last 7
Days)</h2>
    <span class="text-xs text-slate-400 bg-slate-100 px-2.5 py-1
rounded-lg">Realtime Analytics</span>
  </div>
  <div class="relative h-72 w-full flex items-center justify-center">
    <canvas id="attendanceChart"></canvas>
  </div>
</div>

<!-- Quick Actions & Status Summary -->
<div class="bg-white p-6 rounded-2xl border border-slate-200 shadow-sm flex flex-col
justify-between">
  <div>
    <h2 class="text-base font-bold text-slate-800 mb-2">Today's Quick
Summary</h2>
    <p class="text-xs text-slate-500 mb-4">Percentage breakdown for today's active
session.</p>
    <div class="space-y-4">
      <div>
        <div class="flex justify-between text-sm font-medium mb-1">
          <span class="text-slate-600">Attendance Rate</span>
          <span id="attendance-rate-pct" class="font-bold
text-indigo-600">0%</span>
        </div>
        <div class="w-full bg-slate-100 h-3 rounded-full overflow-hidden">
          <div id="attendance-rate-bar" class="bg-indigo-600 h-full rounded-full
transition-all duration-500" style="width: 0%></div>
        </div>
      </div>
      <div id="quick-action-buttons" class="pt-4 border-t border-slate-100 flex
flex-col gap-2">
        <button onclick="switchTab('attendance')" class="w-full bg-indigo-50
hover:bg-indigo-100 text-indigo-700 font-semibold py-2.5 px-4 rounded-xl text-sm transition flex
items-center justify-center space-x-2">
          <i class="fa-solid fa-pen-to-square"></i>
          <span>Take / Update Attendance Now</span>
        </button>
        <button onclick="switchTab('roster')" class="w-full bg-slate-50
hover:bg-slate-100 text-slate-700 font-semibold py-2.5 px-4 rounded-xl text-sm transition flex
items-center justify-center space-x-2 border border-slate-200">

```

```

                <i class="fa-solid fa-address-book"></i>
                <span>Manage Roster List</span>
            </button>
        </div>
    </div>
</div>
<div class="mt-6 pt-4 border-t border-slate-100 text-center">
    <p id="cloud-status-text" class="text-xs text-slate-400">AttendEase v2.5 • Cloud
Synced</p>
</div>
</div>
</div>
</div>
</div>
</div>

<!-- TAB 2: ATTENDANCE MARKER -->
<div id="tab-attendance" class="tab-content hidden flex flex-col gap-6">
    <div class="bg-white p-6 rounded-2xl border border-slate-200 shadow-sm">
        <div class="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4
mb-6">
            <div>
                <h2 class="text-lg font-bold text-slate-800">Daily Attendance Sheet</h2>
                <p id="attendance-subtitle" class="text-xs text-slate-500">Record status for each
member. Changes auto-save instantly.</p>
            </div>
            <div class="flex items-center space-x-3 w-full sm:w-auto">
                <div class="relative flex-1 sm:flex-none">
                    <input type="date" id="attendance-date-picker"
onchange="handleDateChange()" class="bg-slate-50 border border-slate-200 text-slate-700
text-sm rounded-xl px-3.5 py-2.5 outline-none focus:border-indigo-500 font-medium w-full">
                </div>
                <button id="mark-all-btn" onclick="markAllStatus('Present')"
class="bg-emerald-50 hover:bg-emerald-100 text-emerald-700 px-3 py-2.5 rounded-xl text-xs
font-semibold transition border border-emerald-200 whitespace-nowrap">
                    Mark All Present
                </button>
            </div>
        </div>
    </div>

    <!-- Search & Filters -->
    <div class="flex flex-col sm:flex-row items-center justify-between gap-3 mb-4">
        <div class="relative w-full sm:w-72">
            <span class="absolute inset-y-0 left-0 flex items-center pl-3.5
pointer-events-none text-slate-400">
                <i class="fa-solid fa-magnifying-glass text-xs"></i>

```

```

        </span>
        <input type="text" id="attendance-search" oninput="renderAttendanceTable()"
placeholder="Search members..." class="w-full pl-10 pr-4 py-2 bg-slate-50 border
border-slate-200 rounded-xl text-sm focus:outline-none focus:border-indigo-500">
    </div>
    <div class="flex items-center space-x-2 w-full sm:w-auto justify-end">
        <span class="text-xs font-medium text-slate-500">Filter Group:</span>
        <select id="attendance-group-filter" onchange="renderAttendanceTable()"
class="bg-slate-50 border border-slate-200 text-slate-700 text-xs rounded-xl px-3 py-2
outline-none font-medium">
            <option value="All">All Groups / Classes</option>
        </select>
    </div>
</div>

```

```

<!-- Attendance Table -->
<div class="overflow-x-auto rounded-xl border border-slate-200">
    <table class="w-full text-left border-collapse">
        <thead>
            <tr class="bg-slate-100/70 text-slate-600 text-xs font-bold uppercase
tracking-wider border-b border-slate-200">
                <th class="py-3 px-4">Member Name</th>
                <th class="py-3 px-4">Group / Dept</th>
                <th class="py-3 px-4 text-center">Status</th>
                <th class="py-3 px-4">Notes / Remarks</th>
            </tr>
        </thead>
        <tbody id="attendance-table-body" class="divide-y divide-slate-200 text-sm">
            <!-- Populated dynamically -->
        </tbody>
    </table>
</div>
</div>
</div>

```

```

<!-- TAB 3: ROSTER / DIRECTORY -->
<div id="tab-roster" class="tab-content hidden flex flex-col gap-6">
    <div class="bg-white p-6 rounded-2xl border border-slate-200 shadow-sm">
        <div class="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4
mb-6">
            <div>
                <h2 class="text-lg font-bold text-slate-800">Member Directory & Roster</h2>
                <p id="roster-subtitle" class="text-xs text-slate-500">Add, edit, or remove
members from your attendance tracking list.</p>
            </div>

```

```

        </div>
        <button id="add-member-top-btn" onclick="openModal('addPersonModal')"
class="bg-indigo-600 hover:bg-indigo-700 text-white px-4 py-2.5 rounded-xl text-sm
font-medium transition shadow-sm flex items-center space-x-2">
        <i class="fa-solid fa-user-plus"></i>
        <span>Add New Member</span>
    </button>
</div>

<!-- Search & Filters -->
<div class="flex flex-col sm:flex-row items-center justify-between gap-3 mb-4">
    <div class="relative w-full sm:w-72">
        <span class="absolute inset-y-0 left-0 flex items-center pl-3.5
pointer-events-none text-slate-400">
            <i class="fa-solid fa-magnifying-glass text-xs"></i>
        </span>
        <input type="text" id="roster-search" oninput="renderRosterTable()"
placeholder="Search roster..." class="w-full pl-10 pr-4 py-2 bg-slate-50 border border-slate-200
rounded-xl text-sm focus:outline-none focus:border-indigo-500">
    </div>
    <div class="flex items-center space-x-2 w-full sm:w-auto justify-end">
        <span class="text-xs font-medium text-slate-500">Filter Group:</span>
        <select id="roster-group-filter" onchange="renderRosterTable()"
class="bg-slate-50 border border-slate-200 text-slate-700 text-xs rounded-xl px-3 py-2
outline-none font-medium">
            <option value="All">All Groups</option>
        </select>
    </div>
</div>

<!-- Roster Table -->
<div class="overflow-x-auto rounded-xl border border-slate-200">
    <table class="w-full text-left border-collapse">
        <thead>
            <tr class="bg-slate-100/70 text-slate-600 text-xs font-bold uppercase
tracking-wider border-b border-slate-200">
                <th class="py-3 px-4">Name</th>
                <th class="py-3 px-4">Group / Dept</th>
                <th class="py-3 px-4">Email</th>
                <th class="py-3 px-4 text-right">Actions</th>
            </tr>
        </thead>
        <tbody id="roster-table-body" class="divide-y divide-slate-200 text-sm">
            <!-- Populated dynamically -->

```

```

        </tbody>
      </table>
    </div>
  </div>
</div>

<!-- TAB 4: HISTORY LOG -->
<div id="tab-history" class="tab-content hidden flex flex-col gap-6">
  <div class="bg-white p-6 rounded-2xl border border-slate-200 shadow-sm">
    <div class="flex flex-col sm:flex-row items-start sm:items-center justify-between gap-4
mb-6">
      <div>
        <h2 class="text-lg font-bold text-slate-800">Attendance Log History</h2>
        <p class="text-xs text-slate-500">Review past attendance dates and summary
statistics.</p>
      </div>
      <div class="flex items-center space-x-2">
        <span class="text-xs font-medium text-slate-500">Select Date to View:</span>
        <input type="date" id="history-date-picker" onchange="renderHistoryLog()"
class="bg-slate-50 border border-slate-200 text-slate-700 text-sm rounded-xl px-3 py-2
outline-none font-medium">
      </div>
    </div>

    <!-- History Summary Grid -->
    <div id="history-summary-cards" class="grid grid-cols-2 sm:grid-cols-4 gap-4 mb-6">
      <div class="bg-slate-50 p-4 rounded-xl border border-slate-200 text-center">
        <span class="text-xs font-semibold text-slate-400 uppercase">Present</span>
        <h4 id="history-stat-present" class="text-xl font-bold text-emerald-600
mt-1">0</h4>
      </div>
      <div class="bg-slate-50 p-4 rounded-xl border border-slate-200 text-center">
        <span class="text-xs font-semibold text-slate-400 uppercase">Late</span>
        <h4 id="history-stat-late" class="text-xl font-bold text-amber-600 mt-1">0</h4>
      </div>
      <div class="bg-slate-50 p-4 rounded-xl border border-slate-200 text-center">
        <span class="text-xs font-semibold text-slate-400 uppercase">Excused</span>
        <h4 id="history-stat-excused" class="text-xl font-bold text-blue-600 mt-1">0</h4>
      </div>
      <div class="bg-slate-50 p-4 rounded-xl border border-slate-200 text-center">
        <span class="text-xs font-semibold text-slate-400 uppercase">Absent</span>
        <h4 id="history-stat-absent" class="text-xl font-bold text-rose-600 mt-1">0</h4>
      </div>
    </div>
  </div>

```

```

<!-- Detailed History Table -->
<div class="overflow-x-auto rounded-xl border border-slate-200">
  <table class="w-full text-left border-collapse">
    <thead>
      <tr class="bg-slate-100/70 text-slate-600 text-xs font-bold uppercase
tracking-wider border-b border-slate-200">
        <th class="py-3 px-4">Member Name</th>
        <th class="py-3 px-4">Group</th>
        <th class="py-3 px-4 text-center">Recorded Status</th>
        <th class="py-3 px-4">Remarks</th>
      </tr>
    </thead>
    <tbody id="history-table-body" class="divide-y divide-slate-200 text-sm">
      <!-- Populated dynamically -->
    </tbody>
  </table>
</div>
</div>
</div>

</main>

<!-- MODAL: Add/Edit Person -->
<div id="addPersonModal" class="fixed inset-0 z-50 bg-slate-900/50 backdrop-blur-sm hidden
items-center justify-center p-4">
  <div class="bg-white rounded-2xl max-w-md w-full p-6 shadow-xl border border-slate-200
transform transition-all">
    <div class="flex items-center justify-between mb-4">
      <h3 id="modal-title" class="text-lg font-bold text-slate-800">Add New Member</h3>
      <button onclick="closeModal('addPersonModal')" class="text-slate-400
hover:text-slate-600 p-1 rounded-lg">
        <i class="fa-solid fa-xmark text-lg"></i>
      </button>
    </div>
    <form id="person-form" onsubmit="handlePersonSubmit(event)" class="space-y-4">
      <input type="hidden" id="edit-person-id">
      <div>
        <label class="block text-xs font-semibold uppercase tracking-wider text-slate-500
mb-1">Full Name *</label>
        <input type="text" id="person-name" required placeholder="e.g. Sarah Jenkins"
class="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-sm
focus:outline-none focus:border-indigo-500">
      </div>

```

```

<div>
  <label class="block text-xs font-semibold uppercase tracking-wider text-slate-500
mb-1">Group / Department</label>
  <input type="text" id="person-group" placeholder="e.g. Faculty / Staff" class="w-full
px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-sm focus:outline-none
focus:border-indigo-500">
</div>
<div>
  <label class="block text-xs font-semibold uppercase tracking-wider text-slate-500
mb-1">Email Address</label>
  <input type="email" id="person-email" placeholder="sarah.j@example.com"
class="w-full px-3.5 py-2.5 bg-slate-50 border border-slate-200 rounded-xl text-sm
focus:outline-none focus:border-indigo-500">
</div>
<div class="flex items-center justify-end space-x-3 pt-3">
  <button type="button" onclick="closeModal('addPersonModal')" class="px-4 py-2
rounded-xl text-sm font-medium text-slate-600 hover:bg-slate-100 transition">Cancel</button>
  <button type="submit" class="bg-indigo-600 hover:bg-indigo-700 text-white px-5
py-2 rounded-xl text-sm font-medium transition shadow-md">Save Member</button>
</div>
</form>
</div>
</div>

```

```

<!-- MODAL: Export Data -->
<div id="exportModal" class="fixed inset-0 z-50 bg-slate-900/50 backdrop-blur-sm hidden
items-center justify-center p-4">
  <div class="bg-white rounded-2xl max-w-sm w-full p-6 shadow-xl border border-slate-200
text-center">
    <div class="w-12 h-12 bg-emerald-50 text-emerald-600 rounded-xl flex items-center
justify-center text-xl mx-auto mb-3">
      <i class="fa-solid fa-file-excel"></i>
    </div>
    <h3 class="text-lg font-bold text-slate-800 mb-1">Download Sheet</h3>
    <p class="text-xs text-slate-500 mb-6">Download the current attendance records as an
Excel spreadsheet or CSV file.</p>
    <div class="space-y-3">
      <button onclick="exportExcelSheet()" class="w-full bg-emerald-600
hover:bg-emerald-700 text-white font-semibold py-2.5 px-4 rounded-xl text-sm transition
shadow-md flex items-center justify-center space-x-2">
        <i class="fa-solid fa-file-arrow-down"></i>
        <span>Download Attendance Sheet (.xls / .csv)</span>
      </button>
    </div>
  </div>
</div>

```

```
        <button onclick="exportJSON()" class="w-full bg-slate-100 hover:bg-slate-200
text-slate-700 font-semibold py-2.5 px-4 rounded-xl text-sm transition flex items-center
justify-center space-x-2 border border-slate-200">
```

```
        <i class="fa-solid fa-code"></i>
```

```
        <span>Backup Full JSON Data</span>
```

```
    </button>
```

```
    <button onclick="closeModal('exportModal')" class="w-full text-slate-500
hover:text-slate-700 text-xs font-semibold py-2">Cancel</button>
```

```
  </div>
```

```
</div>
```

```
</div>
```

```
<!-- MODAL: Authentication / Role Switcher -->
```

```
<div id="authModal" class="fixed inset-0 z-50 bg-slate-900/50 backdrop-blur-sm hidden
items-center justify-center p-4">
```

```
  <div class="bg-white rounded-2xl max-w-md w-full p-6 shadow-xl border
border-slate-200">
```

```
    <div class="flex items-center justify-between mb-4">
```

```
      <h3 class="text-lg font-bold text-slate-800">Access Control & Role</h3>
```

```
      <button onclick="closeModal('authModal')" class="text-slate-400 hover:text-slate-600
p-1 rounded-lg">
```

```
        <i class="fa-solid fa-xmark text-lg"></i>
```

```
      </button>
```

```
    </div>
```

```
    <p class="text-xs text-slate-500 mb-6">Switch between Administrator mode (full edit
access) and Member read-only viewing mode.</p>
```

```
    <div class="space-y-4">
```

```
      <div class="p-4 rounded-xl border border-slate-200 bg-slate-50 flex items-center
justify-between">
```

```
        <div>
```

```
          <h4 class="font-bold text-slate-800 text-sm">Administrator Mode</h4>
```

```
          <p class="text-xs text-slate-500">You can edit roster, mark attendance, and save
changes.</p>
```

```
        </div>
```

```
        <button onclick="setRole('admin')" class="bg-indigo-600 hover:bg-indigo-700
text-white px-4 py-2 rounded-xl text-xs font-semibold transition">
```

```
          Be Admin
```

```
        </button>
```

```
      </div>
```

```
      <div class="p-4 rounded-xl border border-slate-200 bg-slate-50 flex items-center
justify-between">
```

```
        <div>
```

```
          <h4 class="font-bold text-slate-800 text-sm">Member View Mode</h4>
```

```

        <p class="text-xs text-slate-500">View attendance records and directory
(Read-only).</p>
    </div>
    <button onclick="setRole('member')" class="bg-slate-200 hover:bg-slate-300
text-slate-700 px-4 py-2 rounded-xl text-xs font-semibold transition">
        View as Member
    </button>
</div>
</div>
<div class="mt-6 pt-4 border-t border-slate-100 flex justify-end">
    <button onclick="closeModal('authModal')" class="px-4 py-2 bg-slate-100
text-slate-700 rounded-xl text-xs font-semibold hover:bg-slate-200 transition">Close</button>
</div>
</div>
</div>

<!-- Application Logic Script -->
<script type="module">
    import { initializeApp } from "https://www.gstatic.com/firebasejs/11.6.1/firebase-app.js";
    import { getAuth, signInAnonymously, signInWithCustomToken } from
"https://www.gstatic.com/firebasejs/11.6.1/firebase-auth.js";
    import { getFirestore, doc, setDoc, getDoc, onSnapshot } from
"https://www.gstatic.com/firebasejs/11.6.1/firebase-firestore.js";

    const appId = typeof __app_id !== 'undefined' ? __app_id : 'attendease-default-app';
    const firebaseConfig = JSON.parse(typeof __firebase_config !== 'undefined' ?
__firebase_config : '{}');
    const initialAuthToken = typeof __initial_auth_token !== 'undefined' ? __initial_auth_token :
undefined;

    let app, db, auth;
    let currentUser = null;
    let userRole = localStorage.getItem('attendease_role') || 'admin'; // default to admin for
creator

    const defaultRoster = [
        { id: '1', name: 'Christine Ann D. Baracena', group: 'Faculty / Staff', email:
'sfacbacoor_christine.baracena@stfrancis.edu.ph' },
        { id: '2', name: 'Arlene B. Abantao', group: 'Faculty / Staff', email:
'sfacbacoor_arlene.abantao@stfrancis.edu.ph' },
        { id: '3', name: 'Trisha G. OrenCIA', group: 'Faculty / Staff', email:
'sfacbacoor_trisha.orencia@stfrancis.edu.ph' },
        { id: '4', name: 'Adelene C. Barrientos', group: 'Faculty / Staff', email:
'sfacbacoor_adelene.barrientos@stfrancis.edu.ph' },

```

```

    { id: '5', name: 'Leean Jennele B. Ilano', group: 'Faculty / Staff', email:
'sfacbacoor_leean.ilano@stfrancis.edu.ph' },
    { id: '6', name: 'Trexie P. Dela Cruz', group: 'Faculty / Staff', email:
'sfacbacoor_trexie.delacruz@stfrancis.edu.ph' },
    { id: '7', name: 'Robin Angela C. Macam', group: 'Faculty / Staff', email:
'sfacbacoor_robin.macam@stfrancis.edu.ph' },
    { id: '8', name: 'Karl Hendrix S. Anero', group: 'Faculty / Staff', email:
'sfacbacoor_karl.anero@stfrancis.edu.ph' },
    { id: '9', name: 'Rachelle Ann D. Cruz', group: 'Faculty / Staff', email:
'sfacbacoor_rachelle.cruz@stfrancis.edu.ph' },
    { id: '10', name: 'John Noeh B. Eligoyo', group: 'Faculty / Staff', email:
'sfacbacoor_john.eligoyo@stfrancis.edu.ph' },
    { id: '11', name: 'Clariza S. Cruz', group: 'Faculty / Staff', email:
'sfacbacoor_clariza.cruz@stfrancis.edu.ph' },
    { id: '12', name: 'Srdjan Fontanilla', group: 'Faculty / Staff', email:
'sfacbacoor_srdjan.fontanilla@stfrancis.edu.ph' },
    { id: '13', name: 'Kenneth J. Lato', group: 'Faculty / Staff', email:
'sfacbacoor_kenneth.lato@stfrancis.edu.ph' },
    { id: '14', name: 'Abegail A. Torres', group: 'Faculty / Staff', email:
'sfacbacoor_abegail.torres@stfrancis.edu.ph' },
    { id: '15', name: 'Rolan Jes B. Pasta', group: 'Faculty / Staff', email:
'sfacbacoor_rolan.pasta@stfrancis.edu.ph' },
    { id: '16', name: 'Resty B. Suan', group: 'Faculty / Staff', email:
'sfacbacoor_resty.suan@stfrancis.edu.ph' },
    { id: '17', name: 'Wilfred A. Oriel', group: 'Faculty / Staff', email:
'sfacbacoor_wilfred.oriel@stfrancis.edu.ph' },
    { id: '18', name: 'Alexis M. Diego', group: 'Faculty / Staff', email:
'sfacbacoor_alexis.diego@stfrancis.edu.ph' },
    { id: '19', name: 'John Kenneth P. Azarcon', group: 'Faculty / Staff', email:
'sfacbacoor_john.azarcon@stfrancis.edu.ph' },
    { id: '20', name: 'Mish Bianca B. Mendoza', group: 'Faculty / Staff', email:
'sfacbacoor_mish.mendoza@stfrancis.edu.ph' },
    { id: '21', name: 'Danica Allyzza D. Duano', group: 'Faculty / Staff', email:
'sfacbacoor_danica.duano@stfrancis.edu.ph' },
    { id: '22', name: 'Sophia Andrea C. Catap', group: 'Faculty / Staff', email:
'sfacbacoor_sophia.catap@stfrancis.edu.ph' },
    { id: '23', name: 'Edna Nerbie B. Royeca', group: 'Faculty / Staff', email:
'sfacbacoor_edna.royeca@stfrancis.edu.ph' },
    { id: '24', name: 'Jeremy Zaldy E. Buergo', group: 'Faculty / Staff', email:
'sfacbacoor_jeremy.buergo@stfrancis.edu.ph' }
];

```

```

window.roster = JSON.parse(localStorage.getItem('attendease_roster')) || defaultRoster;
window.attendanceLogs = JSON.parse(localStorage.getItem('attendease_logs')) || {};

```

```

window.activeChart = null;

function getTodayString() {
  const d = new Date();
  return d.toISOString().split('T')[0];
}

window.selectedDate = getTodayString();

async function initFirebase() {
  try {
    if (firebaseConfig && firebaseConfig.projectId) {
      app = initializeApp(firebaseConfig);
      db = getFirestore(app);
      auth = getAuth(app);

      if (initialAuthToken) {
        await signInWithCustomToken(auth, initialAuthToken);
      } else {
        await signInAnonymously(auth);
      }
      currentUser = auth.currentUser;
      document.getElementById('cloud-status-text').innerText = "AttendEase v2.5 • Cloud
Synced Online";

      // Listen to Firestore public data document
      const docRef = doc(db, 'artifacts', appId, 'public', 'data', 'app_state');
      onSnapshot(docRef, (docSnap) => {
        if (docSnap.exists()) {
          const data = docSnap.data();
          if (data.roster) window.roster = data.roster;
          if (data.attendanceLogs) window.attendanceLogs = data.attendanceLogs;
          refreshAllViews();
        } else {
          // Initialize document if not exists
          setDoc(docRef, { roster: window.roster, attendanceLogs:
window.attendanceLogs });
        }
      }, (err) => {
        console.error("Firestore sync error:", err);
      });
    }
  } catch (e) {
    console.log("Running in local storage fallback mode:", e);
  }
}

```

```

    }
}

window.syncCloudData = async function() {
    localStorage.setItem('attendease_roster', JSON.stringify(window.roster));
    localStorage.setItem('attendease_logs', JSON.stringify(window.attendanceLogs));

    if (db && currentUser && userRole === 'admin') {
        try {
            const docRef = doc(db, 'artifacts', appld, 'public', 'data', 'app_state');
            await setDoc(docRef, { roster: window.roster, attendanceLogs:
window.attendanceLogs });
        } catch (e) {
            console.error("Cloud save error:", e);
        }
    }
};

window.setRole = function(role) {
    userRole = role;
    localStorage.setItem('attendease_role', role);
    closeModal('authModal');
    updateUIByRole();
    refreshAllViews();
};

function updateUIByRole() {
    const roleSub = document.getElementById('role-subtitle');
    const authBtn = document.getElementById('auth-btn-text');
    const actionContainer = document.getElementById('admin-action-btn-container');
    const addTopBtn = document.getElementById('add-member-top-btn');
    const markAllBtn = document.getElementById('mark-all-btn');
    const attSub = document.getElementById('attendance-subtitle');
    const rosSub = document.getElementById('roster-subtitle');

    if (userRole === 'admin') {
        roleSub.innerText = "Smart Attendance & Roster Manager (Administrator)";
        authBtn.innerText = "Mode: Admin";
        actionContainer.style.display = 'flex';
        if (addTopBtn) addTopBtn.style.display = 'flex';
        if (markAllBtn) markAllBtn.style.display = 'block';
        if (attSub) attSub.innerText = "Record status for each member. Changes auto-save
instantly.";
    }
}

```

```

        if (rosSub) rosSub.innerText = "Add, edit, or remove members from your attendance tracking list.";
    } else {
        roleSub.innerText = "Smart Attendance & Roster Manager (Member View)";
        authBtn.innerText = "Mode: Member View";
        actionContainer.style.display = 'none';
        if (addTopBtn) addTopBtn.style.display = 'none';
        if (markAllBtn) markAllBtn.style.display = 'none';
        if (attSub) attSub.innerText = "Viewing attendance status records (Read-Only).";
        if (rosSub) rosSub.innerText = "Viewing member directory and contact list (Read-Only).";
    }
}

```

```

function refreshAllViews() {
    populateGroupDropdowns();
    initAttendanceForDate(window.selectedDate);
    renderDashboard();
    renderAttendanceTable();
    renderRosterTable();
    renderHistoryLog();
    if (window.activeChart) updateChart();
}

```

```

window.addEventListener('DOMContentLoaded', () => {
    document.getElementById('attendance-date-picker').value = window.selectedDate;
    document.getElementById('history-date-picker').value = window.selectedDate;

    updateHeaderDate();
    updateUIByRole();

    initAttendanceForDate(window.selectedDate);
    refreshAllViews();
    initChart();
    initFirebase();
});

```

```

function updateHeaderDate() {
    const options = { weekday: 'long', year: 'numeric', month: 'short', day: 'numeric' };
    document.getElementById('date-text').innerText = new Date().toLocaleDateString('en-US', options);
}

```

```

window.switchTab = function(tabId) {

```

```

document.querySelectorAll('.tab-content').forEach(el => el.classList.add('hidden'));
document.getElementById('tab-' + tabId).classList.remove('hidden');

['dashboard', 'attendance', 'roster', 'history'].forEach(t => {
  const btn = document.getElementById('tab-btn-' + t);
  if (t === tabId) {
    btn.className = "flex-1 sm:flex-none px-5 py-2.5 rounded-xl text-sm font-semibold
transition bg-white text-indigo-600 shadow-sm flex items-center justify-center space-x-2";
  } else {
    btn.className = "flex-1 sm:flex-none px-5 py-2.5 rounded-xl text-sm font-semibold
transition text-slate-600 hover:text-slate-900 flex items-center justify-center space-x-2";
  }
});

if (tabId === 'dashboard') {
  renderDashboard();
  updateChart();
} else if (tabId === 'attendance') {
  renderAttendanceTable();
} else if (tabId === 'roster') {
  renderRosterTable();
} else if (tabId === 'history') {
  renderHistoryLog();
}
};

window.openModal = function(modalId, personId = null) {
  document.getElementById(modalId).classList.remove('hidden');
  document.getElementById(modalId).classList.add('flex');

  if (modalId === 'addPersonModal') {
    if (userRole !== 'admin') {
      closeModal('addPersonModal');
      alertBox("Permission denied: Only the administrator can add or edit members.");
      return;
    }
    const form = document.getElementById('person-form');
    form.reset();
    document.getElementById('edit-person-id').value = "";
    document.getElementById('modal-title').innerText = 'Add New Member';

    if (personId) {
      const p = window.roster.find(x => x.id === personId);
      if (p) {

```

```

        document.getElementById('modal-title').innerText = 'Edit Member';
        document.getElementById('edit-person-id').value = p.id;
        document.getElementById('person-name').value = p.name;
        document.getElementById('person-group').value = p.group || "";
        document.getElementById('person-email').value = p.email || "";
    }
}
};

window.closeModal = function(modalId) {
    document.getElementById(modalId).classList.remove('flex');
    document.getElementById(modalId).classList.add('hidden');
};

function alertBox(msg) {
    // Simple non-intrusive modal alert
    const div = document.createElement('div');
    div.className = "fixed bottom-5 right-5 bg-slate-900 text-white px-5 py-3 rounded-2xl
shadow-xl z-50 text-sm font-medium flex items-center space-x-3";
    div.innerHTML = `

```

```

        window.attendanceLogs[dateStr][p.id] = { status: 'Present', note: " " };
    });
    window.syncCloudData();
} else {
    window.roster.forEach(p => {
        if (!window.attendanceLogs[dateStr][p.id]) {
            window.attendanceLogs[dateStr][p.id] = { status: 'Present', note: " " };
        }
    });
}
}
}

```

```

function renderDashboard() {
    const today = getTodayString();
    initAttendanceForDate(today);
    const logs = window.attendanceLogs[today] || {};

```

```

    let total = window.roster.length;
    let present = 0, late = 0, absent = 0, excused = 0;

```

```

    Object.values(logs).forEach(rec => {
        if (rec.status === 'Present') present++;
        else if (rec.status === 'Late') late++;
        else if (rec.status === 'Excused') excused++;
        else if (rec.status === 'Absent') absent++;
    });

```

```

    document.getElementById('stat-total').innerText = total;
    document.getElementById('stat-present').innerText = present;
    document.getElementById('stat-late').innerText = (late + excused);
    document.getElementById('stat-absent').innerText = absent;

```

```

    const accounted = present + late + excused;
    const rate = total > 0 ? Math.round((accounted / total) * 100) : 0;
    document.getElementById('attendance-rate-pct').innerText = rate + '%';
    document.getElementById('attendance-rate-bar').style.width = rate + '%';
}

```

```

function initChart() {
    const ctx = document.getElementById('attendanceChart').getContext('2d');
    const labels = [];
    const presentData = [];
    const absentData = [];

```

```

    for (let i = 6; i >= 0; i--) {
      const d = new Date();
      d.setDate(d.getDate() - i);
      const dateStr = d.toISOString().split('T')[0];
      labels.push(d.toLocaleDateString('en-US', { month: 'short', day: 'numeric' }));

      let pCount = 0, aCount = 0;
      if (window.attendanceLogs[dateStr]) {
        Object.values(window.attendanceLogs[dateStr]).forEach(rec => {
          if (rec.status === 'Present' || rec.status === 'Late' || rec.status === 'Excused')
            pCount++;
          else aCount++;
        });
      }
      presentData.push(pCount);
      absentData.push(aCount);
    }

    window.activeChart = new Chart(ctx, {
      type: 'bar',
      data: {
        labels: labels,
        datasets: [
          { label: 'Accounted / Present', data: presentData, backgroundColor: '#6366f1',
borderRadius: 8 },
          { label: 'Absent', data: absentData, backgroundColor: '#e2e8f0', borderRadius: 8
}
        ]
      },
      options: {
        responsive: true,
        maintainAspectRatio: false,
        plugins: { legend: { position: 'bottom' } },
        scales: {
          x: { grid: { display: false } },
          y: { grid: { color: '#f1f5f9' }, beginAtZero: true, ticks: { precision: 0 } }
        }
      }
    });
  }

  function updateChart() {
    if (!window.activeChart) return;
    const labels = [];

```

```

const presentData = [];
const absentData = [];

for (let i = 6; i >= 0; i--) {
  const d = new Date();
  d.setDate(d.getDate() - i);
  const dateStr = d.toISOString().split('T')[0];
  labels.push(d.toLocaleDateString('en-US', { month: 'short', day: 'numeric' }));

  let pCount = 0, aCount = 0;
  if (window.attendanceLogs[dateStr]) {
    Object.values(window.attendanceLogs[dateStr]).forEach(rec => {
      if (rec.status === 'Present' || rec.status === 'Late' || rec.status === 'Excused')
pCount++;
      else aCount++;
    });
  }
  presentData.push(pCount);
  absentData.push(aCount);
}

window.activeChart.data.labels = labels;
window.activeChart.data.datasets[0].data = presentData;
window.activeChart.data.datasets[1].data = absentData;
window.activeChart.update();
}

window.handleDateChange = function() {
  window.selectedDate = document.getElementById('attendance-date-picker').value;
  initAttendanceForDate(window.selectedDate);
  renderAttendanceTable();
};

window.renderAttendanceTable = function() {
  const tbody = document.getElementById('attendance-table-body');
  const searchQuery =
document.getElementById('attendance-search').value.toLowerCase();
  const groupFilter = document.getElementById('attendance-group-filter').value;

  initAttendanceForDate(window.selectedDate);
  const logs = window.attendanceLogs[window.selectedDate];

  let filtered = window.roster.filter(p => {

```

```

    const matchesSearch = p.name.toLowerCase().includes(searchQuery) || (p.email &&
p.email.toLowerCase().includes(searchQuery));
    const matchesGroup = groupFilter === 'All' || p.group === groupFilter;
    return matchesSearch && matchesGroup;
  });

  if (filtered.length === 0) {
    tbody.innerHTML = `<tr><td colspan="4" class="py-6 text-center text-slate-400">No
members found matching your search.</td></tr>`;
    return;
  }

  let html = "";
  filtered.forEach(p => {
    const rec = logs[p.id] || { status: 'Present', note: "" };
    const st = rec.status;
    const isDisabled = userRole !== 'admin' ? 'disabled' : "";

    html += `
      <tr class="hover:bg-slate-50/80 transition">
        <td class="py-3 px-4 font-semibold text-slate-800">${p.name}</td>
        <td class="py-3 px-4 text-slate-600"><span class="bg-slate-100 text-slate-700
px-2 py-1 rounded-lg text-xs font-medium">${p.group || 'General'}</span></td>
        <td class="py-3 px-4 text-center">
          <div class="inline-flex rounded-xl p-1 bg-slate-100 border border-slate-200
gap-1">
            <button ${isDisabled} onclick="updateStatus('${p.id}', 'Present')
class="px-2.5 py-1 rounded-lg text-xs font-semibold transition ${st === 'Present' ?
'bg-emerald-600 text-white shadow-sm' : 'text-slate-600
hover:text-slate-900'}">Present</button>
            <button ${isDisabled} onclick="updateStatus('${p.id}', 'Late')
class="px-2.5
py-1 rounded-lg text-xs font-semibold transition ${st === 'Late' ? 'bg-amber-500 text-white
shadow-sm' : 'text-slate-600 hover:text-slate-900'}">Late</button>
            <button ${isDisabled} onclick="updateStatus('${p.id}', 'Excused')
class="px-2.5 py-1 rounded-lg text-xs font-semibold transition ${st === 'Excused' ? 'bg-blue-600
text-white shadow-sm' : 'text-slate-600 hover:text-slate-900'}">Excused</button>
            <button ${isDisabled} onclick="updateStatus('${p.id}', 'Absent')
class="px-2.5 py-1 rounded-lg text-xs font-semibold transition ${st === 'Absent' ? 'bg-rose-600
text-white shadow-sm' : 'text-slate-600 hover:text-slate-900'}">Absent</button>
          </div>
        </td>
        <td class="py-3 px-4">
          <input ${isDisabled} type="text" value="${rec.note || ""}"
onchange="updateNote('${p.id}', this.value)" placeholder="Add note..." class="w-full bg-slate-50

```

```
border border-slate-200 text-slate-700 text-xs rounded-lg px-2.5 py-1.5 focus:outline-none
focus:border-indigo-500">
```

```
        </td>
      </tr>
    `;
  });
  tbody.innerHTML = html;
};

window.updateStatus = function(personId, status) {
  if (userRole !== 'admin') {
    alertBox("Only the administrator can edit attendance records.");
    return;
  }
  initAttendanceForDate(window.selectedDate);
  window.attendanceLogs[window.selectedDate][personId].status = status;
  window.syncCloudData();
  renderAttendanceTable();
};

window.updateNote = function(personId, note) {
  if (userRole !== 'admin') return;
  initAttendanceForDate(window.selectedDate);
  window.attendanceLogs[window.selectedDate][personId].note = note;
  window.syncCloudData();
};

window.markAllStatus = function(status) {
  if (userRole !== 'admin') return;
  initAttendanceForDate(window.selectedDate);
  window.roster.forEach(p => {
    window.attendanceLogs[window.selectedDate][p.id].status = status;
  });
  window.syncCloudData();
  renderAttendanceTable();
};

window.renderRosterTable = function() {
  const tbody = document.getElementById('roster-table-body');
  const searchQuery = document.getElementById('roster-search').value.toLowerCase();
  const groupFilter = document.getElementById('roster-group-filter').value;

  let filtered = window.roster.filter(p => {
```

```

        const matchesSearch = p.name.toLowerCase().includes(searchQuery) || (p.email &&
p.email.toLowerCase().includes(searchQuery));
        const matchesGroup = groupFilter === 'All' || p.group === groupFilter;
        return matchesSearch && matchesGroup;
    });

    if (filtered.length === 0) {
        tbody.innerHTML = `<tr><td colspan="4" class="py-6 text-center text-slate-400">No
members found in directory.</td></tr>`;
        return;
    }

    let html = "";
    filtered.forEach(p => {
        let actionsHTML = userRole === 'admin' ? `
        <button onclick="openModal('addPersonModal', '${p.id}')" class="text-slate-400
hover:text-indigo-600 p-1.5 transition"><i class="fa-solid fa-pen"></i></button>
        <button onclick="deletePerson('${p.id}')" class="text-slate-400 hover:text-rose-600
p-1.5 transition"><i class="fa-solid fa-trash"></i></button>
        ` : `<span class="text-xs text-slate-400 italic">Read-only</span>`;

        html += `
        <tr class="hover:bg-slate-50/80 transition">
            <td class="py-3.5 px-4 font-semibold text-slate-800">${p.name}</td>
            <td class="py-3.5 px-4"><span class="bg-slate-100 text-slate-700 px-2.5 py-1
rounded-lg text-xs font-medium">${p.group || 'General'}</span></td>
            <td class="py-3.5 px-4 text-slate-500 text-xs">${p.email || 'N/A'}</td>
            <td class="py-3.5 px-4 text-right space-x-2">${actionsHTML}</td>
        </tr>
        `;
    });
    tbody.innerHTML = html;
};

window.handlePersonSubmit = function(event) {
    event.preventDefault();
    if (userRole !== 'admin') {
        alertBox("Permission denied.");
        return;
    }
    const id = document.getElementById('edit-person-id').value;
    const name = document.getElementById('person-name').value;
    const group = document.getElementById('person-group').value;
    const email = document.getElementById('person-email').value;

```

```

    if (id) {
      const p = window.roster.find(x => x.id === id);
      if (p) { p.name = name; p.group = group; p.email = email; }
    } else {
      const newPerson = { id: 'p_' + Date.now(), name, group, email };
      window.roster.push(newPerson);
    }

    window.syncCloudData();
    populateGroupDropdowns();
    closeModal('addPersonModal');
    renderRosterTable();
    renderDashboard();
  };

  window.deletePerson = function(id) {
    if (userRole !== 'admin') return;
    if (confirm('Are you sure you want to remove this member from the roster?')) {
      window.roster = window.roster.filter(x => x.id !== id);
      window.syncCloudData();
      populateGroupDropdowns();
      renderRosterTable();
      renderDashboard();
    }
  };

  window.renderHistoryLog = function() {
    const dateVal = document.getElementById('history-date-picker').value;
    const tbody = document.getElementById('history-table-body');
    const logs = window.attendanceLogs[dateVal] || {};

    let present = 0, late = 0, excused = 0, absent = 0;
    let html = '';

    if (Object.keys(logs).length === 0) {
      tbody.innerHTML = `<tr><td colspan="4" class="py-6 text-center text-slate-400">No
attendance records found for this date.</td></tr>`;
    } else {
      window.roster.forEach(p => {
        const rec = logs[p.id];
        if (!rec) return;

        if (rec.status === 'Present') present++;
      });
    }
  };

```

```

else if (rec.status === 'Late') late++;
else if (rec.status === 'Excused') excused++;
else if (rec.status === 'Absent') absent++;

let badgeColor = 'bg-emerald-100 text-emerald-700';
if (rec.status === 'Late') badgeColor = 'bg-amber-100 text-amber-700';
if (rec.status === 'Excused') badgeColor = 'bg-blue-100 text-blue-700';
if (rec.status === 'Absent') badgeColor = 'bg-rose-100 text-rose-700';

html += `
  <tr class="hover:bg-slate-50 transition">
    <td class="py-3 px-4 font-semibold text-slate-800">${p.name}</td>
    <td class="py-3 px-4 text-slate-600">${p.group || 'General'}</td>
    <td class="py-3 px-4 text-center">
      <span class="px-2.5 py-1 rounded-lg text-xs font-semibold
${badgeColor}">${rec.status}</span>
    </td>
    <td class="py-3 px-4 text-slate-500 text-xs">${rec.note || '-'}</td>
  </tr>
`;
});
tbody.innerHTML = html;
}

document.getElementById('history-stat-present').innerText = present;
document.getElementById('history-stat-late').innerText = late;
document.getElementById('history-stat-excused').innerText = excused;
document.getElementById('history-stat-absent').innerText = absent;
};

window.exportCSV = function() {
  exportExcelSheet();
};

window.exportExcelSheet = function() {
  const dateVal = document.getElementById('attendance-date-picker').value;
  const logs = window.attendanceLogs[dateVal] || {};

  // Creating a Tab-Separated Values format that opens directly in Microsoft Excel and
  Google Sheets seamlessly
  let tsvContent = "data:application/vnd.ms-excel;charset=utf-8,Name\tGroup /
Department\tEmail Address\tAttendance Status\tRemarks / Notes\n";
  window.roster.forEach(p => {
    const rec = logs[p.id] || { status: 'Not Recorded', note: " };

```

```

        tsvContent += `${p.name}\t"${p.group || ""}\t"${p.email || ""}\t"${rec.status}\t"${rec.note || ""}\n`;
    });

```

```

    const encodedUri = encodeURIComponent(tsvContent);
    const link = document.createElement("a");
    link.setAttribute("href", encodedUri);
    link.setAttribute("download", `Attendance_Sheet_${dateVal}.xls`);
    document.body.appendChild(link);
    link.click();
    document.body.removeChild(link);
    closeModal('exportModal');
    alertBox("Attendance sheet downloaded successfully!");
};

```

```

window.exportJSON = function() {
    const dataStr = "data:text/json;charset=utf-8," + encodeURIComponent(JSON.stringify({
roster: window.roster, attendanceLogs: window.attendanceLogs }, null, 2));
    const downloadAnchor = document.createElement('a');
    downloadAnchor.setAttribute("href", dataStr);
    downloadAnchor.setAttribute("download",
`attendease_backup_${getTodayString()}.json`);
    document.body.appendChild(downloadAnchor);
    downloadAnchor.click();
    downloadAnchor.remove();
    closeModal('exportModal');
};
</script>
</body>
</html>
`

```