


AI-assisted delivery, wired into Jira and Confluence.

sdhc-work guides AI coding agents through the process we already run and keeps Jira, Confluence and Bitbucket or GitHub current automatically. Less status admin, more verified, reviewed code.

THE LOOP



Available today **WORKING · TESTED**

- ✓ **Two tracks.** PRD-first for large features; straight from Jira for small work and bugs.
- ✓ **Automatic ticket filing.** A PRD becomes dependency-linked Jira stories plus a Confluence breakdown, safe to re-run.
- ✓ **Status that updates itself.** Stories move to In Progress, then Done, as work is planned and verified.
- ✓ **Evidence, not just status.** Verification reports and bug root-cause analyses land in Confluence, linked from Jira.
- ✓ **PRs and AI code review.** Bitbucket Data Center and GitHub: inline findings, merge gate, verdict in Jira.
- ✓ **Our stack, both ways.** Jira and Confluence Data Center and Cloud, each verified live.
- ✓ **Packaged and portable.** 15 reusable AI skills in one plugin, portable to other AI agents.

On the roadmap **PLANNED · IN JIRA**

NEXT · TEAM ROLLOUT

Safety and correctness fixes from an independent review

Multi-developer support, setup health check, one-command "start ticket"

Stories close on merge from CI; production-ready CI review pipelines

THEN · LEARN AND PROVE

Retrospective loop that improves our rules and AI skills

Measured skill quality against a no-AI baseline

Pilot on a live project

LATER · DIFFERENTIATE

Hands-off "work this ticket" on Data Center

Tests generated from acceptance criteria

Delivery metrics: cycle time, rework, cost per ticket

Evidence-gated releases; incident-to-bug intake

Less admin

Jira and Confluence reflect the real state of work without anyone updating them by hand.

Quality by default

Every change is verified and reviewed; every bug leaves a regression test and a prevention rule.

Built for where we are

Data Center today, Cloud-ready ahead of Atlassian's Data Center end of life in 2029.

From a PRD to a live Jira board

Real screens from our Jira, Confluence and Bitbucket Data Center test stack. sdlc-work drove a sample feature (self-service CSV exports) end to end; nothing on these pages was updated by hand.

SDLC board

Reporting Sprint 1

Self-service CSV exports

QUICK FILTERS: Only My Issues Recently Updated

9 days remaining

Complete sprint

Board

TO DO

SDLC-6

Scheduled email exports

Reporting Improvements

SDLC-7

Schedule management page

Reporting Improvements

SDLC-8

CSV export fails for reports with no rows

Reporting Improvements

IN PROGRESS

SDLC-3

Formula-injection-safe CSV cells

Reporting Improvements

SDLC-4

Export button with progress

Reporting Improvements

DONE

SDLC-2

CSV export endpoint

Reporting Improvements

SDLC-5

Export audit log

Reporting Improvements

01 The sprint board keeps itself current. Stories filed from the PRD move to In Progress and Done as the agent plans and verifies them. SDLC-8 is a bug on the small-work track.

SDLC Sandbox / SDLC-2

CSV export endpoint

Edit

Add comment

Assign

More

Done

Admin

Details

Type: Story

Priority: Medium

Labels: sdlc sdlc-item-TICKET-1

Epic Link: Reporting Improvements

Sprint: Reporting Sprint 1

Resolution: Done

Description

Goal: Any saved report can be exported as CSV through the API

Acceptance criteria

[] GET /reports/{id}/export.csv returns every row of the report

[] Exports over 50k rows stream without timing out

Depends on: none

Wave: 1

Source: PIV docs/specs/reporting-improvements.md (TICKET-1). Filed by sdlc-atl; planning and progress are tracked there.

Spec: Reporting Improvements - Ticket Breakdown

Created by Local Admin 23 minutes ago · 1 minute read

Epic: SDLC-1 · PRD: PRD: Reporting Improvements · Engine: piv

Self-service report exports: CSV API, export UI, scheduled emails, safe cells.

Tickets

Ticket	Title	Depends on	Wave
SDLC-2	CSV export endpoint	none	1
SDLC-3	Formula-injection-safe CSV cells	SDLC-2	2
SDLC-4	Export button with progress	SDLC-2	2
SDLC-5	Export audit log	SDLC-2	2
SDLC-6	Scheduled email exports	SDLC-3, SDLC-4	3
SDLC-7	Schedule management page	SDLC-6	4

Suggested execution order

Wave 1:

SDLC-2

Wave 2 (parallel):

SDLC-3, SDLC-4, SDLC-5

Wave 3:

SDLC-6

Wave 4:

SDLC-7

02 Ticket-sized stories. Each story carries its goal, acceptance criteria, dependencies and wave, linked to the epic and sprint.

03 Breakdown in Confluence. Under the PRD: every story, its dependencies and the execution order, regenerated on each filing.

Evidence and review on every change

A story is Done only when it passes validation, and every pull request gets an AI code review before a human looks at it.

Verification: SDLC-2 CSV export endpoint

Created by Local Admin 24 minutes ago • 1 minute read

Issue: SDLC-2 · **Result:** passed · **Score:** 4/4 validation checks passed

Published by sdlc-atl from `.claude/execution-reports/sdlc-2-csv-export-endpoint.md`; edits here are overwritten on the next sync.

Execution Report: csv export endpoint

Ticket: SDLC-2

Validation Results

- Lint:
- Type check:
- Unit tests: 24 passed
- Integration tests: 6 passed (200k-row export streamed in 4.1s)

04 Verification report. The execution report and its validation results are published in Confluence and linked from the Jira story, which then moves to Done.

Local Admin Edited a moment ago

Code review: changes requested

1 high, 1 medium · compared with `main` · commit `4974242184`

#	Severity	Location	Finding
1	high	<code>src/reports/csv.ts:1</code>	@ prefix is not escaped: formula injection still possible
2	medium	<code>test/csv.test.ts:3</code>	No test for values that must NOT be escaped

1. @ prefix is not escaped: formula injection still possible

The acceptance criteria list = + - and @, but RISKY only matches = + and -. A cell like @SUM(A1:A9) still executes in Excel and Google Sheets.

Suggestion: Use `/^[=+-@\t\r]/` and add '@SUM(1)' to the test cases.

2. No test for values that must NOT be escaped

Only escaped inputs are tested; a regex that escapes everything would pass.

Suggestion: Add cases like 'hello' and '1-2' that must come back unchanged.

The change meets 1 of 2 acceptance criteria: @ is still unescaped. The approach (escape at the cell boundary, shared by every exporter) is right.

Posted by sdlc-atl from `.sdlc/reviews/review.md`; re-publishing updates this comment.

05 AI code review on the pull request. One comment, updated in place on every re-review. Blocking findings hold the merge, and the verdict is posted to the Jira story.

Findings on the line, lessons from every bug

Reviewers see findings where the code is, and every bug leaves an analysis the team can learn from.

```

src / reports / csv.ts  MODIFIED

1 +  const RISKY = /^[=+~-]/;
    High · Vulnerability · @ prefix is not escaped: formula injection still possible. Suggestion: Use /^[=+~-@\\t\\r]/ and add '@SUM(1)' to the test cases.

2 +
3 +  /** Neutralise spreadsheet formulas in exported cells (OWASP CSV injection). */
4 +  export function escapeCell(value: string): string {
5 +      return RISKY.test(value) ? `${value}` : value;
6 +  }
7 +
1 8  export function toCsv(rows: string[][]): string {
2  -  return rows.map((r) => r.join(',').join('\n'));
9 +  return rows.map((r) => r.map(escapeCell).join(',').join('\n'));
3 10 }
  
```

06 Inline findings in the diff. Each finding is a Bitbucket Code Insights annotation on the exact line, with its severity and a suggested fix.

RCA: SDLC-8 CSV export fails for reports with no rows

Created by Local Admin 24 minutes ago • 1 minute read

Bug: [SDLC-8](#)

Published by sdlc-atl from `docs/rca/SDLC-8.md`; edits here are overwritten on the next publish.

Root Cause Analysis: SDLC-8 — CSV export fails for reports with no rows

Summary

- **Severity:** high: a main export path returns 500 for a common case (filters that match nothing)
- **Reproduced:** yes, with a failing test `export.empty.test.ts`

Problem

Expected: a CSV with only the header row. Actual: HTTP 500, `TypeError: Cannot read properties of undefined (reading 'columns')`.

Root Cause

Analysis

`buildRows()` derives the header from `rows[0].columns` (`src/reports/csv.ts:42`). For an empty report `rows[0]` is undefined, so the header can't be built and the request fails.

07 Root-cause analysis for bugs. Bugs get an RCA in Confluence, linked from the Jira bug. The fix ships with a regression test and a rule that prevents a repeat.