Master of Technology in Knowledge Engineering

Text Mining

Advanced Topics in Text Mining

Rajaraman Kanagasabai

Institute for Infocomm Research

email: kanagasa@i2r.a-star.edu.sg

© 2015 NUS. The contents contained in this document may not be reproduced in any form or by any means, without the written permission of ISS, NUS, other than for the purpose for which it has been supplied.





Overview

- Introduction to Advanced Text mining
 - » The Semantic Gap in Text mining
 - » Traditional Approaches to Text Mining
 - ♦ Keywords, NLP, & Ontologies
 - » The Deep Learning Approach
- Text Mining with Deep Learning
 - » Background
 - » Major DL Approaches to Text Mining
- Case studies
- Workshop
 - » Hands-on Exercises with Word2Vec





What is Text Analytics?

"discovery of <u>new</u> previously unknown information, by
 <u>automatically</u> extracting information from a usually <u>large</u>

 <u>amount</u> of different unstructured textual resources"

Other definitions

- » Use of <u>computational techniques</u> to extract high quality information from text
- » Extract and discover knowledge hidden in text <u>automatically</u>



Key Text Analytics Problems

- Analyze Document Collections
 - » Information Retrieval
 - » Classification (Supervised Learning)
 - » Clustering (Unsupervised Learning)
- Analyze Document
 - » Summarization
 - » Information Extraction: Extract Names, Relations, Facts
- Analyze Sentence
 - » Sentiment Analysis
 - » Co-reference Resolution



Why not just apply standard DA?

"Text expresses a vast, rich range of information, but encodes this information in a form that is difficult to decipher automatically."

-- Marti A. Hearst, "Untangling Text Data Mining," 1999






Key Issue



Semantic Gap





Text Understanding



Example 1

• It would be a great <u>help</u> if you can <u>assist</u> me, and I will appreciate the <u>favor</u>

=> *Known as Synonymy*



Example 2

• "I <u>banked</u> on him to meet at the Deutche <u>Bank</u> located near the river <u>bank</u>", said Mr. <u>Banks</u>.

=> Known as Polysemy



Overview of Approaches



Approaches

- Keywords-based
 - » Statistical
 - » Zero semantics approach
- NLP based
 - » Language parsing
 - » Syntactic approach
- Ontology based
 - » Uses formal logic representations
- Deep Learning based
 - » Deep neural architectures & ML



Decreasing Semantic Gap Increasing Accuracy

Increasing Complexity
Decreasing Scalability








Keywords-based Approach



Bag-of-words document representation







Bag of words Representation

• Texts are treated as a "bag" of words or terms

- Any document can be represented as a vector: a list of <u>terms</u> and their associated <u>weights</u>
 - \rightarrow D= {(t₁,w₁),(t₂,w₂),.....
 - » t_i: i-th term
 - » wi: weight for the i-th term



Cosine Similarity



Problems with Keywords

- Bag of words approach
 - » Is both the <u>advantage</u> and <u>disadvantage</u>
- Often results in **huge semantic gap**
 - A positive or negative sentiment word may have opposite orientations in different application domains. ("This camera sucks." -> negative;
 "This vacuum cleaner really sucks." -> positive)
 - A sentence containing sentiment words may not express any sentiment.(e.g. "Can you tell me which Sony camera is good?")
 - » Sarcastic sentences with or without sentiment words are hard to deal with. (e.g. "What a great car! It stopped working in two days."



NLP-based Approach



Natural Language Processing (NLP)

- NLP: is a field of computer science, artificial intelligence, and linguistics, concerned with the interactions between computers and human (natural) languages.
- Major NLP applications
 - » Part-of-speech tagging (POS tagging)
 - » Relationship extraction
 - » Sentiment analysis
 - » Topic segmentation and recognition
 - » Machine translation



Shallow NLP

• Part-of-Speech (POS)

» Identify Nouns, Verbs, Tenses, Prepositions, etc.

Morphology

» Do stemming the right way

Syntax


» Extract sentence structure





Demonstration: Sentence-level Sentiment – 1/3

- Stanford Sentiment Analyzer
 - » <u>http://nlp.stanford.edu:8080/sentiment/rntnDemo.html</u>








Demonstration: Sentence-level Sentiment -2/3


 Review 1: This movie doesn't care about cleverness, wit or any other kind of intelligent humor. -> <u>Negative</u>





Demonstration: Sentence-level Sentiment – 3/3

• There are slow and repetitive parts, but it has just enough spice to keep it interesting. -> **Positive**





Problems with NLP

- Better than Bag-of-words but still not the best
 - » synonymy and polysemy not entirely overcome
 - » Basically, a syntactic approach
- Examples
 - » "I studied in Cambridge" (Which Cambridge?)
 - "I live in Singapore" (Do you live in Asia?)






Ontology-based Approach



What Is An Ontology?


- Ontology (Socrates & Aristotle 400-360 BC)
- Word borrowed by computing for the explicit description of the conceptualisation of a domain:
 - » concepts
 - » properties and attributes of concepts
 - » constraints on properties and attributes
 - » Individuals (often, but not always)
- An ontology defines
 - » a common vocabulary
 - » a shared understanding
- E.g.: Wiki/Yahoo categories, WordNet
- Backbone of semantic web







A simple ontology: Animals





How is it useful for Text Mining?

"XYZ announced profits in Q3, planning to build a \$120M plant in Bulgaria, more and more text..."



Information Extraction

"XYZ announced profits in Q3, planning to build a \$120M plant in Bulgaria, more and more text..."



XYZ Q3 \$120M Bulgaria


Loosely structured.. "Semantic Gaps"

OK for simple scenarios, but messy in larger applications!





With Proper Semantics






What can we do with ontologies? (1/2)

- Semantic Annotation: represent metadata/keywords with proper semantics
 - » to represent 'Cambridge' as a UK location, link it to an ontology instance 'Cambridge, UK' rather than 'Cambridge, Massachusetts'
 - » Link synonyms to the ontology, e.g. link 'heart attack' to 'myocardial infarction'

Example






What can we do with ontologies? (2/2)

- Semantic Search: Use proper semantics captured in ontologies to retrieve more relevant results
 - » search for 'heart attack' retrieves documents containing 'myocardial infarction'
 - » search for 'South East Asia' retrieves documents that contain 'Singapore' or 'Thailand'

Google's Semantic Search







Semantic Analytics Framework






Applications






Data represented in abstract format












Map, Expose, ...





Data Linking & Integration





Summary

- Addressing the Semantic Gap is the key to effective Text Mining
- Keyword approach leads to a huge semantic gap, and hence often a big limitation in real life
- NLP addresses it somewhat but is still a syntactic approach
- Knowledge representations, as modeled by Ontologies, can bridge the Semantic gap but require a lot of manual effort in ontology construction

Page: 35