




Command Prompt
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.
C:\Users\DOMINGO> node -v
v24.20.0
C:\Users\DOMINGO> npm -v
11.19.0
C:\Users\DOMINGO>


PS C:\Users\DOMINGO\Documents\Ethan's file\New folder\auth-page> npm install
found 0 vulnerabilities
PS C:\Users\DOMINGO\Documents\Ethan's file\New folder\auth-page> npm install lucide-react
added 1 package, and audited 26 packages in 10s
9 packages are looking for funding
run `npm fund` for details
found 0 vulnerabilities
PS C:\Users\DOMINGO\Documents\Ethan's file\New folder\auth-page>


MARGINAL
Write in the margins of your day.
A quiet place for short entries — the thought before the meeting, the line after the walk. Nothing to schedule, nothing to perform.
No feeds. No likes. Just entries.
Private by default, always.
Export everything, anytime.
Sign in
Create account
Welcome back
Good to see you again.
EMAIL
gabrielethanwarrick.domingo@my.jru.edu
PASSWORD
Forgot password?
Sign in →
New to Marginal? Create an account


File Edit Selection View Go Run Terminal Help
auth-page
Update
Explorer
Open Editors
App.jsx src
App.css src
AuthPage.jsx src
tailwind.config.js
index.css src 3
node_modules
public
src
assets
App.css
App.jsx
AuthPage.jsx
index.css 3
main.jsx
.gitignore
.oxlintrc.json
index.html
package-lock.js...
package.json
postcss.config.js
README.md
tailwind.config.js
vite.config.js
Outline
Timeline
App.jsx App.css AuthPage.jsx tailwind.config.js index.css 3
src > AuthPage.jsx > FeatherMark
import { useState } from "react";
import { Eye, EyeOff, Feather, ArrowRight, Check } from "lucide-react";
export default function AuthPage() {
const [mode, setMode] = useState("login");
const [showPassword, setShowPassword] = useState(false);
const [form, setForm] = useState({
name: "",
email: "",
password: "",
});
const [errors, setErrors] = useState({});
const [submitted, setSubmitted] = useState(false);
const isSignup = mode === "signup";
const handleChange = (field) => (e) => {
setForm((f) => ({ ...f, [field]: e.target.value }));
setErrors((er) => ({ ...er, [field]: null }));
};
const validate = () => {
Problems 3 Output Debug Console Terminal Ports
node
PS C:\Users\DOMINGO\Documents\Ethan's file\New folder\auth-page> npm run dev
> vite
9:24:08 PM [vite] (client) Re-optimizing dependencies because lockfile has changed
VITE v8.2.2 ready in 4440 ms
→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
Ln 377, Col 2 Spaces: 4 UTF-8 CRLF JavaScript JSX Go Live

Sign in Create account

# Start your first entry

Takes under a minute. No credit card.

NAME

Gabriel Ethan Warrick Domingo

EMAIL

test@example@gmail.com

PASSWORD

Password123!

Create account →

Already keeping notes with us? Sign in

# Start your first entry

Takes under a minute. No credit card.

NAME

Gabriel Ethan Warrick Domingo

EMAIL

test@example@gmail.com

PASSWORD

Password123!

Check your inbox

Sign in Create account

# Start your first entry

Takes under a minute. No credit card.

NAME

Jamie Rivera

Tell us what to call you.

EMAIL

you@example.com

Enter your email.


PASSWORD

At least 8 characters

Enter a password.

Create account →

Already keeping notes with us? Sign in




**Conclusion:** In this activity, I was able to learn how to make Login and Signup pages through ReactJS. I have learned how to make use of useState to capture form inputs, switching from Login to Signup pages, and validation of the inputs of the users. I have also learned how to incorporate a show/hide password functionality, as well as the usage of Tailwind CSS.