04b. Map Services and SOA

GE3238 GIS Design and Practices
Geography@NUS
Chen-Chieh FENG

1

1

Learning Objectives

- Map services
 - Web GIS functionalities via Desktop GIS (ArcGIS Pro in this context)
- Common types of map services
 - Specifications with prescribed capabilities
 - ArcGIS Pro and ArcGIS Online as demonstrations

2

Desktop GIS versus Web GIS

Web GIS is any GIS that uses Web technology to communicate between components, which include:


- (1) Server
- (2) Client (e.g., a browser, a desktop app, or a mobile app)

3


2

3


Apparently this is possible



What enables the communication for the two parties that do not see each other at creation?



Example – Singapore's Onemap




5


SOA

- Architecture that is based on integrating loosely coupled, interoperable services
 - Loosely coupled means NOT physically bound
 - Service means a (computer) program that can be interacted with well-defined message exchanges
- These services can be invoked and consumed remotely over a network


Key terms

Loosely coupled Service





WMTS in ArcGIS Online



9

Common Services related to GIS

Service Types

- Map Service
- Map Tile Service
- Feature Service
- Image Service
- Processing Service


OGC* standards

- Web Map Service (WMS)
- Web Map Tile Service (WMTS)
- Web Feature Service (WFS)
- Web Coverage Service (WCS)
- Web Processing Service (WPS)

Key terms

Map service Feature service Image service

ArcGIS has its own implementations of these services, but it also supports OGC standards



Web Map Tile Service

Q @ **@**

This implementation standard provides a standard based solution to serve digital maps using predefined image tiles. The WMTS standard complements the existing Web Map Service standard of the OGC. The WMTS standard offers a standardized approach to declaring the images which a client can request from a server, enabling a single type of client to be developed for all servers.

https://www.ogc.org/publications/standard/wmts/

11

Membership

11

Some WMS servers have already embarked on this road, developing their own tiling structures built by constraining WMS GetMap requests to a fixed set and then advertising those constraints in their service metadata. Although this mechanism enables those servers to scale as just described, the tiling structure and the advertising and discovery mechanisms are not standardized. That unfortunately limits interoperability and forces developers to build, for each server, special clients that can understand the server advertised constraints and limit the WMS GetMap requests issued by the client to exactly

Copyright © 2010 Open Geospati

Copyright © 2010 Open Geospatial Consortium Inc.

This WMTS standard offers a standardized approach to declaring the images which a client can request from a server, enabling a single type of client to be developed for all servers

OGC 07-057r7

the requests understood by the particular server. This WMTS standard offers a standardized approach to declaring the images which a client can request from a server, enabling a single type of client to be developed for all servers. While developing a profile of WMS was initially considered, limiting a WMS in the ways important to allow efficient access to cacheable tiles proved awkward while forcing implementors to read both a standard and a profile seemed less efficient than developing this stand alone

https://portal.ogc.org/files/?artifact_id=35326

Map Tile Service

- Map Server renders the requested map <u>internally</u> and converts to an <u>image</u> <u>file</u> (e.g., JPG, PNG, GIF) and returns the map image to the client for display
- Maps are pre-rendered and stored as a series of small tiles at several predefined scales






Map service Image tile



13


Feature Service

- Client requests features from one or more layers within a specified geographic extent
- Capabilities
 - Provides symbology
 - Client can execute queries to get features and perform edits that can be applied to the server
 - Data from non-spatial tables can also be queried and edited



Key terms

Feature service Query and editing capability



15

Image Service

- Image service shares image or raster data
- Capabilities
 - Can be used for display or analysis
 - Supports query, on-the-fly processing, viewing footprints, previewing each raster, downloading, and editing
 - Capabilities managed by the parameters of the service

https://pro.arcgis.com/en/pro-app/latest/help/sharing/overview/configure-an-image-con/ice.htm

Key terms

Image service Raster

Is there a justification to support data sharing (only) without editing capability?

(Alternatively, why do we separate WMS from WFS?)



Editing is enabled on this layer. If you share with everyone, anyone can edit the layer. If this is your intent, select the Approve for Public Data Collection option on the Configuration tab. For optimal performance and data integrity, consider disabling editing.

Public data collection not enabled

OK

17

17

Take home message

- · Implication of being able to share data?
 - Data integration across different parties
 - Enable collaboration
 - Cross-platform access
 - Cost saving
- Web GIS
 - Web GIS functionalities via Desktop GIS
- Common types of GI services
 - Specifications with prescribed capabilities



Enabler

18

Supplement Questions

 How about spatial analysis? Can you use analysis from online sources?