



STEEL & TUBE PRODUCT CATALOGUE

WWW.BSSMOZ.COM

COMMERCIAL@BSSMOZ.COM

+258 848029476 | 828029476



Suppliers of Structural Steel & Tube

Suited for Construction, Engineering & Infrastructure Industries

Better Steel Solutions, Lda. (**BSS**) is a youth company specialized in the market of manufactured metal products such as Grating, Handrail, Plate, Sheet, Structural, Bar, Tube, Pipe and another material according to our customer needs.

BSS is also able to cut size-to-size, we can chamfer the edges, if requested, and we suit most of our customer requirements.

Our supplied products have the highest international standards and we supply a wide range from different types of materials. We are guided by our core values of Excellency, innovation, no accidents, passion and integrity. Pursuing our mission to Provide high quality service as metals supplier aim to satisfy our customer's needs with a strong commitment to speed and efficiency.

The BSS has been able to offer effective solutions for a wide range of enterprises. We are oriented to our customers, we innovate in our relations to respond effectively to these new market dynamics and we will always work to provide the best service, the best metal and at the lowest price. The detailed product knowledge of our experienced sales teams ensure that we can supply a truly world class service to our customers.

Whatever the requirements we are the one stop shop each. No matter the size of the company, we deliver the highest quality steel products, on time, to our costumer. We distinguish ourselves from the competition by providing customers with all their metal equirements, we have extremely competitive prices. we have developed in conjunction with manufacturers a good relationship which provide us strength to say we satisfy any issue of our costumer, We believe that strong relationships is the cornerstone of our sales process.

HANDRAIL SYSTEMS

High quality steel components designed for safe, durable and professional installations.



STRONG & DURABLE
Built to last in demanding environments.



CORROSION RESISTANT
Galvanized finish for maximum protection.




EASY INSTALLATION
Precision components for faster assembly.




VERSATILE APPLICATIONS
Ideal for industrial, commercial and structural projects.


POST TYPES



STAIR POSTS




BENDS & CLOSURES




3M - 45° ANGLE CLOSURE
3M4 45° ANGLE CLOSURE
3M5 30° ANGLE CLOSURE (ms only)
3CM 30° ANGLE CLOSURE (ms only)

TYPICAL INSTALLATION



MITER JOINTS




WALL FIXINGS





ACCESSORIES







STANDARD GRATING SR 40

BEARER SIZE	PANEL SIZE		UNCOATED MASS (kg)
	Length (mm)	Width (mm)	
25 x 4.5	2400	1200	86
20 x 4.5	2400	1200	100
40 x 4.5	2400	1200	125




GRATING FASTENING METHOD

Saddle Clamp, L - Bracket, Bolt, Nut and washer




WE ALSO SUPPLY THESE NON STANDARD TYPE OF GRATINGS


HEAVY DUTY GRATING




PLATED GRATINGS



EXPANDED METAL



STAIRTREADS



Stair Treads up to 750mm long have 25mm x 4.5mm bars between 751mm and 1000mm the bearer bars are 30mm x 4.5mm.

Tolerance 5mm on width, + 0-22mm on length

Stair Treads in non standard sizes are available on request


SPECIFICATIONS

LENGTH (mm)	WIDTH (mm)	HOLE CENTRES (mm)	BEARER BARS
500	205, 245	115, 150, 115	25 x 4.5
600	200, 245	115, 150, 115	25 x 4.5
750	205, 245, 285	115, 150, 115, 180, 150, 115	25 x 4.5
900	205, 245, 285	115, 150, 115, 180, 150, 115	30 x 4.5
1000	205, 245, 285	115, 150, 115, 180, 150, 115	30 x 4.5



SHEETS

Cold Rolled Sheets



Demension					Mass per meter
1850	X	925	X	0.5	6.88
2450	X	925	X	0.5	9.11
1850	X	1225	X	0.5	9.11
2450	X	1225	X	0.5	12.06
1850	X	925	X	0.6	8.25
2450	X	925	X	0.6	10.93
1850	X	1225	X	0.6	10.93
2450	X	1225	X	0.6	14.47
3050	X	1225	X	0.6	18.02
3650	X	1225	X	0.6	21.57
1850	X	925	X	0.7	9.63
2450	X	925	X	0.7	16.89
1850	X	925	X	0.8	11.01
2450	X	925	X	0.8	14.57
1850	X	1225	X	0.8	14.57
2450	X	1225	X	0.8	19.3
3050	X	1225	X	0.8	24.03
3650	X	1225	X	0.8	28.76
1850	X	925	X	0.9	12.38
2450	X	1225	X	0.9	21.71
1850	X	925	X	1	13.76
2450	X	925	X	1	18.22
1850	X	1225	X	1	18.22
2450	X	1225	X	1	24.13
3050	X	1225	X	1	30.04
3650	X	1225	X	1	35.94
1850	X	925	X	1.2	16.51
2450	X	925	X	1.2	21.86
1850	X	1225	X	1.2	21.86
2450	X	1225	X	1.2	28.95
3050	X	1225	X	1.2	36.04
3650	X	1225	X	1.2	43.13
1850	X	925	X	1.6	22.01
2450	X	925	X	1.6	29.15
1850	X	1225	X	1.6	29.15
2450	X	1225	X	1.6	38.6
3050	X	1225	X	1.6	48.06
3650	X	1225	X	1.6	57.51
3000	X	1500	X	1.6	57.88
1850	X	925	X	2	27.51
2450	X	925	X	2	36.44
1850	X	1225	X	2	36.44
2450	X	1225	X	2	48.25
3050	X	1225	X	2	60.07
3650	X	1225	X	2	71.89
3000	X	1500	X	2	72.35

Galvanized Sheets Z275

Demension					Mass per meter
1850	X	925	X	0.5	6.88
2450	X	925	X	0.5	9.11
1850	X	1225	X	0.5	9.11
2450	X	1225	X	0.5	12.06
1850	X	925	X	0.6	7.98
2450	X	925	X	0.6	10.57
1850	X	1225	X	0.6	10.57
2450	X	1225	X	0.6	13.99
1850	X	925	X	0.8	11.01
2450	X	925	X	0.8	14.57
1850	X	1225	X	0.8	14.57
2450	X	1225	X	0.8	19.3
1850	X	925	X	1	13.76
2450	X	925	X	1	18.22
1850	X	1225	X	1	18.22
2450	X	1225	X	1	24.13
1850	X	925	X	1.2	16.51
2450	X	925	X	1.2	21.86
1850	X	1225	X	1.2	21.86
2450	X	1225	X	1.2	28.95
1850	X	925	X	1.6	22.01
2450	X	925	X	1.6	29.15
1850	X	1225	X	1.6	29.15
2450	X	1225	X	1.6	38.6
1850	X	925	X	1.9	26.14
2450	X	925	X	1.9	34.61
1850	X	1225	X	1.9	34.61
2450	X	1225	X	1.9	45.84
2450	X	1225	X	2.4	57.9
2450	X	1225	X	3	72.38

Note: We can also supply Stainless steel and Aluminum

Mild HR Sheets



Demension					Mass per meter
1850	X	925	X	1.6	22.01
2450	X	925	X	1.6	29.15
3050	X	925	X	1.6	36.29
1850	X	1225	X	1.6	29.15
2450	X	1225	X	1.6	38.6
3050	X	1225	X	1.6	48.06
3650	X	1225	X	1.6	57.51
1850	X	925	X	2	27.51
2450	X	925	X	2	36.44
3050	X	925	X	2	45.56
1850	X	1225	X	2	36.44
2450	X	1225	X	2	48.25
3050	X	1225	X	2	60.07
3650	X	1225	X	2	71.89
3000	X	1500	X	2	72.35
1850	X	925	X	2.5	34.39
2450	X	925	X	2.5	45.55
3050	X	925	X	2.5	56.7
1850	X	1225	X	2.5	45.55
2450	X	1225	X	2.5	60.32
3050	X	1225	X	2.5	75.09
3650	X	1225	X	2.5	89.86
2450	X	1500	X	2.5	73.86
3000	X	1500	X	2.5	90.44
3650	X	1500	X	2.5	110.03
1850	X	925	X	2.8	38.52
2450	X	925	X	2.8	51.01
3050	X	925	X	2.8	63.5
1850	X	1225	X	2.8	51.01
2450	X	1225	X	2.8	67.56
3050	X	1225	X	2.8	84.1
3650	X	1225	X	2.8	100.64
2450	X	1500	X	2.8	82.72

Mild Steel HR Sheets (Pickled & Oiled)



Demension					Mass per meter
2450	X	1225	X	2	48.25
2450	X	1225	X	2.5	60.32
2450	X	1225	X	2.8	67.56
2450	X	1225	X	3	72.38
2450	X	1225	X	3.5	84.44
2450	X	1225	X	4	96.51

Hot Rolled sheets



Demension					Mass per meter
3000	X	1500	X	2.8	101.29
3650	X	1500	X	2.8	123.24
2450	X	1800	X	2.8	99.27
3000	X	1800	X	2.8	121.55
3650	X	1800	X	2.8	147.89
1850	X	925	X	3	41.27
2450	X	925	X	3	54.66
3050	X	925	X	3	68.04
3650	X	925	X	3	81.43
1850	X	1225	X	3	54.66
2450	X	1225	X	3	72.38
3050	X	1225	X	3	90.11
3650	X	1225	X	3	107.83
2450	X	1500	X	3	88.63
3000	X	1500	X	3	108.53
3650	X	1500	X	3	132.04
2450	X	1800	X	3	106.36
3000	X	1800	X	3	130.23
3650	X	1800	X	3	158.45
4000	X	1800	X	3	173.64
5000	X	1800	X	3	217.05
6000	X	1800	X	3	260.46
2450	X	1225	X	3.5	84.44
3000	X	1500	X	3.5	126.61
1850	X	925	X	4	55.03
2450	X	1225	X	4	96.51
3000	X	1500	X	4	144.7
4000	X	1800	X	4	231.52


Galvanized Sheets Lock Forming



Demension					Mass per meter
2450	X	1225	X	0.6	13.99
2450	X	1225	X	0.8	19.3
2450	X	1225	X	1	24.13
2450	X	1225	X	1.2	28.95

SHEETS

EN 10025-S-355 JR-AR



Demension					Mass per meter
2500	X	1200	X	4.5	105.98
3000	X	1500	X	4.5	158.96
4000	X	1800	X	4.5	254.34
4500	X	2000	X	4.5	282.6
5000	X	2000	X	4.5	314
3000	X	1500	X	5	176.63
4000	X	1825	X	5	286.53
4000	X	2000	X	5	314
6000	X	2000	X	5	628
6000	X	2400	X	5	565.2
10000	X	2400	X	5	942
2500	X	1200	X	6	141.3
3000	X	1500	X	6	211.95
4000	X	1800	X	6	339.12
5700	X	1800	X	6	483.25
7300	X	1800	X	6	618.89
9035	X	1800	X	6	765.99
4000	X	2000	X	6	376.8
5000	X	2000	X	6	471
6000	X	2000	X	6	753.6
2400	X	2400	X	6	271.3
6000	X	2400	X	6	678.24
10000	X	2400	X	6	1130.4
13000	X	2400	X	6	1469.52
12000	X	3000	X	6	1695.6
3000	X	1500	X	8	282.6
4000	X	1800	X	8	452.16
4000	X	2000	X	8	502.4
4500	X	2000	X	8	565.2
8000	X	2000	X	8	1004.8
2500	X	2400	X	8	376.8
3000	X	2400	X	8	452.16
10000	X	2400	X	8	1507.2
13000	X	2400	X	8	1959.36
12000	X	3000	X	8	2260.8
2500	X	1200	X	10	235.5
3000	X	1500	X	10	353.25
4000	X	1800	X	10	565.2
4000	X	2000	X	10	628
6000	X	2000	X	10	1256
6000	X	2400	X	10	1130.4
10000	X	2400	X	10	1884
13000	X	2400	X	10	2449.2
12000	X	3000	X	10	2826

Corrosion Resistant plate (WR50B/Corten)



Demension					Mass per meter
2500	X	1225	X	1.6	39.39
2500	X	1225	X	2	49.24
2500	X	1225	X	3	72.35
2500	X	1225	X	4	96.47
2500	X	1225	X	5	117.75
4000	X	1800	X	5	282.6
4000	X	2000	X	5	314
10000	X	2400	X	5	942
2500	X	1225	X	6	141.3
4000	X	1800	X	6	339.12
4000	X	2000	X	6	376.8
10000	X	2400	X	6	1130.4
2500	X	1225	X	8	188.4
4000	X	2000	X	8	502.4
2500	X	1225	X	10	235.5
4000	X	2000	X	10	628
2500	X	1225	X	12	282.6
4000	X	2000	X	12	753.6
2500	X	1225	X	16	376.8
4000	X	2000	X	16	1004.8
2500	X	1225	X	20	471
4000	X	2000	X	20	1256

PLATES & SHEETS



EN 10025-S-355 JR-AR Continued

Demension					Mass per meter
13000	X	2400	X	8	1959.36
12000	X	3000	X	8	2260.8
2500	X	1200	X	10	235.5
3000	X	1500	X	10	353.25
4000	X	1800	X	10	565.2
4000	X	2000	X	10	628
6000	X	2000	X	10	942
8000	X	2000	X	10	1256
6000	X	2400	X	10	1130.4
10000	X	2400	X	10	1884
13000	X	2400	X	10	2449.2
12000	X	3000	X	10	2826
2500	X	1200	X	12	282.6
3000	X	1500	X	12	423.9
4000	X	1800	X	12	678.24
4000	X	2000	X	12	753.6
6000	X	2000	X	12	1130.4
8000	X	2000	X	12	1507.2
10000	X	2400	X	12	2260.8
13000	X	2400	X	12	2939.04
12000	X	3000	X	12	3391.2
2500	X	1200	X	16	376.8
3000	X	1500	X	16	565.2
4000	X	2000	X	16	1004.8
6000	X	2000	X	16	1507.2
8000	X	2000	X	16	2009.6
10000	X	2400	X	16	3014.4
13000	X	2400	X	16	3918.72
3000	X	1500	X	20	706.5
4000	X	2000	X	20	1256
8000	X	2000	X	20	2512
10000	X	2400	X	20	3768
13000	X	2400	X	20	4898.4
12000	X	3000	X	20	5652
2500	X	1200	X	25	588.75
3000	X	1500	X	25	883.13
4000	X	2000	X	25	1570
8000	X	2000	X	25	3140
8000	X	1000	X	25	3140

EN 10025-S-355 JR-AR Continued

Demension					Mass per meter
10000	X	2400	X	25	4710
13000	X	2400	X	25	6123
12000	X	3000	X	25	7065
2500	X	1200	X	30	706.5
3000	X	1500	X	30	1059.75
4000	X	2000	X	30	1884
6000	X	2400	X	30	3391.2
10000	X	2400	X	30	5652
13000	X	2400	X	30	7347.6
2500	X	1200	X	32	753.6
3000	X	1500	X	32	1130.4
4000	X	2000	X	32	2009.6
10000	X	2400	X	32	6028.8
13000	X	2400	X	32	7837.44
2500	X	1200	X	35	824.25
3000	X	1500	X	35	1236.38
4000	X	2000	X	35	2198
6000	X	2400	X	35	3956.4
10000	X	2400	X	35	6594
13000	X	2400	X	35	8572.2
2500	X	1200	X	38	894.9
3000	X	1500	X	38	1342.35
4000	X	2000	X	38	2386.4
6000	X	2400	X	38	4295.52
10000	X	2400	X	38	7159.2
2500	X	1200	X	40	942
3000	X	1500	X	40	1413
4000	X	2000	X	40	2512
6000	X	2400	X	40	4521.6
10000	X	2400	X	40	7536
13000	X	2400	X	40	9796.8
2500	X	1200	X	45	1059.75
3000	X	1500	X	45	1589.63
4000	X	2000	X	45	2826
6000	X	2400	X	45	5086.8
10000	X	2400	X	45	8478
2500	X	1200	X	50	1177.5
3000	X	1500	X	50	1766.25
4000	X	2000	X	50	3140
6000	X	2400	X	50	5652
10000	X	2400	X	50	9420

Note: We can also supply Stainless steel and Aluminum

PLATES & SHEETS



EN 10025-S-355 JR-AR Continued

Demension					Mass per meter
2500	X	1200	X	60	1413
3000	X	1500	X	60	2119.5
4000	X	2000	X	60	3768
2500	X	1200	X	65	1530.75
4000	X	2000	X	65	4082
2500	X	1200	X	70	1648.5
4000	X	2000	X	70	4396
2500	X	1200	X	75	1766.25
2500	X	1200	X	80	1884
4000	X	2000	X	80	5024

SS10/200 (Bennox) Hard Wearing Plates

Demension					Mass per meter
2500	X	1200	X	3	72.35
4000	X	2000	X	5	314
2500	X	1200	X	6	141.3
4000	X	2000	X	6	376.8
2500	X	1200	X	8	188.4
4000	X	2000	X	8	502.4
2500	X	1200	X	10	235.5
4000	X	2000	X	10	628
2500	X	1200	X	12	282.6
4000	X	2000	X	12	753.6
2500	X	1200	X	16	376.8
4000	X	2000	X	16	1004.8
2500	X	1200	X	20	471
4000	X	2000	X	20	1256
2500	X	1200	X	25	588.75
4000	X	2000	X	25	1570
2500	X	1200	X	32	753.6
4000	X	2000	X	32	2009.6
2500	X	1200	X	35	824.25
4000	X	2000	X	40	2512
2500	X	1200	X	45	1059.75
4000	X	2000	X	50	3140

151/161 - 430A Boiler Plates

Demension					Mass per meter
10000	X	2400	X	5	942
13000	X	2400	X	5	1224.6
10000	X	2400	X	6	1130.4
13000	X	2400	X	6	1469.52
12000	X	3000	X	6	1695.6
13000	X	2400	X	8	1959.36
12000	X	3000	X	8	2260.8
10000	X	2400	X	10	1884
13000	X	2400	X	10	2449.2
12000	X	3000	X	10	2826
10000	X	2400	X	12	2260.8
13000	X	2400	X	12	2939.04
12000	X	3000	X	12	3391.2
10000	X	2400	X	16	3014.4
13000	X	2400	X	16	3918.72
12000	X	3000	X	16	4521.6
10000	X	2400	X	20	3768
13000	X	2400	X	20	4898.4
12000	X	3000	X	20	5652
10000	X	2400	X	22	4144.8
10000	X	2400	X	25	4710
10000	X	2400	X	30	5652
4000	X	2000	X	50	3140
6000	X	2400	X	50	5652
4000	X	2000	X	60	3768
6000	X	2400	X	60	6782.4
4000	X	2000	X	65	4082
4000	X	2000	X	70	4396
4000	X	2400	X	70	5275.2
4000	X	2000	X	75	4710
4000	X	2400	X	75	5652
4000	X	2000	X	80	5024

Mild Steel Vastrap plates

Demension					Mass per meter
2500	X	1200	X	3.0-4.6	78
2500	X	1200	X	4.5-6.1	113.34
4000	X	1200	X	4.5-6.1	181.34
8000	X	1200	X	4.5-6.1	362.69
2500	X	1200	X	6.0-7.6	148.65
4000	X	1200	X	6.0-7.6	237.84
8000	X	1200	X	6.0-7.6	475.68
2500	X	1200	X	8.0-9.6	195.75
4000	X	1200	X	8.0-9.6	313.2
8000	X	1200	X	8.0-9.6	626.4

Note: We can also supply Stainless steel and Aluminum


PLATES & SHEETS

MILD STEEL PLATES

EN 10025-S-355 JR-AR

Demension					Mass per meter
2500	X	1200	X	4.5	105.98
3000	X	1500	X	4.5	158.96
4000	X	1800	X	4.5	261.41
4000	X	2000	X	4.5	282.6
2500	X	1200	X	5	117.75
3000	X	1500	X	5	176.63
4000	X	1800	X	5	282.6
4000	X	2000	X	5	314
8000	X	2000	X	5	628
10000	X	2400	X	5	942
2500	X	1200	X	6	141.3
3000	X	1500	X	6	211.95
4000	X	1800	X	6	339.12
4000	X	2000	X	6	376.8
8000	X	2000	X	6	753.6
10000	X	2400	X	6	1130.4
2500	X	1200	X	8	188.4
3000	X	1500	X	8	282.6
4000	X	1800	X	8	452.16
4000	X	2000	X	8	502.4
8000	X	2000	X	8	1004.8
10000	X	2400	X	8	1507.2
2500	X	1200	X	10	235.5
3000	X	1500	X	10	353.25
4000	X	1800	X	10	565.2
4000	X	2000	X	10	628
8000	X	2000	X	10	1256
10000	X	2400	X	10	1884
2500	X	1200	X	12	282.6
3000	X	1500	X	12	423.9
4000	X	1800	X	12	678.24
4000	X	2000	X	12	753.6
8000	X	2000	X	12	1507.2
10000	X	2400	X	12	2260.8
2500	X	1200	X	16	376.8
3000	X	1500	X	16	565.2
4000	X	2000	X	16	1004.8
10000	X	2400	X	16	3014.4
2500	X	1200	X	20	471
3000	X	1500	X	20	706.5
4000	X	2000	X	20	1256
10000	X	2400	X	20	3768
2500	X	1200	X	25	588.75
3000	X	1500	X	25	883.13

Demension					Mass per meter
4000	X	2000	X	25	1570
10000	X	2400	X	25	4710
2500	X	1200	X	4.5	105.98
3000	X	1500	X	4.5	158.96
4000	X	1800	X	4.5	254.34
4000	X	2000	X	4.5	282.6
2500	X	1200	X	5	117.75
3000	X	1500	X	5	176.63
4000	X	1825	X	5	286.53
4000	X	2000	X	5	314
9000	X	2000	X	5	628
6000	X	2400	X	5	565.2
10000	X	2400	X	5	942
2500	X	1200	X	6	141.3
3000	X	1500	X	6	211.95
4000	X	1800	X	6	339.12
5700	X	1800	X	6	483.25
7300	X	1800	X	6	618.89
9035	X	1800	X	6	765.99
4000	X	2000	X	6	376.8
6000	X	2000	X	6	565.2
8000	X	2000	X	6	753.6
2400	X	2400	X	6	271.3
6000	X	2400	X	6	678.24
10000	X	2400	X	6	1130.4
13000	X	2400	X	6	1469.52
12000	X	3000	X	6	1695.6
2500	X	1200	X	8	188.4
3000	X	1500	X	8	282.6
4000	X	1800	X	8	452.16
4000	X	2000	X	8	502.4
4500	X	2000	X	8	565.2
8000	X	2000	X	8	1004.8
4500	X	2400	X	8	678.24
6000	X	2400	X	8	904.32
10000	X	2400	X	8	1507.2



PLATES & SHEETS

EN 10025-S-355 JR-AR Continued



Dimension					Mass per meter
2500	X	1200	X	60	1413
3000	X	1500	X	60	2119.5
4000	X	2000	X	60	3768
2500	X	1200	X	65	1530.75
4000	X	2000	X	65	4082
2500	X	1200	X	70	1648.5
4000	X	2000	X	70	4396
2500	X	1200	X	75	1766.25
2500	X	1200	X	80	1884
4000	X	2000	X	80	5024

151/161 - 430A Boiler Plates


Dimension					Mass per meter
10000	X	2400	X	5	942
13000	X	2400	X	5	1224.6
10000	X	2400	X	6	1130.4
13000	X	2400	X	6	1469.52
12000	X	3000	X	6	1695.6
10000	X	2400	X	8	1507.2
13000	X	2400	X	8	1959.36
12000	X	3000	X	8	2260.8
10000	X	2400	X	10	1884
13000	X	2400	X	10	2449.2
12000	X	3000	X	10	2826
10000	X	2400	X	12	2260.8
13000	X	2400	X	12	2939.04
12000	X	3000	X	12	3391.2
10000	X	2400	X	16	3014.4
13000	X	2400	X	16	3918.72
12000	X	3000	X	16	4521.6
10000	X	2400	X	20	3768
13000	X	2400	X	20	4898.4
12000	X	3000	X	20	5652
10000	X	2400	X	22	4144.8
10000	X	2400	X	25	4710
10000	X	2400	X	30	5652
4000	X	2000	X	50	3140
6000	X	2400	X	50	5652
4000	X	2000	X	60	3768
6000	X	2400	X	60	6782.4
4000	X	2000	X	65	4082
4000	X	2400	X	65	4898.4
4000	X	2000	X	70	4396
4000	X	2400	X	70	5275.2
4000	X	2000	X	75	4710
4000	X	2400	X	75	5652

SS10/200 (Bennox) Hard Wearing Plates

Dimension					Mass per meter
2500	X	1200	X	3	72.35
2500	X	1200	X	5	117.75
4000	X	2000	X	5	314
2500	X	1200	X	6	141.3
4000	X	2000	X	6	376.8
2500	X	1200	X	8	188.4
4000	X	2000	X	8	502.4
2500	X	1200	X	10	235.5
4000	X	2000	X	10	628
2500	X	1200	X	12	282.6
4000	X	2000	X	12	753.6
2500	X	1200	X	16	376.8
4000	X	2000	X	16	1004.8
2500	X	1200	X	20	471
4000	X	2000	X	20	1256
2500	X	1200	X	25	588.75
4000	X	2000	X	25	1570
2500	X	1200	X	32	753.6
4000	X	2000	X	32	2009.6
2500	X	1200	X	35	824.25
2500	X	1200	X	40	942
4000	X	2000	X	40	2512
2500	X	1200	X	45	1059.75
2500	X	1200	X	50	1177.5
4000	X	2000	X	50	3140

Mild Steel Vastrap Plates

Dimension					Mass per meter
2500	X	1200	X	3.0-4.6	78
2500	X	1200	X	4.5-6.1	113.34
4000	X	1200	X	4.5-6.1	181.34
8000	X	1200	X	4.5-6.1	362.69
2500	X	1200	X	6.0-7.6	148.65
4000	X	1200	X	6.0-7.6	237.84
8000	X	1200	X	6.0-7.6	475.68
4000	X	1200	X	8.0-9.6	195.75
4000	X	1200	X	8.0-9.6	313.2
8000	X	1200	X	8.0-9.6	626.4



PLATES & SHEETS

EN 10025 -S-355 JR-AR

Demension					Mass per meter
2500	X	1200	X	4.5	105.98
3000	X	1500	X	4.5	158.96
4000	X	1800	X	4.5	254.34
4000	X	2000	X	4.5	282.6
2500	X	1200	X	5	117.75
3000	X	1500	X	5	176.63
4000	X	1825	X	5	286.53
4000	X	2000	X	5	314
8000	X	2000	X	5	628
6000	X	2400	X	5	565.2
10000	X	2400	X	5	942
2500	X	1200	X	6	141.3
3000	X	1500	X	6	211.95
4000	X	1800	X	6	339.12
5700	X	1800	X	6	483.25
7300	X	1800	X	6	618.89
9035	X	1800	X	6	765.99
4000	X	2000	X	6	376.8
6000	X	2000	X	6	565.2
8000	X	2000	X	6	753.6
2400	X	2400	X	6	271.3
6000	X	2400	X	6	678.24
10000	X	2400	X	6	1130.4
13000	X	2400	X	6	1469.52
12000	X	3000	X	6	1695.6
2500	X	1200	X	8	188.4
3000	X	1500	X	8	282.6
4000	X	1800	X	8	452.16
4000	X	2000	X	8	502.4
4500	X	2000	X	8	565.2
8000	X	2000	X	8	1004.8
4500	X	2400	X	8	678.24
6000	X	2400	X	8	904.32
10000	X	2400	X	8	1507.2
13000	X	2400	X	8	1959.36
12000	X	3000	X	8	2260.8
2500	X	1200	X	10	235.5
3000	X	1500	X	10	353.25
4000	X	1800	X	10	565.2
4000	X	2000	X	10	628
6000	X	2000	X	10	942
8000	X	2000	X	10	1256
6000	X	2400	X	10	1130.4
10000	X	2400	X	10	1884
13000	X	2400	X	10	2449.2
12000	X	3000	X	10	2826

Corrosion Resistant Plate (WR50BI/Corten)

Demension					Mass per meter
2500	X	1225	X	1.6	39.39
2500	X	1225	X	2	49.24
2500	X	1200	X	3	72.35
2500	X	1200	X	4	96.47
2500	X	1200	X	5	117.75
4000	X	1800	X	5	282.6
4000	X	2000	X	5	314
10000	X	2400	X	5	942
2500	X	1200	X	6	141.3
4000	X	1800	X	6	339.12
4000	X	2000	X	6	376.8
10000	X	2400	X	6	1130.4
2500	X	1200	X	8	188.4
4000	X	2000	X	8	502.4
2500	X	1200	X	10	235.5
4000	X	2000	X	10	628
2500	X	1200	X	12	282.6
4000	X	2000	X	12	753.6
2500	X	1200	X	16	376.8
4000	X	2000	X	16	1004.8
2500	X	1200	X	20	471
4000	X	2000	X	20	1256




PLATES & SHEETS


EN 10025 -S-355 JR-AR Continued

Demension					Mass per meter
2500	X	1200	X	12	282.6
3000	X	1500	X	12	423.9
4000	X	1800	X	12	678.24
4000	X	2000	X	12	753.6
6000	X	2000	X	12	1130.4
8000	X	2000	X	12	1507.2
10000	X	2400	X	12	2260.8
13000	X	2400	X	12	2939.04
12000	X	3000	X	12	3391.2
2500	X	1200	X	16	376.8
3000	X	1500	X	16	565.2
4000	X	2000	X	16	1004.8
6000	X	2000	X	16	1507.2
8000	X	2000	X	16	2009.6
10000	X	2400	X	16	3014.4
13000	X	2400	X	16	3918.72
12000	X	3000	X	16	4521.6
2500	X	1200	X	20	471
3000	X	1500	X	20	706.5
4000	X	2000	X	20	1256
8000	X	2000	X	20	2512
10000	X	2400	X	20	3768
13000	X	2400	X	20	4898.4
12000	X	3000	X	20	5652
2500	X	1200	X	25	588.75
3000	X	1500	X	25	883.13
4000	X	2000	X	25	1570
8000	X	2000	X	25	3140
10000	X	2400	X	25	4710
13000	X	2400	X	25	6123
12000	X	3000	X	25	7065
2500	X	1200	X	30	706.5
3000	X	1500	X	30	1059.75
4000	X	2000	X	30	1884
6000	X	2400	X	30	3391.2
10000	X	2400	X	30	5652
13000	X	2400	X	30	7347.6
2500	X	1200	X	32	753.6
3000	X	1500	X	32	1130.4
4000	X	2000	X	32	2009.6
10000	X	2400	X	32	6028.8

EN 10025 -S-355 JR-AR Continued

Demension					Mass per meter
13000	X	2400	X	32	7837.44
2500	X	1200	X	35	824.25
3000	X	1500	X	35	1236.38
4000	X	2000	X	35	2198
6000	X	2400	X	35	3956.4
10000	X	2400	X	35	6594
13000	X	2400	X	35	8572.2
2500	X	1200	X	38	894.9
3000	X	1500	X	38	1342.35
4000	X	2000	X	38	2386.4
6000	X	2400	X	38	4295.52
10000	X	2400	X	38	7159.2
2500	X	1200	X	40	942
3000	X	1500	X	40	1413
4000	X	2000	X	40	2512
6000	X	2400	X	40	4521.6
10000	X	2400	X	40	7536
13000	X	2400	X	40	9796.8
2500	X	1200	X	45	1059.75
3000	X	1500	X	45	1589.63
4000	X	2000	X	45	2826
6000	X	2400	X	45	5086.8
10000	X	2400	X	45	8478
2500	X	1200	X	50	1177.5
3000	X	1500	X	50	1766.25
4000	X	2000	X	50	3140
6000	X	2400	X	50	5652
10000	X	2400	X	50	9420
2500	X	1200	X	60	1413
3000	X	1500	X	60	2119.5
4000	X	2000	X	60	3768
2500	X	1200	X	65	1530.75
4000	X	2000	X	65	4082
2500	X	1200	X	70	1648.5
4000	X	2000	X	70	4396
2500	X	1200	X	75	1766.25
2500	X	1200	X	80	1884
4000	X	2000	X	80	5024





Mils steel Round Bar

Demension	Mass per meter	Lenghts Available			
		6 m	9m	11m	13m
6	0.22	X			
8	0.4	X			
10	0.62	X			
12	0.89	X			
14	1.21				
16	1.58	X			
20	2.47	X			
22	2.98	X			
24	3.55	X			
25	3.85	X			
27	4.5	X			
32	6.31	X			
35	7.55	X			
36	7.99	X			
38	8.9	X			
40	9.87	X			

Reinforcing HT Round Bar

Demension	Mass per meter	Lenghts Available			
		6m	9m	11m	13m
6	0.22	X			
8	0.4	X			
10	0.62	X			
12	0.89	X			X
16	1.58				X
20	2.47				X
25	3.85				X
32	6.31				
40	9.86				

BS EN10025-2-S355 JR Round Bar

Demension	Mass per meter	Lenghts Available			
		6m	9m	11m	13m
30	5.55	X			
36	7.99	X			
40	9.87	X			
45	12.49	X			
50	15.41	X			
55	18.65				
60	22.2	X			
65	26.05				
70	30.21				
75	34.68				
80	39.46				
90	49.94				
95	55.64				
100	61.65				
103	65.41				

Mild Steel Square Bar

Demension	Mass per meter	Lenghts Available			
		6m	9m	11m	13m
10	0.79	X			
12	1.13	X			
16	2.01	X			
20	3.14	x			
35	9.62				
40	12.6	X			
45	15.9				
50	19.6	X			

BS EN10025-2-S355 JR Round Bar

Demension	Mass per meter	Lenghts Available			
		6m	9m	11m	13m
55	23.8				
60	28.3	X			
65	33.2				
70	38.5	X			
75	44.2	X			
100	78.5				
105	86.6				
150	177				

Drilled Rails

Demension	Mass per meter	Lenghts Available			
		6m	9m	11m	13m
15	14.91	X			
22	22.54		X		
30	30.15		X		
40	40.3				
48	47.6				
57	57.4				



FLAT BAR

Mild Steel

Dimension		Mass per meter
12	3	0.28
16	3	0.38
20	3	0.48
20	5	0.79
20	6	0.94
20	8	1.26
20	10	1.57
25	3	0.6
25	5	0.98
25	6	1.18
25	8	1.57
25	10	1.96
25	12	2.36
30	3	0.72
30	5	1.18
30	6	1.41
30	8	1.88
30	10	2.36
30	12	2.83
35	5	1.37
40	3	0.94
40	4.5	1.41
40	5	1.57
40	6	1.88
40	8	2.51
40	10	3.14
40	12	3.77
40	16	5.02
40	20	6.28
40	25	7.85
48	5	1.87
50	3	1.2
50	5	1.96
50	6	2.36
50	5	3.14
50	10	3.93
50	12	4.71
50	16	6.28
50	20	7.85
50	25	9.81
60	3	1.44
60	6	2.83
60	8	3.77
60	10	4.71
60	12	5.65
60	16	7.54
60	20	9.42
65	6	3.06
70	3	1.68
70	10	5.5
70	12	6.59
70	16	8.79
70	20	10.99
80	3	1.92
80	6	3.77
80	8	5.02
80	10	6.28
80	12	7.54
80	16	10.05
80	20	12.56
80	25	15.7
80	40	25.12
90	3	2.17
90	6	4.24
90	8	5.65
90	10	7.07
90	12	8.48
90	25	17.66

Available: 6 m length



55 C Flat Bar

Dimension		Mass per meter
100 x 12	X 12	9.42
100 x 16	X 16	12.56
100 x 20	X 20	15.7
130 x 12	X 12	12.25
130 x 16	X 16	16.33
130 x 20	X 20	20.41

Available: 9 m length

BS EN 100025—S 355 JR FLAT

Dimension		Mass per meter
100	X 4	2.41
100	X 6	4.71
100	X 8	6.28
100	X 10	7.85
100	X 12	9.42
100	X 16	12.56
100	X 20	15.7
100	X 25	19.63
100	X 30	23.55
100	X 40	31.4
100	X 50	39.25
110	X 6	5.18
110	X 10	8.64
110	X 12	10.36
130	X 8	8.16
130	X 10	10.21
130	X 12	12.25
130	X 16	16.33
130	X 20	20.41
130	X 25	25.51
150	X 8	9.42
150	X 10	11.78
150	X 12	14.13
150	X 16	18.84
150	X 20	23.55
150	X 25	29.44

Available: 6 m length

BS EN 100025—S 355 JR FLAT (Cont)

Dimension		Mass per meter
180	X 10	14.13
180	X 12	16.96
180	X 16	22.61
200	X 10	15.7
200	X 12	18.84
200	X 16	25.12
200	X 20	31.4
200	X 25	39.25
250	X 10	19.6
250	X 12	23.6
250	X 16	31.4
250	X 20	39.25
300	X 10	23.6
300	X 12	28.3

Available: 13 m length



BS EN 10025 - 2 - S355 JR Unequal Angles



						Lenghts Available				
						Dimension		Mass per meter		6
65	X	50	X	6		5.16		X		X
65	X	50	X	8		6.75				X
75	X	50	X	6		5.65	X	X		X
75	X	50	X	8		7.39		X		X
80	X	60	X	6		6.37		X		X
80	X	60	X	8		8.34		X		X
90	X	65	X	6		7.07		X		X
90	X	65	X	8		9.29		X		X
90	X	65	X	10		11.4				X
100	X	65	X	8		9.94		X		X
100	X	65	X	10		12.3				X
100	X	75	X	6		8.04		X		X
100	X	75	X	8		10.57		X	X	X
100	X	75	X	10		13.04		X	X	X
100	X	75	X	12		15.44				
125	X	75	X	8		12.16		X	X	X
125	X	75	X	10		15.02		X		X
125	X	75	X	12		17.81				X
150	X	75	X	10		16.98		X		X
150	X	75	X	12		20.17				X
150	X	75	X	15		24.83				
150	X	90	X	10		18.18		X	X	X
150	X	90	X	12		21.6				X
150	X	90	X	15		26.62				X

Mild Steel Angles

Demension		Mass per meter				Lenghts Available			
						6m	9m	11m	13m
25	X	25	X	2	0.77	X			
25	X	25	X	2.5	0.95	X			
25	X	25	X	3	1.11	X			
25	X	25	X	5	1.77	X			
30	X	30	X	2	0.95	X			
30	X	30	X	2.5	1.17	X			
30	X	30	X	3	1.36	X			
30	X	30	X	5	2.18	X			
40	X	40	X	2	1.29	X			
40	X	40	X	2.5	1.58	X			
40	X	40	X	3	1.87	X	X		X
40	X	40	X	4	2.42				X
40	X	40	X	5	2.97	X			X
40	X	40	X	6	3.52	X			
45	X	45	X	3	2.13	X			X
45	X	45	X	4	2.74				
45	X	45	X	5	3.38	X			X

BS EN10025 - 2 - S355 JR Angles

Demension						Mass per meter	Lenghts Available			
							6	9	11	13
50	X	50	X	3	2.37	X			X	
50	X	50	X	4	3.06				X	
50	X	50	X	5	3.77	X	X	X	X	
50	X	50	X	6	4.47	X	X	X	X	
50	X	50	X	8	5.82	X			X	
60	X	60	X	4	3.7				X	
60	X	60	X	5	4.57	X	X	X	X	
60	X	60	X	6	5.42	X	X	X	X	
60	X	60	X	8	7.09	X	X		X	
60	X	60	X	10	8.69	X				
70	X	70	X	6	6.38	X	X	X	X	
70	X	70	X	8	8.36	X	X		X	
70	X	70	X	10	10.27	X			X	
80	X	80	X	6	7.34	X	X	X	X	
80	X	80	X	8	9.63	X	X	X	X	
80	X	80	X	10	11.86	X	X		X	
80	X	80	X	12	14.03				X	
90	X	90	X	6	8.3		X	X	X	
90	X	90	X	8	10.9	X	X	X	X	
90	X	90	X	10	13.45		X		X	
90	X	90	X	12	15.93				X	
100	X	100	X	8	12.18	X	X	X	X	
100	X	100	X	10	15.04	X	X	X	X	
100	X	100	X	12	17.83		X	X	X	
120	X	120	X	8	14.71		X	X	X	
120	X	120	X	10	18.2		X	X	X	
120	X	120	X	12	21.62		X		X	
120	X	120	X	15	26.64				X	
150	X	150	X	10	22.98		X		X	
150	X	150	X	12	27.35		X		X	
150	X	150	X	15	33.77	X	X		X	
150	X	150	X	18	40.06				X	
200	X	200	X	16	48.5		X	X	X	
200	X	200	X	18	54.2				X	
200	X	200	X	20	59.9				X	





BS EN10025 - 2 - S355JR Columns

Demension						Lenghts Available			
						6	9	11	13
50	X	50	X	3	2.37	X			X
50	X	50	X	4	3.06				X
50	X	50	X	5	3.77	X	X	X	X
50	X	50	X	6	4.47	X	X	X	X
50	X	50	X	8	5.82	X			X
60	X	60	X	4	3.7				X
60	X	60	X	5	4.57	X	X	X	X
60	X	60	X	6	5.42	X	X	X	X
60	X	60	X	8	7.09	X	X		X
60	X	60	X	10	8.69	X			
70	X	70	X	6	6.38	X	X	X	X
70	X	70	X	8	8.36	X	X		X
70	X	70	X	10	10.27	X			X
80	X	80	X	6	7.34	X	X	X	X
80	X	80	X	8	9.63	X	X	X	X
80	X	80	X	10	11.86	X	X		X
80	X	80	X	12	14.03				X
90	X	90	X	6	8.3		X	X	X
90	X	90	X	8	10.9	X	X	X	X
90	X	90	X	10	13.45		X		X
90	X	90	X	12	15.93				X
100	X	100	X	8	12.18	X	X	X	X
100	X	100	X	10	15.04	X	X	X	X
100	X	100	X	12	17.83		X	X	X
120	X	120	X	8	14.71		X	X	X
120	X	120	X	10	18.2		X	X	X
120	X	120	X	12	21.62		X		X
120	X	120	X	15	26.64				X
150	X	150	X	10	22.98		X		X
150	X	150	X	12	27.35		X		X
150	X	150	X	15	33.77	X	X		X
150	X	150	X	18	40.06				X
200	X	200	X	16	48.5		X	X	X
200	X	200	X	18	54.2				X
200	X	200	X	20	59.9				X

BS EN10025 - 2 - S355JR Columns IPE (AA) Section

Demension						Lenghts Available			
						6m	9m	11m	13m
100	X	55		6.72		X	X	X	X
120	X	64		8.36		X		X	X
140	X	73		10.05		X	X	X	X
160	X	82		12.32		X	X	X	X
180	X	91		14.94		X	X	X	X
200	X	100		17.95		X	X	X	X

BS EN10025-2-S355 JR IPE section


Demension			Lenghts Available			
			6m	9m	11m	13m
100	55	8.1		X		X
120	64	10.37		X	x	X
140	73	12.89		X		X
160	82	15.77		X	x	X
180	91	18.8		X	x	X
200	100	22.36		X	x	X

BS EN10025-2-S355 JR Beans

Demension				Mass per meter		Lenghts Available			
						6m	9m	11m	13m
203 x 133	X	133		25.1			X	X	X
203 x 133	X	133		30		X			
254 x 146	X	146		31.1			X	X	X
254 x 146	X	146		37			X	X	X
254 x 146	X	146		43		X			
305 x 102	X	102		24.8			X	X	X
305 x 102	X	102		28.2			X	X	X
305 x 102	X	102		32.8			X	X	X
305 x 102	X	102		32.8			X	X	X
305 x 165	X	165		40.3		X			
305 x 165	X	165		40.3			X	X	X
305 x 165	X	165		46.1		X			
305 x 165	X	165		54			X	X	X
356 x 171	X	171		45			X	X	X
356 x 171	X	171		51			X	X	X
356 x 171	X	171		57			X	X	X
356 x 171	X	171		67.1			X	X	X
406 x 140	X	140		39			X	X	X
406 x 140	X	140		39		X			
406 x 140	X	140		46			X	X	X
406 x 140	X	140		46		X			
406 x 178	X	178		54.1			X	X	X
406 x 178	X	178		54.1		X			
406 x 178	X	178		60.1			X	X	X
406 x 178	X	178		67.1			X	X	X
406 x 178	X	178		74.2			X		X
457 x 191	X	191		67.1			X	X	X
457 x 191	X	191		74.3			X	X	X
457	X	191		82			X		X
457 x 191	X	191		89.3				X	X
457 x 191	X	191		98.3				X	X
533 x 210	X	210		82.2			X	X	X
533 x 210	X	210		82.2		X			
533 x 210	X	210		92.1			X	X	X
533 x 210	X	210		101					X
533 x 210	X	210		101		X			
533 x 210	X	210		109				X	X
533 x 210	X	210		122			X		X

BS EN10025 - 2 - S355JR Columns

Demension				Mass per meter		Lenghts Available			
						6m	9m	11m	13m
127	X	76		13.4					
152	X	89		17.1			X	X	X
178	X	102		21.5			X	X	X
203	X	152		52.3			X		X
203	X	152		52.3					





BS EN10025 - 2 - Channels (ILght)

Dimension			Mass per meter	Lenghts Available			
				6m	9m	11m	13m
76	X	38	5.7	X	X		X
57	X	51	6.84	X			
76	X	38	6.7	X	X		X
100	X	50	10.73	X	X		X
120	X	55	13.55	X	X	X	X
127	X	64	14.93	X	X		X
140	X	60	16.22	X	X	X	X
152	X	76	17.91	X	X	X	X
160	X	65	19.12	X	X	X	X
178	X	54	14.55	X	X	X	X
180	X	70	22.27	X	X		X
200	X	75	25.3		X	X	X

Galvonised Lip Channel (ISQ230 Z275)

Dimension				Mass per meter	Lenghts Available	
					6m	9.1m
75	50	20	2	3.14	X	
100	50	20	2	3.53	X	
125	50	20	2	3.93	X	
150	50	20	2	4.32	X	
150	75	20	2	5.1	X	
75	50	20	2.5	3.85		X
100	50	20	2.5	4.35		X
125	50	20	2.5	4.84		X
150	50	20	2.5	5.33		X
150	75	20	2.5	6.31		X
75	50	20	3	4.54		X
100	50	20	3	5.13		X
125	50	20	3	5.72		X
150	50	20	3	6.3		X
150	75	20	3	7.48		X

Galvonised Lip Channel (ISQ230 Z275)

Dimension								Mass per meter	Lenghts Available	
									6m	9.1m
75	X	50	X	20	X	2		3.14	X	
100	X	50	X	20	X	2		3.53	X	
125	X	50	X	20	X	2		3.93	X	
150	X	50	X	20	X	2		4.32	X	
150	X	75	X	20	X	2		5.1	X	
75	X	50	X	20	X	2.5		3.85		X
100	X	50	X	20	X	2.5		4.35		X
125	X	50	X	20	X	2.5		4.84		X
150	X	50	X	20	X	2.5		5.33		X
150	X	75	X	20	X	2.5		6.31		X
75	X	50	X	20	X	3		4.54		X
100	X	50	X	20	X	3		5.13		X
125	X	50	X	20	X	3		5.72		X
150	X	50	X	20	X	3		6.3		X
150	X	75	X	20	X	3		7.48		X

S355 Parallel Flange Channels

Dimension				Mass per meter	Lenghts Available			
					6m	9m	11m	13m
100	X	50		10.1	X	X	X	X
180	X	70		21.07		X	X	X
200	X	75		24.29	X	X	X	X
230	X	90		32.2		X	X	X
260	X	90		34.8		X	X	X
300	X	100		45.4		X	X	X
300	X	100		45.4	X			



Round Tubing



Round Tubing (continued)



Size outside Dimension mm	Wall mm	Kilograms per metre
15.8	1.6	0.563
15.8	2	0.681
19	1.6	0.688
19	2	0.84
21.3	1.6	0.778
21.3	2	0.953
21.3	2.5	1.158
25.4	1.6	0.939
25.4	2	1.154
25.4	2.5	1.411
26.9	1.6	1.002
26.9	2	1.233
26.9	2.5	1.502
26.9	2.8	1.681
26.9	3	1.768
31.7	1.6	1.189
31.7	2	1.467
31.7	2.5	1.817
31.7	3	2.123
34	1.6	1.282
34	2	1.582
34	2.5	1.942
34	3	2.293
38.1	1.6	1.44
38.1	2	1.78
38.1	2.5	2.192
38.1	3	2.79
38.1	4	3.364
42.8	1.6	1.642
42.8	2	2.012
42.8	2.5	2.484
42.8	2.8	2.79
42.8	3	2.944
42.8	3.5	3.419
42.8	4	3.793
48.5	1.6	1.846
48.5	2	2.288
48.5	2.5	2.83
48.5	2.8	3.187

Size outside Dimension mm	Wall mm	Kilograms per metre
48.5	3	3.358
48.5	3.5	3.915
48.5	4	4.366
48.5	4.5	4.912
50.8	1.6	1.94
50.8	2	2.406
50.8	2.5	2.978
50.8	2.8	3.348
50.8	3	3.533
50.8	3.5	4.083
50.8	4	4.616
50.8	4.5	5.169
57.1	1.6	2.191
57.1	2	2.718
57.1	2.5	3.372
57.1	3	4.003
57.1	4	5.248
60.3	1.6	2.317
60.3	2	2.875
60.3	2.5	3.7
60.3	2.8	4.013
60.3	3	4.224
60.3	3.5	4.876
60.3	4	5.551
60.3	4.5	6.154
63.5	1.6	2.44
63.5	2	3.031
63.5	2.5	3.758
63.5	3	4.472
63.5	3.5	5.174
63.5	4	5.875
63.5	4.5	6.541
73	1.6	2.817
73	2.5	4.346
73	3	5.176
73	3.5	5.998
76.2	1.6	2.942
76.2	2	3.659
76.2	2.5	4.534

Note: We can also supply Stainless steel and Aluminum



Round Tubing (continued)



Size outside Dimension mm	Wall mm	Kilograms per metre
76.2	2.8	5.12
76.2	3	5.416
76.2	3.5	6.261
76.2	4	7.105
76.2	4.5	7.939
76.2	5	8.779
76.2	6	10.308
88.9	2	4.286
88.9	2.5	5.327
88.9	3	6.355
88.9	3.5	7.371
88.9	4	8.375
88.9	4.5	9.366
88.9	5	10.345
88.9	6	12.172
101.6	1.6	3.986
101.6	2	4.908
101.6	2.5	6.104
101.6	2.8	6.891
101.6	3	7.288
101.6	3.5	8.46
101.6	4	9.619
101.6	4.5	10.76
101.6	5	11.911
101.6	6	14.135
114.3	2	5.534
114.3	2.5	6.893
114.3	3	8.221
114.3	3.5	9.55
114.3	4	10.88
114.3	4.5	12.17
114.3	5	13.465
114.3	6	16.011
127	2	6.165
127	2.5	7.669
127	2.8	8.663
127	3	9.166
127	3.5	10.66
127	3.8	11.84
127	4	12.12
127	4.5	13.59

Round Tubing (continued)



Size outside Dimension mm	Wall mm	Kilograms per metre
127	5	15.044
127	6	17.88
139.7	3	10.11
139.7	3.5	11.76
139.7	4	13.39
139.7	4.5	15
139.7	5	16.61
139.7	6	19.78
152.4	2	7.493
152.4	2.5	9.335
152.4	2.8	10.33
152.4	3	11.05
152.4	3.5	12.85
152.4	4	14.64
152.4	4.5	16.41
152.4	5	18.18
152.4	6	21.66
165.1	2.8	11.21
165.1	3	11.99
165.1	3.5	13.95
165.1	4	15.89
165.1	4.5	17.81
165.1	5	19.74
165.1	6	23.54
177.8	3	13
177.8	3.5	15.044
177.8	4	17.32
177.8	4.5	19.34
177.8	6	25.217
193.7	3	14.13
193.7	3.5	16.44
193.7	4	18.53
193.7	4.5	21.03
193.7	5	23.3
193.7	6	27.82
219.1	3.5	18.6
219.1	4	21.01
219.1	4.5	23.81
219.1	5	26.39
219.1	6	31.53



Galvanized Rounds



Size outside Dimension mm	Wall mm	Kilograms per metre
19	1.6	0.729
19	2	0.89
21.3	1.6	0.825
21.3	2	1.01
25.4	1.6	0.995
25.4	2	1.223
26.9	1.6	1.062
26.9	2	1.307
31.7	1.6	1.26
31.7	2	1.555
34	1.6	1.359
34	2	1.656
34	2.5	2.072
38.1	1.6	1.562
38.1	2	1.887
42.8	1.6	1.741
42.8	2	2.133
48.5	1.6	1.957
48.5	2	2.425
50.8	1.6	2.056
50.8	2	2.55
50.8	2.5	3.274
60.3	1.6	2.456
60.3	2	3.045
76.2	2	3.877
88.9	2	4.543
101.6	2	5.202
101.6	2.5	6.74
101.6	3	7.725
101.6	3.5	8.968
101.6	4	10.107
114.3	2	5.866
114.3	2.5	7.307
114.3	3	8.714
114.3	3.5	10.128
114.3	4	11.533

Square tubing



Size outside Dimension mm	Wall mm	Kilograms per metre
12.7	1.6	0.575
15.8	1.6	0.734
15.8	2	0.859
19	1.6	0.894
19	2	1.097
25.4	1.6	1.212
25.4	2	1.496
25.4	2.5	1.817
25.4	3	2.164
31.7	1.6	1.531
31.7	2	1.894
31.7	2.5	2.391
31.7	3	2.831
38.1	1.6	1.85
38.1	2	2.293
38.1	2.5	2.892
38.1	3	3.326
40	1.6	1.94
40	2	2.413
40	2.5	2.985
40	3	3.546
40	4	4.574
50.8	1.6	2.488
50.8	2	3.09
50.8	2.5	3.979
50.8	3	4.472
50.8	3.5	5.174
50.8	4	5.864
50.8	4.5	6.541
60	1.6	2.937
60	2	3.517
60	2.5	4.491
60	3	5.403
60	3.5	6.261
60	4	7.105
60	4.5	7.939





Square tubing continued



Size outside Dimension mm	Wall mm	Kilograms per metre
63.5	1.6	3.09
63.5	2	3.844
63.5	2.5	4.774
63.5	3	5.691
63.5	3.5	6.713
63.5	4	7.499
63.5	4.5	8.371
76.2	1.6	3.71
76.2	2	4.583
76.2	2.5	5.69
76.2	3	6.801
76.2	3.5	7.891
76.2	4	8.969
76.2	4.5	10.034
76.2	5	11.316
76.2	6	13.327
101.6	2	6.16
101.6	2.5	7.669
101.6	3	9.166
101.6	3.5	10.65
101.6	4	12.12
101.6	4.5	13.58
101.6	5	15.03
101.6	6	17.9
120	3	11.05
120	4	14.64
120	4.5	16.41
120	5	18.18
120	6	21.16
150	3	14.13
150	3.5	16.277
150	4	18.75
150	4.5	21.03
150	5	23.3
150	6	27.82

Rectangular tubing



Size Outside Dimension mm			Wall mm	Kilograms per metre
25	X	12	1.6	0.894
31	X	19	1.6	1.212
31	X	19	2	1.469
38	X	19	1.6	1.435
38	X	19	2	1.667
38	X	25	1.6	1.531
38	X	25	2	1.894
38	X	25	2.5	2.39
38	X	25	3	2.704
50	X	25	1.6	1.85
50	X	25	2	2.293
50	X	25	2.5	2.803
50	X	25	3	3.326
50	X	38	1.6	2.19
50	X	38	2	2.718
50	X	38	2.5	3.366
50	X	38	3	4.003
60	X	40	1.6	2.294
60	X	40	2	3.041
60	X	40	2.5	3.77
60	X	40	3	4.487
60	X	40	3.5	5.221
60	X	40	4	5.732
60	X	40	4.5	6.588
63	X	38	2	3.031
63	X	38	3	4.476
76	X	25	1.6	2.44
76	X	25	2	3.031
76	X	25	2.5	3.758
76	X	25	3	4.472
76	X	25	4	5.174
76	X	38	1.6	2.817
76	X	38	2	3.501
76	X	38	2.5	4.346
76	X	38	3	5.178



Rectangular Tubing Continued



Size Outside Dimension mm			Wall mm	Kilograms per metre
76	X	38	3.5	5.998
76	X	38	4	6.652
76	X	38	4.5	7.581
76	X	50	1.6	3.09
76	X	50	2	3.844
76	X	50	2.5	4.774
76	X	50	3	5.691
76	X	50	3.5	6.597
76	X	50	4	7.499
76	X	50	4.5	8.371
80	X	40	1.6	2.937
80	X	40	2	3.652
80	X	40	2.5	4.534
80	X	40	3	5.403
80	X	40	3.5	6.261
80	X	40	4	7.105
80	X	40	4.5	7.939
100	X	50	1.6	3.673
100	X	50	2	4.583
100	X	50	2.5	5.69
100	X	50	3	6.801
100	X	50	3.5	7.891
100	X	50	4	8.969
100	X	50	4.5	10.034
100	X	50	5	11.129
100	X	50	6	13.104
100	X	80	6	16.025
120	X	60	3	8.128
120	X	60	3.5	9.643
120	X	60	4	10.776
120	X	60	4.5	12.263
120	X	60	5	13.478
120	X	60	6	15.899
120	X	80	3.5	10.66
120	X	80	4	12.13

Rectangular Tubing Continued



Size Outside Dimension mm			Wall mm	Kilograms per metre
120	X	80	4	12.13
120	X	80	5	15.04
120	X	80	6	17.9
127	X	76	2	6.16
127	X	76	2.5	7.669
127	X	76	3	9.166
127	X	76	3.5	10.65
127	X	76	4	12.12
127	X	76	4.5	13.58
127	X	76	5	15.278
127	X	76	6	18.042
150	X	50	2	5.923
150	X	50	2.5	7.586
150	X	50	3	9.055
150	X	50	3.5	10.749
150	X	50	4	12.016
150	X	50	4.5	13.682
150	X	50	5	15.044
150	X	50	6	17.762
150	X	100	3	11.372
150	X	100	3.5	13.513
150	X	100	4	15.117
150	X	100	4.5	17.229
150	X	100	5	18.959
150	X	100	6	22.421
160	X	80	3	10.909
160	X	80	3.5	12.96
160	X	80	4	14.639
160	X	80	4.5	16.52
160	X	80	6	21.489
200	X	100	3	14.13
200	X	100	3.5	16.44
200	X	100	4	18.75
200	X	100	4.5	21.03
200	X	100	5	23.3
200	X	100	6	27.82



Wide Range – A variety of sheet heights, hole apertures & wire thicknesses.

Suitable for uneven ground – due to the narrow panel sizes contours are closely followed with little to no gap between ground and barrier

Ease of assembly – All units are bolted together, no cutting or welding is required

Efficiency of repair – Cost effective to repair as only the smaller section needs to be replaced. Faster repair time than larger paneling systems. More efficient and cost effective transportation to site due to ease of handling smaller load requirements.

Tamper resistant – Anti-tamper screws are used as part of the fastening system so once installed properly, tampering is almost impossible.

Life span – Two options are available, fully galvanized and either black or green powder coating. Particularly well adapted for industrial and marine environments. SABS specified coating.

Visibility – A Clear View adds to the appeal and security of the finished product. The product has the ability of increasing the value of the property due to its clean lines and see through finish.

Anti burrow – Specially coated mesh can be placed below ground to discourage burrowing under the fence.

Mesh (mm)	Wire Ø (mm)	Panel Size (m)	Weight (Kg/m ²)	Suitability for Perimeter Fence
30 x 30	3	2.0 x 1.0	—	Fine mesh — high security, ideal for sensitive perimeters
50 x 50	4	2.60 x 1.50	3.9	General purpose — good cost/strength balance
50 x 50	4	3.0 x 1.50	3.9	General purpose — longer perimeter runs
50 x 50	4	3.0 x 2.0	3.9	Taller fencing height requirements
50 x 50	5	2.60 x 1.50	6.58	Reinforced wire — high-resistance perimeters
50 x 50	5	3.0 x 1.50	6.58	Reinforced wire — large perimeters
100 x 50	5	2.60 x 1.50	4.26	Wide mesh — economical for extensive perimeters
200 x 50	5	2.60 x 1.50	3.55	Very wide mesh — lowest weight/m ² , low security requirement

PERIMINE FENCE





www.bssmoz.com



commercial@bssmoz.com

rufa.antonio@bssmoz.com

stefane.macie@bssmoz.com



HEAD OFFICE

Maputo

Av. da Namaacha, Q1, Numero 25
Matola - Rio, Boane | Mozambique



+258 848029476 / 828029476

+258 848038846 / 828038849

