

FIELDVET

Provet Integration Master Prompt

Core product idea: The veterinarian works in FieldVet. Provet works in the background. FieldVet should trigger the right communication and retrieve the right patient context without forcing the veterinarian to jump between systems during a normal home-visit day.

What this upgrade should achieve

- Customer communication is triggered from FieldVet but sent through Provet / the clinic's existing communication setup.
- The veterinarian never needs to open Provet just to send an ETA or 'on the way' message.
- Relevant patient history can be viewed inside FieldVet on demand.
- Provet remains the clinical system of record and master source.
- FieldVet does not become a parallel SMS system or duplicate medical record.
- The mobile veterinarian flow remains one-click / next-action focused.

Desired experience:

Veterinarian: “I stay in FieldVet all day. I know exactly what to do next, and the system handles the background communication for me.”

Coordinator: “I can see that the customer was informed and that the veterinarian has the context they need - without manual phone chains.”

MASTER PROMPT FOR CLAUDE

You are continuing work on the EXISTING FieldVet prototype. Do not rebuild the application from scratch. Do not redesign the product into a different system. Preserve the current visual identity, refined UX, operations workflow, mobile veterinarian experience and demo behavior that already work well.

This task adds and refines the integration boundary between FieldVet and Provet so FieldVet becomes the veterinarian's operational workspace while Provet remains the clinic's system of record for customer, patient, booking and clinical data.

PRIMARY PRODUCT PRINCIPLE

**The veterinarian should work in FieldVet.
Provet should work in the background.**

A normal field day should not require the veterinarian to repeatedly open Provet for customer communication, basic patient history lookup or routine operational updates.

FieldVet should reduce context switching, not create another system the veterinarian has to manage.

1. PROVET REMAINS THE MASTER SYSTEM

- Provet remains the source of truth for customers/owners, patients, ordinary bookings, clinical journal data and relevant communication preferences.
- FieldVet owns the operational execution of today's home visits: route, assignment, live status, ETA, delay handling and field workflow.
- Do not duplicate the full Provet patient record into a separate FieldVet record system.
- Do not create a second customer communication history unless needed for lightweight operational state.
- Do not make FieldVet responsible for invoicing, general booking administration or full journal management.

Where the current prototype contains overlapping functionality, simplify it so the boundary between FieldVet and Provet is obvious.

2. CUSTOMER COMMUNICATION SHOULD BE TRIGGERED BY FIELDVET, SENT THROUGH PROVET

FieldVet must NOT become a full SMS product. Do not build a generic SMS inbox, free-text campaign editor or separate customer messaging system.

Instead, implement the UX and architecture concept as:

- Veterinarian performs an operational action in FieldVet.
- FieldVet determines whether a customer communication event should be triggered.
- FieldVet sends a structured communication request through a Provet messaging adapter / integration boundary.
- Provet or the clinic's configured communication service sends the actual customer message.
- FieldVet receives/represents confirmation state and shows the coordinator/veterinarian that the customer was informed.

Example flow:

Veterinarian taps Starta navigering
→ **FieldVet sets status to På väg**
→ **FieldVet calculates ETA 14:35-14:50**
→ **FieldVet triggers the Provet communication integration**
→ **Provet sends the customer message**
→ **FieldVet shows Ägaren informerad ✓**

3. THE VETERINARIAN SHOULD NEVER MANUALLY WRITE ROUTINE ETA MESSAGES

- Do not ask the veterinarian to compose or approve standard 'on the way' or updated ETA messages during a normal workflow.
- Communication should be event-driven from actions the veterinarian already needs to perform.
- Starting navigation should automatically represent the operational transition to På väg.
- Do not require a separate På väg button after Starta navigering.
- If ETA changes materially, FieldVet may trigger an updated customer message automatically according to configured rules.
- The veterinarian should not need to open Provet for any of this.

The veterinarian should primarily see a calm confirmation state such as Ägaren informerad ✓ rather than messaging controls.

4. COMMUNICATION EVENTS, NOT FREE-TEXT SMS

Model communication as structured events, for example:

- VETERINARIAN_ON_THE_WAY
- ETA_UPDATED
- VETERINARIAN_DELAYED
- ARRIVAL_WINDOW_UPDATED
- VISIT_CANCELLED_OR_MOVED - only when appropriate and approved

The integration layer should translate these events into the correct Provet-supported communication flow/template. Do not hard-code the product to one SMS provider or one exact API endpoint.

5. PREVENT DUPLICATE CUSTOMER MESSAGES

This is a production-critical detail. Repeated taps, retries, reconnects or API retries must not cause duplicate customer SMS messages.

- Use idempotent communication events.
- Each outbound event should have a stable event/idempotency key.
- Store/track pending, sent, failed and confirmed states.
- Do not trigger a second identical on-the-way event for the same visit unless the state genuinely changed.
- If the same action is retried after network failure, reconcile before creating a new message.

Recommended visible states:

- Skickar...
- Ägaren informerad ✓
- Kunde inte skickas

Routine communication failures should normally surface to the coordinator instead of forcing the field veterinarian into a troubleshooting workflow.

6. RESPECT PROVET COMMUNICATION PREFERENCES

- Do not create a parallel customer SMS consent/preferences model in FieldVet if Provet is the master.
- FieldVet should respect whatever communication permissions/preferences are supplied by Provet.
- If customer messaging is unavailable or not permitted, show a clear operational state.
- Do not silently bypass Provet preferences by sending through a separate channel.

FieldVet decides when an operational message is useful.

Provet / the configured clinic communication system decides whether and how the customer can receive it.

7. PATIENT HISTORY INSIDE FIELDVET - ON DEMAND

Add a veterinarian-only patient history experience that can retrieve relevant Provet clinical information without requiring the veterinarian to leave FieldVet.

This should be an on-demand clinical context view, NOT a duplicated full medical record system.

Default visit screen should remain compact:

Bosse
Vaccination

Viktigt inför besöket
Tidigare vaccinreaktion
Apoquel
Portkod 1532

Visa historik

Do not dump the entire clinical history into the default mobile screen.

8. USE “VISA HISTORIK” RATHER THAN GENERIC “VISA MER”

The action should be explicit. The veterinarian should understand immediately that this opens patient history.

When opened, show a simple chronological clinical history view, for example:

- Date
- Visit/consultation type
- Short relevant summary
- Diagnoses if available/appropriate
- Medication entries if available/appropriate
- Procedures/treatments if available/appropriate
- An action such as Visa hela anteckningen when needed

Use progressive disclosure. The veterinarian should not need to read full journal narratives unless the current visit makes it necessary.

9. PROVET DATA SHOULD BE READ-ONLY IN THIS HISTORY VIEW

- Treat patient history retrieved from Provet as read-only in the initial FieldVet implementation.
- Do not allow historical clinical records to be silently edited in FieldVet.
- Show a subtle source/freshness label such as: Hämtat från Provet · uppdaterat 14:22.
- Provide a secondary Öppna i Provet action only for cases that require full native Provet functionality.

The goal is to avoid system switching for routine context - not to recreate every Provet screen.

10. FETCH CLINICAL HISTORY ON DEMAND WHERE POSSIBLE

Prefer an architecture where FieldVet stores only the minimum operational patient context needed for the active field day, and retrieves deeper clinical history from Provet when the veterinarian explicitly opens Visa historik.

FieldVet mobile visit

- **veterinarian taps Visa historik**
- **FieldVet backend checks authorization**
- **Provet adapter retrieves permitted patient/consultation information**
- **FieldVet presents a concise read-only history view**

- Do not fetch and permanently duplicate every patient's full historical record by default.
- Use server-side integration calls; do not expose privileged Provet credentials to the client.

11. ROLE-BASED CLINICAL ACCESS

The coordinator and veterinarian must not see the same clinical information.

Veterinarian may see, when authorized and relevant:

- patient summary
- relevant warnings/flags
- medications
- recent clinical history
- consultation notes/history as permitted
- diagnoses/procedures as permitted

Coordinator should primarily see:

- patient name
- visit type
- address / operational context
- assigned veterinarian
- status
- ETA
- only operational flags necessary for dispatch

Do not expose full clinical note narrative to the coordinator simply because the API makes it technically available.

12. ACCESS SHOULD FOLLOW ASSIGNMENT AND PURPOSE

- A veterinarian should not automatically gain broad searchable access to every patient in the organization.
- Default access should be scoped to currently assigned/relevant patients and legitimate workflow need.
- Authorization must be enforced server-side / integration-side, not only by hiding UI.
- Log/audit access to sensitive clinical history where appropriate.
- Use least privilege for the Provet integration credentials and requested scopes/permissions.

13. OFFLINE / POOR CONNECTIVITY STRATEGY

A field app must remain useful during poor mobile connectivity.

- Prefetch only the minimum operational information needed for today's assigned visits.
- Allow access to next visit, address, owner contact, access instructions and essential safety/clinical flags when offline.
- Optionally cache a limited relevant history summary if the security design allows it.
- Do not cache the patient's entire historical record 'just in case'.
- Use encrypted local storage where supported/appropriate.
- Use expiration and cleanup rules for cached sensitive data.
- Clearly show Offline / stale data / waiting for sync states.

When deeper history is unavailable offline, communicate this clearly without breaking the rest of the visit workflow.

14. KEEP THE MOBILE WORKFLOW EXTREMELY SIMPLE

Normal veterinarian flow should remain:

Nästa besök
→ **Starta navigering**
→ **Jag är framme**
→ **Starta besök**
→ **optional Visa historik when needed**
→ **Avsluta besök**
→ **optional Diktera journal / follow-up flow**
→ **Nästa besök**

- The veterinarian should not have to manually trigger routine customer SMS.
- The veterinarian should not have to open Provet for routine history lookup.
- The veterinarian should not have to manage integration errors.
- The veterinarian should not see coordinator dispatch complexity.

15. CUSTOMER COMMUNICATION UX FOR THE COORDINATOR

Coordinator should see communication as a simple operational state:

Bosse · 14:35-14:50
Emma på väg
Ägaren informerad via Provet ✓

- Optional secondary action: Visa skickat meddelande.
- Do not add a large messaging workspace.
- If communication fails, show a clear action such as Försök igen or Kontakta ägaren.
- Do not require the coordinator to inspect technical integration logs during normal work.

16. UPDATED ETA LOGIC

When the operational plan changes materially, FieldVet should decide whether the customer needs a new ETA.

- Do not send a new message for tiny ETA changes unless configured.
- Use a configurable threshold concept, e.g. a meaningful change in arrival window.
- Avoid message spam when routes are recalculated repeatedly.
- If an updated ETA is sent, display this clearly: Ny ankomsttid skickad ✓.
- Keep threshold/business rules configurable rather than hard-coded deep in UI components.

17. JOURNAL / DICTATION WRITE-BACK - KEEP SEPARATE

If the current FieldVet prototype includes journal dictation, keep it as a separate post-visit flow.

- Dictate
- Generate draft
- Veterinarian reviews
- Veterinarian signs/approves according to the actual supported workflow
- Write back to Provet through a dedicated journal adapter when the integration supports it

Never auto-sign. Never imply that generated text is clinically approved before the veterinarian has reviewed it.

The patient-history reader and journal-write flow should be separate concepts: one reads clinical context from Provet; the other may create new approved documentation after the visit.

18. INTEGRATION ARCHITECTURE

Use clear adapters/interfaces rather than coupling UI directly to Provet:

- ProvetBookingAdapter
- ProvetPatientAdapter
- ProvetClinicalHistoryAdapter
- ProvetMessagingAdapter
- ProvetJournalWritebackAdapter
- IntegrationSyncState / audit layer

Names can be adapted to the existing codebase. The important part is the architectural separation.

- The UI should not know raw Provet API details.
- Mock adapters may be used in the prototype.
- Real integrations should be replaceable without rebuilding UI workflows.

19. ERROR HANDLING AND RESILIENCE

- Do not block the veterinarian's field workflow because a customer SMS failed.
- Do not lose a status change because the Provet integration is temporarily unavailable.
- Queue/retry safe operations where appropriate.
- Reconcile state after reconnect.
- Never create duplicate messages or duplicate journal write-backs during retry.
- Show the user simple operational language, not raw API errors.

Example:

**Kundmeddelandet kunde inte skickas.
Samordnaren har fått information.**

The veterinarian can continue the visit workflow.

20. DATA MINIMIZATION AND SECURITY

- Do not store more owner/patient/clinical data in FieldVet than required for the workflow.
- Do not expose Provet access tokens or privileged integration secrets in client-side code.
- Use backend-mediated API calls.
- Use role-based authorization.
- Use audit logs for sensitive access and important plan-changing actions.
- Do not log full clinical note bodies, access tokens or unnecessary customer data.
- Use secure session handling and safe failure defaults.
- Treat cached mobile clinical data as sensitive and time-limited.

Do not claim GDPR compliance or production security merely because these controls are represented in the prototype. Clearly distinguish prototype behavior from production requirements.

21. PROTOTYPE BEHAVIOR

If the current environment cannot connect to a real Provet sandbox, simulate the integration honestly.

- Use mock Provet adapters with deterministic behavior.
- Clearly label simulated integration state in developer/demo documentation.
- Do not display fake production claims in the user-facing UI.
- Keep data contracts realistic so mock adapters can later be replaced by actual Provet integrations.

The clickable prototype should demonstrate:

- Starta navigering → På väg → ETA calculated → Provet communication triggered → Ägaren informerad ✓.
- ETA materially changes → new Provet communication event → updated confirmation.
- Veterinarian taps Visa historik → read-only history loads from simulated Provet source.
- Coordinator does not see clinical narrative.
- Offline/failed integration state does not break the veterinarian's workflow.
- Duplicate message prevention is represented in state logic.

22. DO NOT ADD

- A full SMS inbox or free-text SMS module.
- A parallel customer database.
- A parallel full medical record database.
- A full Provet clone.
- A general booking module for routine visits.
- Broad clinical search for coordinators.
- Unnecessary patient history on default screens.
- Integration-specific technical controls in the veterinarian UI.
- Manual steps that duplicate information already available from Provet.

23. UX / INTERACTION REFINEMENT

This integration must make FieldVet feel simpler, not more technical.

- Keep Provet almost invisible during normal field work.
- Use clear confirmation states rather than integration jargon.
- Avoid modal chains.
- Keep the primary mobile CTA large and consistent.
- History should open quickly and return the veterinarian to the exact same visit context.
- Do not lose scroll/visit position when opening and closing history.
- Use loading skeletons or calm progress indicators for history retrieval.
- If Provet is temporarily unavailable, explain it in plain Swedish.
- Keep customer communication confirmations subtle but trustworthy.
- Make web and mobile feel polished enough that users actively want to keep them open.

Target feeling:

Veterinarian: "Fan vad skönt - jag behöver inte hoppa in i Provet hela tiden. Allt jag behöver för nästa besök finns här."

Coordinator: "Fan vad skönt - jag ser att kunden är informerad och att veterinären har rätt info utan att jag behöver jaga någon."

24. REQUIRED DEMO SCENARIO

1. Bosse is the veterinarian's next visit.
2. Veterinarian taps **Starta navigering**.
3. Status becomes **På väg** automatically.
4. ETA becomes **14:35-14:50**.
5. FieldVet triggers Provet customer communication.
6. UI shows **Ägaren informerad via Provet ✓**.
7. Veterinarian opens **Visa historik** and sees relevant read-only Provet history.
8. Veterinarian returns to the active visit without losing context.
9. A later delay changes ETA materially.
10. FieldVet triggers one updated customer message - no duplicates.
11. Coordinator sees the updated communication state.
12. Veterinarian continues without opening Provet.

FINAL ACCEPTANCE CRITERIA

- Veterinarian can complete a normal field day primarily inside FieldVet.
- Starting navigation automatically transitions the visit to På väg.
- Routine customer ETA/on-the-way communication requires no manual SMS composition.
- Customer messages are conceptually sent through Provet/the clinic communication layer, not a standalone FieldVet SMS system.
- FieldVet shows clear sent/pending/failed communication states.
- Duplicate communication events are prevented.
- Provet communication preferences remain authoritative.
- Relevant patient history is available through Visa historik.
- Clinical history is read-only in the initial FieldVet history view.
- History is progressively disclosed and does not clutter the main visit screen.
- Coordinator cannot see full clinical narrative.
- Veterinarian access is scoped to legitimate assigned/relevant patients.
- Offline behavior still supports the next visit and critical field context.
- Sensitive cached data is minimized and designed to expire.
- Provet integration logic is behind adapters/interfaces.
- Integration failures do not unnecessarily stop the veterinarian's workflow.
- Journal/dictation write-back remains a separate reviewed/signed flow.
- The UX remains calm, fast, refined and one-action-at-a-time.
- No major new parallel system has been created.

FINAL INSTRUCTION TO CLAUDE

Do not make FieldVet compete with Provet.

Make FieldVet use Provet on behalf of the veterinarian.

The veterinarian should stay focused on the patient and the next action. The integration should quietly handle the background data and customer communication.

Before implementing, inspect the current codebase and map the existing Provet/mock integration boundaries. Then implement the smallest coherent set of changes that delivers this architecture and UX without duplicating existing functionality.

When finished, report: Changed UX · Provet integration boundaries · Mocked behavior · Production requirements · Security considerations · Remaining open API questions.