SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0; SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0; SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLES,NO_ZERO_IN_DATE,NO_ZERO_D ATE, ERROR_FOR_DIVISION_BY_ZERO, NO_ENGINE_SUBSTITUTION'; -- Schema mydb -- Schema db_clubeaurora -- Schema db_clubeaurora CREATE SCHEMA IF NOT EXISTS 'db_clubeaurora' DEFAULT CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci; USE `db_clubeaurora`; -- Table `db_clubeaurora`.`administradors` CREATE TABLE IF NOT EXISTS `db_clubeaurora`.`administradors` ('id' INT NOT NULL AUTO_INCREMENT, 'nome' VARCHAR(500) NOT NULL, 'email' VARCHAR(500) NOT NULL, 'senha' VARCHAR(1000) NOT NULL, 'nivelAcesso' TINYINT(1) NOT NULL,

-- MySQL Workbench Forward Engineering

`createdAt` DATETIME NOT NULL,

```
`updatedAt` DATETIME NOT NULL,
 PRIMARY KEY ('id'))
ENGINE = InnoDB
AUTO_INCREMENT = 3
DEFAULT CHARACTER SET = utf8mb4
COLLATE = utf8mb4_0900_ai_ci;
-- Table `db_clubeaurora`.`associados`
CREATE TABLE IF NOT EXISTS `db_clubeaurora`.`associados` (
 'id' INT NOT NULL AUTO_INCREMENT,
 'nome' VARCHAR(1000) NOT NULL,
 `cpf` VARCHAR(14) NOT NULL,
 'telefone' VARCHAR(100) NOT NULL,
 `matriculaEmpresa` VARCHAR(14) NOT NULL,
 'email' VARCHAR(100) NOT NULL,
 `senha` VARCHAR(1000) NOT NULL,
 `status` TINYINT(1) NOT NULL,
 `createdAt` DATETIME NOT NULL,
 `updatedAt` DATETIME NOT NULL,
 PRIMARY KEY ('id'))
ENGINE = InnoDB
AUTO_INCREMENT = 28
DEFAULT CHARACTER SET = utf8mb4
COLLATE = utf8mb4_0900_ai_ci;
```

-- Table `db_clubeaurora`.`dependentes`

```
CREATE TABLE IF NOT EXISTS `db_clubeaurora`.`dependentes` (
 `id` INT NOT NULL AUTO_INCREMENT,
 `nome` VARCHAR(1000) NOT NULL,
 `telefone` VARCHAR(100) NOT NULL,
 `parentesco` VARCHAR(100) NOT NULL,
 `createdAt` DATETIME NOT NULL,
 'updatedAt' DATETIME NOT NULL,
 'AssociadoId' INT NULL DEFAULT NULL,
 PRIMARY KEY ('id'),
 INDEX 'AssociadoId' ('AssociadoId' ASC) VISIBLE,
 CONSTRAINT `dependentes_ibfk_1`
  FOREIGN KEY ('Associadold')
  REFERENCES 'db_clubeaurora'. 'associados' ('id')
  ON DELETE SET NULL
  ON UPDATE CASCADE)
ENGINE = InnoDB
AUTO_INCREMENT = 28
DEFAULT CHARACTER SET = utf8mb4
COLLATE = utf8mb4_0900_ai_ci;
-- Table `db_clubeaurora`.`reservas`
CREATE TABLE IF NOT EXISTS `db_clubeaurora`.`reservas` (
 'id' INT NOT NULL AUTO_INCREMENT,
 'local' VARCHAR(1000) NOT NULL,
 'data' DATE NOT NULL,
 `createdAt` DATETIME NOT NULL,
```

'updatedAt' DATETIME NOT NULL,

```
`Associadold` INT NULL DEFAULT NULL,

PRIMARY KEY ('id`),

INDEX 'Associadold` ('Associadold` ASC) VISIBLE,

CONSTRAINT `reservas_ibfk_1`

FOREIGN KEY ('Associadold`)

REFERENCES `db_clubeaurora`.`associados` ('id`)

ON DELETE SET NULL

ON UPDATE CASCADE)

ENGINE = InnoDB

AUTO_INCREMENT = 17

DEFAULT CHARACTER SET = utf8mb4

COLLATE = utf8mb4_0900_ai_ci;

SET SQL_MODE=@OLD_SQL_MODE;
```

SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS;

SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS;