

UJIAN BACK END

Kenny Oscar – jc9

ADD MOVIES

The screenshot displays a REST client interface for a POST request to `localhost:2019/addmovies`. The request body is a JSON object with the following fields:

```
1 {  
2   "nama" : "Avengers",  
3   "tahun" : 2015,  
4   "deskripsi" : "Ironman meninggal pada akhirnya"  
5 }
```

The response status is `200 OK` with a time of `538ms` and a size of `340 B`. The response body is a JSON object with the following fields:

```
1 {  
2   "fieldCount": 0,  
3   "affectedRows": 1,  
4   "insertId": 4,  
5   "serverStatus": 2,  
6   "warningCount": 0,  
7   "message": "",  
8   "protocol41": true,  
9   "changedRows": 0  
10 }
```

EDIT MOVIES 1

▶ localhost:2019/editmovies/:movie_id

Examples (0) ▼

PATCH ▼

localhost:2019/editmovies/:movie_id

Send ▼

Save ▼

Params ●

Authorization

Headers (1)

Body ●

Pre-request Script

Tests

Cookies

Code

Comments (0)

Query Params

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	Key	Value	Description		

Path Variables

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	movie_id	2	Description		

Response

EDIT MOVIES 2

localhost:2019/editmovies/:movie_id Examples (0)

PATCH localhost:2019/editmovies/:movie_id Send Save

Params Authorization Headers (9) **Body** Pre-request Script Tests Cookies Code Comments (0)

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL ^{BETA} JSON (application/json) Beautify

```
1 {
2   "nama": "Lion King",
3   "tahun": 2000,
4   "deskripsi": "Cerita mengenai simba dan 2 temannya"
5 }
```

Body Cookies Headers (6) Test Results Status: 200 OK Time: 246ms Size: 381 B Save Response

Pretty Raw Preview JSON ≡

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 0,
5   "serverStatus": 2,
6   "warningCount": 0,
7   "message": "(Rows matched: 1 Changed: 1 Warnings: 0)",
8   "protocol41": true,
9   "changedRows": 1
10 }
```

DELETE MOVIES

localhost:2019/deletemovies/:movie_id Examples (0)

DELETE localhost:2019/deletemovies/:movie_id Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Cookies Code Comments (0)

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Path Variables

KEY	VALUE	DESCRIPTION	...	Bulk Edit
movie_id	4	Description		

Body Cookies Headers (6) Test Results Status: 200 OK Time: 238ms Size: 340 B Save Response

Pretty Raw Preview JSON

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 0,
5    "serverStatus": 2,
6    "warningCount": 0,
7    "message": "",
8    "protocol41": true,
9    "changedRows": 0
10 }
```

SHOW ALL MOVIES

localhost:2019/movies Examples (0)


GET localhost:2019/movies Send Save

Params Authorization Headers (7) Body Pre-request Script Tests Cookies Code Comments (0)

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (6) Test Results Status: 200 OK Time: 50ms Size: 305 B Save Response

Pretty Raw Preview JSON 

```
1 [
2   {
3     "id": 2,
4     "nama": "Lion King",
5     "tahun": 2000,
6     "deskripsi": "Cerita mengenai simba dan 2 temannya"
7   }
8 ]
```

ADD CATEGORIES

The screenshot displays a REST client interface with the following details:

- Request Method:** POST
- URL:** localhost:2019/addcategory
- Buttons:** Send, Save
- Tabs:** Params, Authorization, Headers (9), **Body**, Pre-request Script, Tests
- Body Type:** raw (selected), JSON (application/json)
- Request Body:**

```
1 {  
2   "nama": "Sci-fi"  
3 }
```
- Response Section:**
 - Tabs:** **Body**, Cookies, Headers (6), Test Results
 - Status:** 200 OK
 - Time:** 230ms
 - Size:** 340 B
 - Buttons:** Save Response
 - Format:** Pretty (selected), Raw, Preview, JSON
- Response Body:**

```
1 {  
2   "fieldCount": 0,  
3   "affectedRows": 1,  
4   "insertId": 3,  
5   "serverStatus": 2,  
6   "warningCount": 0,  
7   "message": "",  
8   "protocol41": true,  
9   "changedRows": 0  
10 }
```

EDIT CATEGORIES 1

▶ localhost:2019/editcategory/:category_id

Examples (0) ▼

PATCH ▼

localhost:2019/editcategory/:category_id

Send ▼

Save ▼

Params ●

Authorization

Headers (1)

Body ●

Pre-request Script

Tests

Cookies

Code

Comments (0)

Query Params

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	Key	Value	Description		

Path Variables

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
	category_id	2	Description		

Response

EDIT CATEGORIES 2

The screenshot displays a REST client interface with a PATCH request to `localhost:2019/editcategory/:category_id`. The request body is a JSON object with a single property `"nama": "Action"`. The response is a JSON object with the following fields: `"fieldCount": 0`, `"affectedRows": 1`, `"insertId": 0`, `"serverStatus": 2`, `"warningCount": 0`, `"message": "{Rows matched: 1 Changed: 1 Warnings: 0}"`, `"protocol41": true`, and `"changedRows": 1`. The status is 200 OK, the time is 154ms, and the size is 381 B.

Request:

Method: PATCH
URL: localhost:2019/editcategory/:category_id
Body:

```
{  "nama": "Action"}
```

Response:

Status: 200 OK
Time: 154ms
Size: 381 B
Body:

```
{  "fieldCount": 0,  "affectedRows": 1,  "insertId": 0,  "serverStatus": 2,  "warningCount": 0,  "message": "{Rows matched: 1 Changed: 1 Warnings: 0}",  "protocol41": true,  "changedRows": 1}
```

DELETE CATEGORIES

DELETE

localhost:2019/deletecategory/:category_id

Send

Save

Params

Authorization

Headers (8)

Body

Pre-request Script

Tests

Cookies

Code

Comments (0)

Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Path Variables

KEY	VALUE	DESCRIPTION	...	Bulk Edit
category_id	3	Description		

Body

Cookies

Headers (6)

Test Results

Status: 200 OK

Time: 184ms

Size: 340 B

Save Response

Pretty

Raw

Preview

JSON

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 0,
5    "serverStatus": 2,
6    "warningCount": 0,
7    "message": "",
8    "protocol41": true,
9    "changedRows": 0
10 }
```

SHOW ALL CATEGORIES

The screenshot shows a REST client interface with a GET request to `localhost:2019/categories`. The response is a JSON array containing one object with `"id": 2` and `"nama": "Action and adventure"`.

Request: GET `localhost:2019/categories`

Params: Authorization, Headers (7), Body, Pre-request Script, Tests

Query Params:

KEY	VALUE	DESCRIPTION
Key	Value	Description

Body: Cookies, Headers (6), Test Results

Status: 200 OK Time: 149ms Size: 252 B

Response Body (JSON):

```
[
  {
    "id": 2,
    "nama": "Action and adventure"
  }
]
```

ADD CONNECTION MOVCAT

The screenshot displays a REST client interface with a dark theme. At the top, a tab shows a POST request to `localhost-2019/addconnection`. The main area is titled "Untitled Request" and shows the same endpoint. The "Body" tab is selected, showing a JSON payload: `{ "movie_id": 2, "category_id": 2 }`. The "raw" radio button is selected for the body type. Below the body, the "Body" tab of the response is active, showing a JSON response: `{ "fieldCount": 0, "affectedRows": 1, "insertId": 1, "serverStatus": 2, "warningCount": 0, "message": "", "protocol41": true, "changedRows": 0 }`. The status bar at the bottom indicates a successful response with status `200 OK`, time `510ms`, and size `340 B`.

POST localhost-2019/addconnection

Untitled Request

POST localhost-2019/addconnection

Params Authorization Headers (9) Body Pre-request Script Tests

none form-data x-www-form-urlencoded raw binary GraphQL BETA JSON (application/json)

```
1 {
2   "movie_id": 2,
3   "category_id": 2
4 }
```

Body Cookies Headers (6) Test Results

Status: 200 OK Time: 510ms Size: 340 B Save Response

Pretty Raw Preview JSON

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 1,
5   "serverStatus": 2,
6   "warningCount": 0,
7   "message": "",
8   "protocol41": true,
9   "changedRows": 0
10 }
```

DELETE CONNECTION MOVCAT

Untitled Request

DELETE localhost:2019/deleteconnection/:movcat_id Send Save

Params Authorization Headers (8) Body Pre-request Script Tests Cookies Code Comments (0)


Query Params

KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Path Variables

KEY	VALUE	DESCRIPTION	...	Bulk Edit
movcat_id	1	Description		

Body Cookies Headers (6) Test Results Status: 200 OK Time: 372ms Size: 340 B Save Response

Pretty Raw Preview JSON 

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 0,
5   "serverStatus": 2,
6   "warningcount": 0,
7   "message": "",
8   "protocol41": true,
9   "changedRows": 0
10 }
```