A.4.10 SMS/CBS 7-bit European (Latin script) alphabet (0x10) tables

This alphabet for Latin should be preferred over the 7-bit default alphabet (0x00). This (0x10) alphabet supports most European languages that are using the Latin script, and also Vietnamese and Tagalog. For some letters with marks, combining characters are used to represent them. This alphabet should be used instead of the default encoding (0x00) except when the default encoding is explicitly called for, and except for USSD.

A.4.10.1 SMS/CBS 7-bit European (Latin script)alphabet (0x10) base table

				b7	*0*	*0*	*0*	*0*	*1*	*1*	*1*	*1*
				b6	*0*	*0*	*1*	*1*	*0*	*0*	*1*	*1*
				b5	*0*	*1*	*0*	*1*	*0*	*1*	*0*	*1*
b4	***b3***	***b2***	***b1***		**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**
0	*0*	*0*	*0*	**0**	@ 0040	– 2212	**SP** 0020	0 0030	¡ 00A1	P 0050	¿ 00BF	p 0070
0	*0*	*0*	*1*	**1**	£ 00A3	_ 005F	! 0021	1 0031	A 0041	Q 0051	a 0061	q 0071
0	*0*	*1*	*0*	**2**	$ 0024	` 0300	" 0022	2 0032	B 0042	R 0052	b 0062	r 0072
0	*0*	*1*	*1*	**3**	¥ 00A5	´ 0301	# 0023	3 0033	C 0043	S 0053	c 0063	s 0073
0	*1*	*0*	*0*	**4**	è 00E8	ˆ 0309	€ 20AC	4 0034	D 0044	T 0054	d 0064	t 0074
0	*1*	*0*	*1*	**5**	é 00E9	̣ 0323	% 0025	5 0035	E 0045	U 0055	e 0065	u 0075
0	*1*	*1*	*0*	**6**	ù 00F9	˜ 0303	& 0026	6 0036	F 0046	V 0056	f 0066	v 0076
0	*1*	*1*	*1*	**7**	ì 00EC	̇ 0307	' 0027	7 0037	G 0047	W 0057	g 0067	w 0077
1	*0*	*0*	*0*	**8**	ò 00F2	¯ 0304	(0028	8 0038	H 0048	X 0058	h 0068	x 0078
1	*0*	*0*	*1*	**9**	ç 00E7	ˆ 0302	) 0029	9 0039	I 0049	Y 0059	i 0069	y 0079
1	*0*	*1*	*0*	**A**	**LF** 000A	ˇ 030C	* 002A	: 003A	J 004A	Z 005A	j 006A	z 007A
1	*0*	*1*	*1*	**B**	Ø 00D8	**SS2** ----	+ 002B	; 003B	K 004B	Ä 00C4	k 006B	ä 00E4
1	*1*	*0*	*0*	**C**	ø 00F8	Æ 00C6	, 002C	< 003C	L 004C	Ö 00D6	l 006C	ö 00F6
1	*1*	*0*	*1*	**D**	**CR** 000D	æ 00E6	- 002D	= 003D	M 004D	Ñ 00D1	m 006D	ñ 00F1
1	*1*	*1*	*0*	**E**	Å 00C5	ß 00DF	. 002E	>003E	N 004E	Ü 00DC	n 006E	ü 00FC
1	*1*	*1*	*1*	**F**	å 00E5	É 00C9	/ 002F	? 003F	O 004F	§ 00A7	o 006F	à 00E0

LF: LINE FEED; moves to the next line (with implied carriage return).
CR: CARRIAGE RETURN; CR is not used as CR but is used as a filler after the actual SMS/CBS message text. CR should not occur inside a message text, but if it does, it must be converted to LF. Note though that <SS2,CR> is actually CSI (se next table), and that “CR” is not a filler, nor LF.
SS2: SINGLE SHIFT TWO; This code shifts the next 7-bit code unit to refer to the extension of this table (subclause A.4.10.2).
When splitting a message text into submessages, there must be no cut right after an SS2.
U+00DF: Uppercase is U+1E9E (see the extension table).

A.4.10.2 SMS/CBS 7-bit European (Latin script) alphabet (0x10) extension (SS2) table

				b7	*0*	*0*	*0*	*0*	*1*	*1*	*1*	*1*
				b6	*0*	*0*	*1*	*1*	*0*	*0*	*1*	*1*
				b5	*0*	*1*	*0*	*1*	*0*	*1*	*0*	*1*
b4	***b3***	***b2***	***b1***	**1B**	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**
0	*0*	*0*	*0*	**0**	Ő 0150	ª 00AA	ơ 01A1	Ą 0104	| 007C	Œ 0152	¼ 00BC	⚠ 26A0
0	*0*	*0*	*1*	**1**	ő 0151	º 00BA	Ư 01AF	ą 0105	Ć 0106	Ě 011A	½ 00BD	∞ 221E
0	*0*	*1*	*0*	**2**	Ű 0170	ğ 011F	ư 01B0	Ę 0118	ć 0107	Ğ 011E	¾ 00BE	² 00B2
0	*0*	*1*	*1*	**3**	ű 0171	ş 015F	˘ 0306	ę 0119	Ł 0141	Ş 015E	“ 201C	³ 00B3
0	*1*	*0*	*0*	**4**	È 00C8	^ 005E	̛ 0328	Þ 00DE	ł 0142	ě 011B	” 201D	ı 0131
0	*1*	*0*	*1*	**5**	i 0069,0307	Č 010C	̦ 0326	þ 00FE	Ń 0143	Ú 00DA	¤ 00A4	ú 00FA
0	*1*	*1*	*0*	**6**	Ù 00D9	č 010D	̧ 0327	Ð 00D0	ń 0144	Í 00CD	Ω 03A9	í 00ED
0	*1*	*1*	*1*	**7**	Ì 00CC	Š 0160	¨ 0308	ð 00F0	Ś 015A	Â 00C2	µ 03BC	â 00E2
1	*0*	*0*	*0*	**8**	Ò 00D2	š 0161	{ 007B	Đ 0110	ś 015B	Ê 00CA	° 00B0	ê 00EA
1	*0*	*0*	*1*	**9**	Ç 00C7	Ž 017D	} 007D	đ 0111	Ź 0179	Î 00CE	× 00D7	î 00EE
1	*0*	*1*	*0*	**A**	**FF** 000C	ž 017E	˝ 030B	≈ 2248	ź 017A	Û 00DB	÷ 00F7	û 00FB
1	*0*	*1*	*1*	**B**	Ô 00D4	**SS3** ----	Ý 00DD	≠ 2260	Ů 016E	Ë 00CB	± 00B1	ë 00EB
1	*1*	*0*	*0*	**C**	ô 00F4	Ă 0102	ý 00FD	[005B	ů 016F	Ï 00CF	‰ 2030	ï 00EF
1	*1*	*0*	*1*	**D**	**CSI** 009B	ă 0103	⩽ 2A7D	~ 007E	À 00C0	Ã 00C3	« 00AB	ã 00E3
1	*1*	*1*	*0*	**E**	Á 00C1	ß 1E9E	⩾ 2A7E	] 005D	İ 0130	Õ 00D5	» 00BB	õ 00F5
1	*1*	*1*	*1*	**F**	á 00E1	Ơ 01A0	\ 005C	· 00B7	œ 0153	Ó 00D3	’ 2019	ó 00F3

FF: FORM FEED; This code is defined as a Page Break character (with implied carriage return). A final recipient of the SMS/CBS message which does not have pagination shall convert FF to LF.

CSI: CONTROL SEQUENCE INTRODUCER; enables decimal character references, enables styling. An MS which does not support CSI shall convert it to REPLACEMENT CHARACTER.

SS3: SINGLE SHIFT THREE; This code is reserved for the extension to another (SS3) extension table (subclause A.4.10.3), automatically set along with setting this table.
When splitting a message text into submessages, there must be no cut right after an SS3.

Though labelled “European”, at least also Turkish, Azeri, Vietnamese, and Tagalog/Filipino can be written using this alphabet.

A.4.10.3 SMS/CBS 7-bit European (Latin script) alphabet (0x10) extension (SS3) table

				b7	*0*	*0*	*0*	*0*	*1*	*1*	*1*	*1*
				b6	*0*	*0*	*1*	*1*	*0*	*0*	*1*	*1*
				b5	*0*	*1*	*0*	*1*	*0*	*1*	*0*	*1*
b4	***b3***	***b2***	***b1***	**1B**	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**
0	*0*	*0*	*0*	**0**			202F					
0	*0*	*0*	*1*	**1**								
0	*0*	*1*	*0*	**2**								
0	*0*	*1*	*1*	**3**								
0	*1*	*0*	*0*	**4**				₺ 20BA		Ŧ 0166		ŧ 0167
0	*1*	*0*	*1*	**5**								
0	*1*	*1*	*0*	**6**								
0	*1*	*1*	*1*	**7**								
1	*0*	*0*	*0*	**8**					Ħ 0126		ħ 0127	
1	*0*	*0*	*1*	**9**								
1	*0*	*1*	*0*	**A**	**UND** ----	□ FFFD						
1	*0*	*1*	*1*	**B**		**UND** ----			IJ 0132	I̋J 0132,030B	ij 0133	i̋j 0133,030B
1	*1*	*0*	*0*	**C**								
1	*1*	*0*	*1*	**D**	**UND** ----		- 2010					
1	*1*	*1*	*0*	**E**					Ŋ 014A		ŋ 014B	
1	*1*	*1*	*1*	**F**								

In the event that an MS receives a code where a symbol is not represented (including UND) in the above table then the MS shall display the REPLACEMENT CHARACTER (U+FFFD).

U+FFFD: Explicit REPLACEMENT CHARACTER (equivalent in function to SUBSTITUTE, U+001A).

NNBSP: NARROW NO-BREAK SPACE, for recommended space before/after some punctuation in French, as well as space between a number and a fraction (like in 2 ½), a number and %, a number and a unit symbol (like in 40 m), esp. to get a space but still avoid an automatic line break. This character is at this position in all of the 7-bit alphabets for SMS/CBS with reference code 0x10 or higher.

U+2010: HYPHEN, a true hyphen, in contrast to U+002D HYPHEN-MINUS. This character is at this position in all of the 7-bit alphabets for SMS/CBS with reference code 0x10 or higher.