```
nter password: ******
Welcome to the MariaDB monitor. Commands end with; or ¥g.
Your MariaDB connection id is 2
Server version: 10.1.28-MariaDB mariadb.org binary distribution
Copyright (c) 2000, 2017, Oracle, MariaDB Corporation Ab and others.
Type 'help:' or '¥h' for help. Type '¥c' to clear the current input statement.
MariaDB [(none)]> CREATE TABLE profiles(profilesID int,name varchar(255),tel varchar(255),age int,birthday date);
ERROR 1046 (3D000): No database selected
MariaDB [(none)]> USE Challenge db
Database changed
MariaDB [Challenge db]> CREATE TABLE profiles(profileID int,name varchar(255),tel varchar(255),age int,birthday date);
ERROR 1050 (42S01): Table 'profiles' already exists
MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday)VALUES(1,田中 実,012-345-6789,30,1994-02-01);
ERROR 1054 (42S22): Unknown column '田中 実' in 'field list
MariaDB [Challenge db]> umn
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near 'umn' at lin
MariaDB [Challenge db]> INSERT INTO profiles(profileID,name,tel,age,birthday)VALUES(1,"田中 実",012-345-6789,30,1994-0201);
ERROR 1054 (42S22): Unknown column 'profileID' in 'field list
MariaDB [Challenge_db]> INSERT INTO profiles(profileID,name,tel,age,birthday)VALUES('1','田中 実','012-345-6789','30','1994-02-01');
ERROR 1054 (42S22): Unknown column 'profileID' in 'field list'
MariaDB [Challense_db]> INSERT INTO 'profiles' ('profileID', 'name', 'tel', 'ase', 'birthday') VALUES('1', '田中 実', '012-345-6789', '30', '1994-02-01');
ERROR 1064 (42S00): You have an error in your SQL, syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ''profiles'(
'profileID','name','tel','age','birthday')VALUES('1','田中 実','' at line 1
MariaDB [Challenge_db]> INSERT INTO profiles('profileID','name','tel','age','birthday')VALUES('1','田中 実','012-345-6789','30','1994-02-01');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right syntax to use near ''profileID', 'name', 'tel', 'age', 'birthday') VALUES('1', '田中 実', '012-345-678' at line 1
MariaDB [Challenge_db]> INSERT INTO profiles(profileID,name,tel,age,birthday)VALUES('1','田中 実','012-345-6789','30','1994-02-01');
ERROR 1054 (42S22): Unknown column 'profileID' in 'field list
MariaDB [Challenge db]> INSERT INTO profiles(profilesID,name,tel,age,birthday)VALUES('1','田中 実','012-345-6789','30','1994-02-01');
Query OK, 1 row affected (0.10 sec)
MariaDB [Challenge db]> SHOW DATABASES
```

로 I 🔒 💀 🗵 🧿 🔤

Database

08/28