RX / MEDICAL NECESSITY FORM

PATIENT INFORMATIO	N			
WELLS	DOUGLAS			
LAST NAME	FIRST NAME	MI		
MALE	05/29/1956	4192212684	SHIPPING METHOD: SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	SHIP TO PATIENT'S PHYSICIAN CLINIC	
5070 WONNELL RD	LIMA	OH 45806		
ADDRESS	СІТУ	STATE & ZIPCODE		
INSURANCE INFORMA	TION			
MEDICARE				
PRIMARY INSURANCE		SECONDARY INSURANCE		
1G14V10WK68				
MEMBER ID		MEMBER ID		
PHYSICIAN INFORMAT	ION			
JAMES BOWLUS MD		1841263589		
PHYSICIAN NAME		NPI #		
		4193310443		
610 E KIRACOFE AVE ELIDA	OH 45807	PHONE NUMBER		
PRACTICE LOCATION		4193313137		
		FAX NUMBER		
PRESCRIPTION SELEC	TION			
L3670 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3761 - Elbow Brace (Side: □ L □ R) (Size:) □ L3960 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3916 - Wrist Hand Finger (Side: □ L □ R) (Size:) □ L3660 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3915 - Wrist Hand Finger (Side: □ L □ R) (Size:) □ L0650 - Lumbar Brace (Waist:) □ L1852 - Knee Brace (Side: □ L □ R) (Size: MEDIUM) □ L0642 - Lumbar Brace (Waist:) □ L1851 - Knee Brace (Side: □ L □ R) (Size:) □ L0648 - Lumbar Brace (Waist:) □ L1833 - Knee Brace (Side: □ L □ R) (Size:) □ L0648 - Lumbar Brace (Waist:) □ L2397 - Knee Sleeve (Size: MEDIUM) (Qty: 2) □ E0100 - Electric Heat Pad □ E0100 - Cane □ L1690 - Hip Brace (Side: □ L □ R) (Waist:) □ L2425 - Dial Lock Hinge ROM □ L1686 - Hip Brace (Side: □ L □ R) (Waist:) □ L2820 - Lower Extremity Ortho □ L2624 - Hip Joint Adjustable Flexion, Extension (Side: □ L □ R) □ L1906 / L1971 - Ankle Brace (Side: □ L □ R) (Shoe Size:) □ L3760 - Elbow Brace (Side: □ L □ R) □ L3170 - Heel Stabilizer (Side: □ L □ R)		nd Finger (Side: □ L □ R) (Size:) Ind Finger (Side: □ L □ R) (Size:) Inder (Side: □ L □ R) (Size:) Inder (Side: □ L □ R) (Size: MEDIUM) Inder (Side: □ L □ R) (Size:) Inder (Side: □ L □ R) (Size:) Inder (Side: □ L □ R) (Size:) Inder ROM In		
MEDICAL INFORMATIC ICD 10 (Diagnosis Code(s)):	ecified eoarthritis left knee eoarthritis right knee der	 □ M25.522 Pain in M25.521 Pain in M54.2-Cervicale 	in right wrist oarthritis Left Ankle oarthritis Right Ankle n left elbow	

MEDICAL HISTORY

Previous treatments: ICE PACKS

Doctor's Notes: The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **MORE THAN A YEAR**. Patient states pain is **THROBBING** with a pain scale of **8** and pain worsens with movements. Pain is caused by **ARTHRITIS** and is experienced **SOMETIMES**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE

Physician Verification: By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.

PHYSICIAN NAME:

PHYSICIAN SIGNATURE:_

JAMES BOWLUS MD

— □1775 - ∂5 - 15124

Patient Name: DOUGLAS WELLS

Patient Address: 5070 WONNELL RD LIMA OH 45806

Patient Phone: 4192212684

Physician Name: **JAMES BOWLUS MD** Address: 610 E KIRACOFE AVE ELIDA OH 45807

Address: 610 E KIRACOFE AVE ELIDA OH 4580 Telephone: 4193310443

Fax: 4193313137

Patient: **DOUGLAS WELLS**Date of Birth: **05/29/1956**Visit Date: **WITHIN A YEAR**

Reason for visit: REGULAR CHECK-UP

Clinical Summary

Patient Demographics

Patient Name:	DOUGLAS WELLS	Date of Birth:	05/29/1956
Age:	68	Phone Number:	4192212684
Address:	5070 WONNELL RD	City:	LIMA
State:	он	Zip Code:	45806
Gender:	MALE	Height:	5'6
Weight:	153	Waist Size	м

Patient Insurance

Provider:	MEDICARE	Member ID:	1G14V10WK68
-----------	----------	------------	-------------

Medications

Current Medication	TYLENOL
Medical History	NONE

Medical Diagnosis

The pain level was indicated on a scale of 1-10 as the	ne following: 8
--------------------------------------------------------	-----------------

The patient's pain started on or around MORE THAN A YEAR AGO

The surgery addressed the following: NA

The pain is experienced **SOMETIMES**

The patient has attempted the following previous treatments/therapies: ICE PACKS

The patient described their pain as the following: THROBBING

The activities that make the patient's pain worse is as follows: WALKING

The pain is located in the patient's LEFT KNEE, RIGHT KNEE

The patient's pain is caused by ARTHRITIS

The last time the patient has seen the doctor was on WITHIN A YEAR

Chief Complaint

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE, RIGHT KNEE

Subjective Notes

The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **MORE THAN A YEAR**. Patient states pain is **THROBBING** with a pain scale of **8** and pain worsens with movement. The pain is caused by **ARTHRITIS** and is experienced **SOMETIMES**. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for MORE THAN A YEAR located in their LEFT KNEE, RIGHT KNEE related to M17.11-Unilateral primary osteoarthritis right knee, M17.12-Unilateral primary osteoarthritis left knee. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **THROBBING** and occurs **SOMETIMES**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **8**. The following activities make the patient's pain worse: **WALKING**. Patient needs a **LEFT KNEE**, **RIGHT KNEE** Brace to provide support and reduce pain level.

Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIALLATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE., including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

ICD 10 (Diagnostic Codes)

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee

for for

Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information

Λ

Date:

Provider Name: JAMES BOWLUS MD

Address: 610 E KIRACOFE AVE ELIDA OH 45807

Physician's Signature:

Patient Name: **DOUGLAS WELLS**

Patient Address: 5070 WONNELL RD LIMA OH 45806

Patient Phone: 4192212684

LETTER OF MEDICAL NECESSITY

Re: **DOUGLAS WELLS**

Orthotic Device Need Assessment

Exam Date: 09/05/2024

Height: 5'8 Weight: 153 DOB: 05/29/1956

Mr WELLS is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE, RIGHT KNEE.

Mr WELLS reports chronic LEFT KNEE, RIGHT KNEE pain for MORE THAN A YEAR. Patient states pain is THROBBING with a pain scale of 8 and pain worsens with WALKING. Pain is experienced SOMETIMES. Previous treatments with heat, ice. medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, Based on my conversation with Mr WELLS and evaluation of his/her condition. I am ordering the following: L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC). MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE.

Patient is ambulatory and has weakness of the LEFT KNEE, RIGHT KNEE requiring stabilization for improvement of functionality. I am prescribing this KNEE orthosis for the following indication(s): to aid when the patient is WALKING, to aid in stabilization of the KNEE. My treatment goal(s) for the use of the prescribed KNEE orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. Mr WELLS has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that Mr WELLS continue medical follow-up as part of an ongoing plan of

Re: DOUGLAS WELLS...... DOB: May 29, 1956

I. JAMES BOWLUS MD, verify and confirm this order for the above-named patient, and certify that I have personally performed the assessment of the patient for the prescribed treatment and device and verify that it is reasonably and medically necessary, according to accepted standards of medical practice within the community, for this patient's medical condition.

Date Signed: 09 - 05 - 2014

<u>Comprehensive Knee Laxity Test (Check All Applicable)</u>

Objective Tests: (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

Pivot Shift Test (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive