RX / MEDICAL NECESSITY FORM

PATIENT INFORMATION	I			
COLSTON	DEBORAH			
LAST NAME	FIRST NAME	MI		
FEMALE	01/21/1953	4056722905	SHIPPING METHOD: SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	SHIP TO PATIENT'S PHYSICIAN CLINIC	
824 E EUBANKS ST	OKLAHOMA CITY	OK 73105		
ADDRESS	CITY	STATE & ZIPCODE		
INSURANCE INFORMAT	TION			
MEDICARE				
PRIMARY INSURANCE	_	SECONDARY INSURANCE		
6GJ2CK1WD98		MEMBER IR		
MEMBER ID		MEMBER ID		
PHYSICIAN INFORMATI	ON			
TRACY KIDWELL, MD		1033197496		
PHYSICIAN NAME		NPI #		
		405-741-7722		
1800 S DOUGLAS BLVD MIDV	/EST CITY OK 73130	PHONE NUMBER		
PRACTICE LOCATION		405-741-7757		
		FAX NUMBER		
PRESCRIPTION SELEC	rion			
□ L3670 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3960 - Shoulder Brace (Side: □ L □ R) (Size:) □ L3660 - Shoulder Brace (Side: □ L □ R) (Size:) □ L0650 - Lumbar Brace (Waist:) □ L0642 - Lumbar Brace (Waist: XL) □ L0457 - Lumbar Brace (Waist: XL) □ L0648 - Lumbar Brace (Waist:) □ E0100 - Electric Heat Pad □ L1690 - Hip Brace (Side: □ L □ R) (Waist:) □ L1686 - Hip Brace (Side: □ L □ R) (Waist:) □ L2624 - Hip Joint Adjustable Flexion, Extension (Side: □ L □ R) □ L3760 - Elbow Brace (Side: □ L □ R)		L3761 - Elbow Brace (Side: □ L □ R) (Size:) L3916 - Wrist Hand Finger (Side: □ L □ R) (Size: XL) L3915 - Wrist Hand Finger (Side: □ L □ R) (Size:) L1852 - Knee Brace (Side: □ L □ R) (Size: XL) L1833 - Knee Brace (Side: □ L □ R) (Size:) L2397 - Knee Sleeve (Size: XL) (Qty: 2) E0100 - Cane L2425 - Dial Lock Hinge ROM L2820 - Lower Extremity Ortho L1971 - Ankle Brace (Side: □ L □ R) (Shoe Size:) L1906 - Ankle Brace (Side: □ L □ R) (Shoe Size:) L0174 - Cervical Brace L3170 - Heel Stabilizer (Side: □ L □ R)		
MEDICAL INFORMATION ICD 10 (Diagnosis Code(s)):	ified parthritis left knee arthritis right knee er		in right wrist parthritis Left Ankle parthritis Right Ankle n left elbow n right elbow	

MEDICAL HISTORY

Previous treatments: RESTING AND TAKING PAIN MEDICINE

Doctor's Notes: The patient reports chronic **LOWER BACK**, **LEFT KNEE**, **RIGHT KNEE**, **RIGHT WRIST AND LEFT WRIST** pain for **SEVERAL YEARS**. Patient states pain is **ACHY** with a pain scale of **8** and pain worsens with movements. Pain is caused by **WEAR AND TEAR** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE

Physician Verification: By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.

PHYSICIAN NAME:

PHYSICIAN SIGNATURE:_

TRACY KIDWELL, MD

_{чте:}05/60/24

05/06/2024 03:56 PM SSM Health Medical Group P. 003 / 006

FIRST STEP DME INC.

Patient Name: **DEBORAH COLSTON**

Patient Address: 824 E EUBANKS ST OKLAHOMA CITY OK 73105

Patient Phone: 4056722905

Physician Name: TRACY KIDWELL, MD

Address: 1800 S DOUGLAS BLVD MIDWEST CITY OK 73130

Telephone: **405-741-7722** Fax: **405-741-7757**

Patient: **DEBORAH COLSTON**Date of Birth: **01/21/1953**Visit Date: **05/02/2024**Reason for visit: **CHECK-UP**

Clinical Summary

Patient Demographics

Tation Demographics			
Patient Name:	DEBORAH COLSTON	Date of Birth:	01/21/1953
Age:	71	Phone Number:	4056722905
Address:	824 E EUBANKS ST	City:	OKLAHOMA CITY
State:	ок	Zip Code:	73105
Gender:	FEMALE	Height:	5'3
Weight:	285	Waist Size	XL

Patient Insurance

|--|

Medications

Current Medication	IBUPROFEN (AS NEEDED), HIGH BLOOD PRESSURE PILLS, INSULIN (3 SHOTS/DAY)
Medical History	HIGH BLOOD PRESSURE AND DIABETES

Medical Diagnosis

The pain level was indicated on a scale of 1-10 as the following: 8

The patient's pain started on or around SEVERAL YEARS

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: RESTING AND TAKING PAIN MEDICINE

The patient described their pain as the following: ACHY

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST

The patient's pain is caused by WEAR AND TEAR

The last time the patient has seen the doctor was on 05/02/2024

Chief Complaint

The patient's main complaint is that they experience chronic pain located in the following location(s): LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST

Subjective Notes

The patient reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST pain for SEVERAL YEARS. Patient states pain is ACHY with a pain scale of 8 and pain worsens with movement. The pain is caused by WEAR AND TEAR and is experienced CONSTANTLY. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for SEVERAL YEARS located in their LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST related to M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **ACHY** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **8**. The following activities make the patient's pain worse: **DOING DAILY ACTIVITIES**. Patient needs a **BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST** Brace to provide support and reduce pain level.

Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF), including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

ICD 10 (Diagnostic Codes)

M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist

Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information

Provider Name: TRACY KIDWELL, MD

Address: 1800 S DOUGLAS BLVD MIDWEST CITY OK 73130

Physician's Signature:

Date:

Patient Name: **DEBORAH COLSTON**

Patient Address: 824 E EUBANKS ST OKLAHOMA CITY OK 73105

Patient Phone: 4056722905

LETTER OF MEDICAL NECESSITY

Re: **DEBORAH COLSTON**Orthotic Device Need Assessment

Exam Date: 05/02/2024

Height: 5'3 Weight: 285 DOB: 01/21/1953

Ms COLSTON is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST.

Ms COLSTON reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST pain for SEVERAL YEARS. Patient states pain is ACHY with a pain scale of 8 and pain worsens with DOING DAILY ACTIVITIES. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Based on my conversation with Ms COLSTON and evaluation of his/her condition, I am ordering the following: L0457 (TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF), L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF).

Patient is ambulatory and has weakness of the LOWER BACK, LEFT KNEE, RIGHT KNEE, RIGHT WRIST AND LEFT WRIST requiring stabilization for improvement of functionality. I am prescribing this BACK, WRIST AND KNEE orthosis for the following indication(s): to aid when the patient is DOING DAILY ACTIVITIES, to aid in stabilization of the BACK, WRIST AND KNEE. My treatment goal(s) for the use of the prescribed BACK, WRIST AND KNEE orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms COLSTON** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms COLSTON** continue medical follow-up as part of an ongoing plan of care.

Re: DEBORAH COLSTON...... DOB: JANUARY 21, 1953

I, DR. TRACY KIDWELL, MD, verify and confirm this order for the above-named patient, and certify that I have personally performed the assessment of the patient for the prescribed treatment and device and verify that it is reasonably and medically necessary, according to accepted standards of medical practice within the community, for this patient's medical condition.

DR. TRACY KIDWELL, MD Signature Date Signed: 05 66 24

<u>Comprehensive Knee Laxity Test (Check All Applicable)</u>

Objective Tests: (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

Pivot Shift Test (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive