# **RX / MEDICAL NECESSITY FORM**

PATIENT INFORMATION	<b>I</b>		
MILLER	MARY		
LAST NAME	FIRST NAME	MI	
FEMALE	01/20/1941	7653322751	SHIPPING METHOD:  SHIP TO PATIENT'S HOME ADDRESS
GENDER	DATE OF BIRTH	PHONE NUMBER	☐ SHIP TO PATIENT'S PHYSICIAN CLINIC
6399 E COUNTY RD 500 S	NEW LISBON	IN 47366	
ADDRESS	CITY	STATE & ZIPCODE	
INSURANCE INFORMAT	TION		
MEDICARE			
PRIMARY INSURANCE		SECONDARY INSURANCE	
7F40CK6CX11			
MEMBER ID		MEMBER ID	
PHYSICIAN INFORMATI	ON		
REBECCA DAVISSON, MD		1922180884	
PHYSICIAN NAME		NPI #	
		7655993400	
2200 FOREST RIDGE PKWY S	SUITE 310 NEW CASTLE IN 47362	PHONE NUMBER	
PRACTICE LOCATION		7655993500	
		FAX NUMBER	
PRESCRIPTION SELECT	TION		
□       L3960 / L3670 - Shoulder Brace (Side: □ L □ R) (Size: )       □       L3761 - Elbow Brace (Side: □ L □ R) (Size: )       □       L3916 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3916 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3915 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3915 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3915 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3915 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L3915 - Wrist Hand Finger (Side: □ L □ R) (Size: )       □       L1852 - Knee Brace (Side: □ L □ R) (Size: )       □       L1851 - Knee Brace (Side: □ L □ R) (Size: )       □       L1851 - Knee Brace (Side: □ L □ R) (Size: )       □       L1833 - Knee Brace (Side: □ L □ R) (Size: )       □       L1833 - Knee Brace (Side: □ L □ R) (Size: )       □       L2397 - Knee Sleeve (Size: MEDIUM) (Qty: 2)       □       L2397 - Knee Sleeve (Size: MEDIUM) (Qty: 2)       □       □       L2425 - Dial Lock Hinge ROM       □       L2425 - Dial Lock Hinge ROM       □       L2425 - Dial Lock Hinge ROM       □       L2820 - Lower Extremity Ortho       □       L2820 - Lower Extremity Ortho       □       L1906 / L1971 - Ankle Brace (Side: □ L □ R) (Shoe Size: )       □       L0174 - Cervical Brace       □       L3170 - Heel Stabilizer (Side: □ L □ R)       □       L3170 - Heel Stabilizer (Side: □ L □ R)		nd Finger (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Size: MEDIUM) nd (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Size: ) nd Finger (Side: □ L □ R) (Shoe Size: ) nd Finger (Side: □ L □ R) (Shoe Size: ) nd Finger (Side: □ L □ R) (Shoe Size: ) nd Finger (Side: □ L □ R) (Shoe Size: ) nd Finger (Side: □ L □ R) (Shoe Size: ) nd Finger (Side: □ L □ R) (Shoe Size: )	
MEDICAL INFORMATION ICD 10 (Diagnosis Code(s)):  □ M54.50- Low back pain, unspector M17.12- Unilateral primary oster M17.11-Unilateral primary oster M25.512-Pain in the left should M25.511-Pain in the right should M25.552- Pain in Leff Hip M25.551- Pain in Right Hip  Length of Need:   12+ mo	oified oarthritis left knee oarthritis right knee er	<ul><li>□ M25.522 Pain i</li><li>□ M25.521 Pain i</li><li>□ M54.2-Cervical</li></ul>	n in right wrist oarthritis Left Ankle oarthritis Right Ankle in left elbow

# **MEDICAL HISTORY**

**Previous treatments: TAKING MEDICATIONS** 

**Doctor's Notes:** The patient reports chronic **LEFT KNEE AND RIGHT KNEE** pain for **SEVERAL YEARS**. Patient states pain is **SHARP** with a pain scale of **7** and pain worsens with movements. Pain is caused by **WEAR AND TEAR** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

# **PHYSICIAN SIGNATURE**

Physician Verification: By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.

HYSICIAN NAME:

PHYSICIAN SIGNATURE:\_

REBECCA DAVISSON, MD

DATE:\_

10/12/2024 01:18 PM REBECCA DAVISSON, MD P. 003 / 006

#### ADDICKS MEDICAL SUPPLY

Patient Name: MARY MILLER

Patient Address: 6399 E COUNTY RD 500 S NEW LISBON IN 47366

Patient Phone: 7653322751

Physician Name: REBECCA DAVISSON, MD

Address: 2200 FOREST RIDGE PKWY SUITE 310 NEW CASTLE

IN 47362

Telephone: 7655993400 Fax: 7655993500 Patient: MARY MILLER
Date of Birth: 01/20/1941
Visit Date: WITHIN 12 MONTHS
Reason for visit: CHECK-UP

# **Clinical Summary**

**Patient Demographics** 

Patient Name:	MARY MILLER	Date of Birth:	01/20/1941
Age:	83	Phone Number:	7653322751
Address:	6399 E COUNTY RD 500 S	City:	NEW LISBON
State:	IN	Zip Code:	47366
Gender:	FEMALE	Height:	4'10
Weight:	119	Waist Size	SMALL

# **Patient Insurance**

Provider:	MEDICARE	Member ID:	7F40CK6CX11
-----------	----------	------------	-------------

#### Medications

Current Medication	FENOFIBRATE AND IBUPROFEN
Medical History	HIGH BLOOD PRESSURE AND HIGH CHOLESTEROL

# **Medical Diagnosis**

The pain level was indicated on a scale of 1-10 as the following: 7

The patient's pain started on or around SEVERAL YEARS

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: TAKING MEDICATIONS

The patient described their pain as the following: SHARP

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LEFT KNEE AND RIGHT KNEE

The patient's pain is caused by WEAR AND TEAR

The last time the patient has seen the doctor was on WITHIN 12 MONTHS

# **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE AND RIGHT KNEE

# **Subjective Notes**

The patient reports chronic **LEFT KNEE AND RIGHT KNEE** pain for **SEVERAL YEARS**. Patient states pain is **SHARP** with a pain scale of **7** and pain worsens with movement. The pain is caused by **WEAR AND TEAR** and is experienced **CONSTANTLY**. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for SEVERAL YEARS located in their LEFT KNEE AND RIGHT KNEE related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **SHARP** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **7**. The following activities make the patient's pain worse: **DOING DAILY ACTIVITIES**. Patient needs a **LEFT KNEE AND RIGHT KNEE** Brace to provide support and reduce pain level.

#### **Plan & Treatment Goals**

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIALLATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

# **ICD 10 (Diagnostic Codes)**

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee

#### **Agreements**

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

#### **Physician Information**

Provider Name: REBECCA DAVISSON, MD

Address: 2200 FOREST RIDGE PKWY SUITE 310 NEW CASTLE IN 47362

Physician's Signature:

Date:

Patient Name: MARY MILLER

Patient Address: 6399 E COUNTY RD 500 S NEW LISBON IN 47366

Patient Phone: 7653322751

# LETTER OF MEDICAL NECESSITY

Re: MARY MILLER

Orthotic Device Need Assessment

Exam Date: 10/10/2024

Height: 4'10 Weight: 119 DOB: 01/20/1941

Ms MILLER is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE AND RIGHT KNEE.

**Ms MILLER** reports chronic **LEFT KNEE AND RIGHT KNEE** pain for **SEVERAL YEARS**. Patient states pain is **SHARP** with a pain scale of 7 and pain worsens with **DOING DAILY ACTIVITIES**. Pain is experienced **CONSTANTLY**. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee.

Based on my conversation with Ms MILLER and evaluation of his/her condition, I am ordering the following: L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE.

Patient is ambulatory and has weakness of the **LEFT KNEE AND RIGHT KNEE** requiring stabilization for improvement of functionality. I am prescribing this **KNEE** orthosis for the following indication(s): to aid when the patient is **DOING DAILY ACTIVITIES**, to aid in stabilization of the **KNEE**. My treatment goal(s) for the use of the prescribed **KNEE** orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms MILLER** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms MILLER** continue medical follow-up as part of an ongoing plan of care.

Re: MARY MILLER...... DOB: JANUARY 20, 1941

I, REBECCA DAVISSON, MD, verify and confirm this order for the above-named patient, and certify that I have personally performed the assessment of the patient for the prescribed treatment and device and verify that it is reasonably and medically necessary, according to accepted standards of medical practice within the community, for this patient's medical condition.

REBECCA DAVISSON, MD

Signature

Date Signed: 0/2/2524

# <u>Comprehensive Knee Laxity Test (Check All Applicable)</u>

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

# Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive