RX / MEDICAL NECESSITY FORM

PATIENT INFORMATION			
LEWISSOHN	GLORIA		
LAST NAME	FIRST NAME		
FEMALE	10/03/1946	2018436460	SHIPPING METHOD:
GENDER	DATE OF BIRTH	PHONE NUMBER	 ⋈ SHIP TO PATIENT'S HOME ADDRESS □ SHIP TO PATIENT'S PHYSICIAN CLINIC
A26 HARVEY AVE	ROCHELLE PARK	NJ 07662	
ADDRESS	CITY	STATE & ZIPCODE	
INSURANCE INFORMATI	ON		
	ON		
MEDICARE	_	SECONDARY INSURANCE	
PRIMARY INSURANCE 2MQ9DJ2WD43			
MEMBER ID		MEMBER ID	
MEMBERIB			
PHYSICIAN INFORMATION	ON		
MAHNAZ TANTAWI, MD		1699823328	
PHYSICIAN NAME		NPI #	
		2017127900	
383 MARKET ST SUITE 4B SAL	DDLE BROOK NJ 07663	PHONE NUMBER	
PRACTICE LOCATION		2017127902	
		FAX NUMBER	
PRESCRIPTION SELECT L3670 – Shoulder Brace (Side: L3960 – Shoulder Brace (Side: L3660 – Shoulder Brace (Side: L3660 – Shoulder Brace (Side: L3660 – Shoulder Brace)	□ L □ R) (Size:)	✓ L3916 – Wrist Ha☐ L3915 - Wrist Ha	race (Side: □ L □ R) (Size:) and Finger (Side: □ L □ R) (Size: SMALL) nd Finger (Side: □ L □ R) (Size:)
□ L0650 – Lumbar Brace (Waist:) □ L0642 – Lumbar Brace (Waist:) □ L0457 – Lumbar Brace (Waist:) □ L0648 – Lumbar Brace (Waist:) □ E0100 – Electric Heat Pad □ L1690 – Hip Brace (Side: □ L □ □ L1686 – Hip Brace (Side: □ L □ □ L2624 – Hip Joint Adjustable Fle □ L3760 – Elbow Brace (Side: □ L	□ R) (Waist:) □ R) (Waist:) □ R) (Waist:) xion, Extension (Side: □ L □ R)	□ L1851 − Knee Br □ L1833 − Knee Br □ L2397 − Knee Sl □ E0100 − Cane □ L2425 − Dial Loc □ L2820 − Lower E □ L1971 − Ankle Br □ L1906 − Ankle Br □ L0174 − Cervical	xtremity Ortho race (Side: □ L □ R) (Shoe Size:) race (Side: □ L □ R) (Shoe Size:)
MEDICAL INFORMATION ICD 10 (Diagnosis Code(s)):	ied arthritis left knee Irthritis right knee		n in right wrist eoarthritis Left Ankle eoarthritis Right Ankle in left elbow in right elbow

FIRST STEP DME INC.

MEDICAL HISTORY

Previous treatments: RESTING

Doctor's Notes: The patient reports chronic **LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST** pain for **6 MONTHS**. Patient states pain is **SHARP** with a pain scale of **10** and pain worsens with movements. Pain is caused by **WEAR AND TEAR** and is experienced **SOMETIMES**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

Patient Name: GLORIA LEWISSOHN

Patient Address: A26 HARVEY AVE ROCHELLE PARK NJ 07662

Patient Phone: 2018436460

Physician Name: MAHNAZ TANTAWI, MD

Address: 383 MARKET ST SUITE 4B SADDLE BROOK NJ 07663

Telephone: 2017127900 Fax: 2017127902 Patient: GLORIA LEWISSOHN Date of Birth: 10/03/1946 Visit Date: AUGUST 2023 Reason for visit: CHECK-UP

Clinical Summary

Patient Demographics

r ationt beinographics			
Patient Name:	GLORIA LEWISSOHN	Date of Birth:	10/03/1946
Age:	77	Phone Number:	2018436460
Address:	A26 HARVEY AVE	City:	ROCHELLE PARK
State:	NJ	Zip Code:	07662
Gender:	FEMALE	Height:	4'11
Weight:	95	Waist Size	SMALL

Patient Insurance

Provider:	MEDICARE	Member ID:	2MQ9DJ2WD43
-----------	----------	------------	-------------

Medications

Current Medication	NONE
Medical History	NONE

Medical Diagnosis

The pain level was indicated on a scale of 1-10 as the following: 10

The patient's pain started on or around 6 MONTHS

The surgery addressed the following: NA

The pain is experienced **SOMETIMES**

The patient has attempted the following previous treatments/therapies: RESTING

The patient described their pain as the following: SHARP

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST

The patient's pain is caused by WEAR AND TEAR

The last time the patient has seen the doctor was on AUGUST 2023

Chief Complaint

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST

Subjective Notes

The patient reports chronic LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST pain for 6 MONTHS. Patient states pain is SHARP with a pain scale of 10 and pain worsens with movement. The pain is caused by WEAR AND TEAR and is experienced SOMETIMES. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for 6 MONTHS located in their LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **SHARP** and occurs **SOMETIMES**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **10**. The following activities make the patient's pain worse: **DOING DAILY ACTIVITIES**. Patient needs a **LEFT KNEE**, **RIGHT KNEE LEFT WRIST AND RIGHT WRIST** Brace to provide support and reduce pain level.

Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIALLATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF), including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

ICD 10 (Diagnostic Codes)

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist

Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information

Provider Name: MAHNAZ TANTAWI, MD

Address: 383 MARKET ST SUITE 4B SADDLE BROOK NJ 07663

Physician's Signature:

Date:

Patient Name: GLORIA LEWISSOHN

Patient Address: A26 HARVEY AVE ROCHELLE PARK NJ 07662

Patient Phone: 2018436460

LETTER OF MEDICAL NECESSITY

Re: **GLORIA LEWISSOHN**Orthotic Device Need Assessment

Exam Date: 05/14/2024 Height: 4'11

Weight: **95** DOB: **10/03/1946**

Ms LEWISSOHN is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST.

Ms LEWISSOHN reports chronic LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST pain for 6 MONTHS. Patient states pain is SHARP with a pain scale of 10 and pain worsens with DOING DAILY ACTIVITIES. Pain is experienced SOMETIMES. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist. Based on my conversation with Ms LEWISSOHN and evaluation of his/her condition, I am ordering the following: L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF).

Patient is ambulatory and has weakness of the LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST requiring stabilization for improvement of functionality. I am prescribing this KNEE AND WRIST orthosis for the following indication(s): to aid when the patient is DOING DAILY ACTIVITIES, to aid in stabilization of the KNEE AND WRIST. My treatment goal(s) for the use of the prescribed KNEE AND WRIST orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms LEWISSOHN** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms LEWISSOHN** continue medical follow-up as part of an ongoing plan of care.

	r for the above-named patient, and certify that I have personally eatment and device and verify that it is reasonably and medically
<i>DR. MAHNAZ TANTAWI, MD</i> Signature	Date Signed:

Comprehensive Knee Laxity Test (Check All Applicable)

Objective Tests: (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

Pivot Shift Test (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive