## **RX / MEDICAL NECESSITY FORM**

PATIENT INFORMATION	1			
CARROLL	SHERIE			
LAST NAME	FIRST NAME	MI		
FEMALE	02/12/1948	3612085900	SHIPPING METHOD:  SHIP TO PATIENT'S HOME ADDRESS	
GENDER	DATE OF BIRTH	PHONE NUMBER	SHIP TO PATIENT'S PHYSICIAN CLINIC	
578 HEBRON CHURCH RD	YOAKUM	TX 77995		
ADDRESS	СІТҮ	STATE & ZIPCODE		
INSURANCE INFORMAT	ION			
MEDICARE				
PRIMARY INSURANCE	_	SECONDARY INSURANCE		
4J67WQ7YK53		MEMBER ID		
MEMBER ID		WEWDER ID		
PHYSICIAN INFORMATION	ON			
RICHARD LEGGETT DO		1336162064		
PHYSICIAN NAME		NPI#		
		3615791371		
2700 CITIZENS PLZ SUITE 100	VICTORIA TX 77901	PHONE NUMBER		
PRACTICE LOCATION		3615791373		
FAX NUMBER				
L3670 - Shoulder Brace (Side: L3960 - Shoulder Brace (Side: L3660 - Shoulder Brace (Side: L0650 - Lumbar Brace (Waist: L0642 - Lumbar Brace (Waist: L0457 - Lumbar Brace (Waist: L0648 - Lumbar Brace (Waist: L0648 - Lumbar Brace (Waist: L1690 - Hip Brace (Side: L1690 - Hip Brace (Side: L16264 - Hip Joint Adjustable Fill L3760 - Elbow Brace (Side: □	□ L □ R) (Size: ) □ L □ R) (Size: ) □ L □ R) (Size: ) ) ) ) ) ) □ R) (Waist: ) □ R) (Waist: ) exion, Extension (Side: □ L □ R)	□ L3916 − Wrist Har □ L3915 - Wrist Han □ L1852 − Knee Bra □ L1833 − Knee Bra □ L2397 − Knee Sle □ E0100 − Cane □ L2425 − Dial Lock □ L2820 − Lower Ex □ L1971 − Ankle Bra □ L1906 − Ankle Bra □ L0174 − Cervical B	tremity Ortho ace (Side: $\Box$ L $\Box$ R) (Shoe Size: ) ace (Side: $\Box$ L $\Box$ R) (Shoe Size: )	
MEDICAL INFORMATION ICD 10 (Diagnosis Code(s)):	fied parthritis left knee arthritis right knee r er	M25.532- Pain   M25.531 - Pain   M25.531 - Pain   M19.072- Oster   M19.071- Oster   M25.522 Pain ii   M25.521 Pain ii   M54.2-Cervical	in right wrist parthritis Left Ankle parthritis Right Ankle n left elbow n right elbow	

#### DV MEDICAL SUPPLY

۸л		1	A 1	 IST	$\Gamma \cap$	$\mathbf{n}$	•
ΝI	EL	"	AL	 	w	R	r

**Previous treatments: TAKING MEDICATION** 

**Doctor's Notes:** The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **6 MONTHS**. Patient states pain is **ACHY**, **SHARP** with a pain scale of **7** and pain worsens with movements. Pain is caused by **ARTHRITIS** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE		
<b>Physician Verification:</b> By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.		
·	·	
	RICHARD LE	GGETT DO
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:	DATE:

Patient Name: SHERIE CARROLL

Patient Address: 578 HEBRON CHURCH RD YOAKUM TX 77995

Patient Phone: 3612085900

Physician Name: RICHARD LEGGETT DO

Address: 2700 CITIZENS PLZ SUITE 100 VICTORIA TX 77901

Telephone: **3615791371** Fax: **3615791373** 

Patient: SHERIE CARROLL Date of Birth: 02/12/1948 Visit Date: June 2024 Reason for visit: CHECK-UP

## **Clinical Summary**

**Patient Demographics** 

r atient beinographics			
Patient Name:	SHERIE CARROLL	Date of Birth:	02/12/1948
Age:	76	Phone Number:	3612085900
Address:	578 HEBRON CHURCH RD	City:	YOAKUM
State:	тх	Zip Code:	77995
Gender:	FEMALE	Height:	5'5
Weight:	190	Waist Size	L

## **Patient Insurance**

Provider: Member ID: 4J67WQ7YK53
----------------------------------

#### **Medications**

Current Medication	TYLENOL (2 OR 3X A WEEK AS NEEDED)	
Medical History	NONE	

#### **Medical Diagnosis**

The pain level was indicated on a scale of 1-10 as the following: 7
The patient's pain started on or around 6 MONTHS
The gurgary addressed the following: NA

The surgery addressed the following: **NA**The pain is experienced **CONSTANTLY** 

The patient has attempted the following previous treatments/therapies: TAKING MEDICATION

The patient described their pain as the following: ACHY, SHARP

The activities that make the patient's pain worse is as follows: **WALKING** 

The pain is located in the patient's LEFT KNEE, RIGHT KNEE

The patient's pain is caused by **ARTHRITIS** 

The last time the patient has seen the doctor was on **June 2024** 

## **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE, RIGHT KNEE

## **Subjective Notes**

The patient reports chronic **LEFT KNEE**, **RIGHT KNEE** pain for **6 MONTHS**. Patient states pain is **ACHY**, **SHARP** with a pain scale of **7** and pain worsens with movement. The pain is caused by **ARTHRITIS** and is experienced **CONSTANTLY**. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

## **Objective of Assessment (Review of Symptoms)**

Patient has chronic pain for 6 MONTHS located in their LEFT KNEE, RIGHT KNEE related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee,. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **ACHY**, **SHARP** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **7**. The following activities make the patient's pain worse: **WALKING**. Patient needs a **BACK**, **LEFT KNEE**, **RIGHT KNEE**, **RIGHT WRIST AND LEFT WRIST** Brace to provide support and reduce pain level.

#### **Plan & Treatment Goals**

Based on my evaluation of the patient's condition, I am ordering the following device(s) L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE), including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary

## ICD 10 (Diagnostic Codes)

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee,

#### Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

### Physician Information

Provider Name: **RICHARD LEGGETT DO** Address: 2700 CITIZENS PLZ SUITE 100 VICTORIA TX 77901 Physician's Signature: Date:

Patient Name: SHERIE CARROLL

Patient Address: 578 HEBRON CHURCH RD YOAKUM TX 77995

Patient Phone: 3612085900

## LETTER OF MEDICAL NECESSITY

Re: SHERIE CARROLL

Orthotic Device Need Assessment

Exam Date: 08/01/2024

Height: **5'5** Weight: **190** DOB: **02/12/1948** 

Ms CARROLL is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LEFT KNEE, RIGHT KNEE.

Ms CARROLL reports chronic LEFT KNEE, RIGHT KNEE pain for 6 MONTHS. Patient states pain is ACHY, SHARP with a pain scale of 7 and pain worsens with WALKING. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, Based on my conversation with Ms CARROLL and evaluation of his/her condition, I am ordering the following: L1852 KNEE ORTHOSIS (KO), SINGLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 (ADDITION TO LOWER EXTREMITY ORTHOSIS, SUSPENSION SLEEVE)

Patient is ambulatory and has weakness of the **LEFT KNEE**, **RIGHT KNEE** requiring stabilization for improvement of functionality. I am prescribing this **KNEE** orthosis for the following indication(s): to aid when the patient is **WALKING**, to aid in stabilization of the **KNEE**. My treatment goal(s) for the use of the prescribed **KNEE** orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms CARROLL** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms CARROLL** continue medical follow-up as part of an ongoing plan of care.

	this order for the above-named patient, and certify that I have personally performed the assess device and verify that it is reasonably and medically necessary, according to accepted standards	
RICHARD LEGGETT DO Signature	Date Signed:	

# Comprehensive Knee Laxity Test (Check All Applicable)

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

## Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive