# **RX / MEDICAL NECESSITY FORM**

ТНҮ		
AME		
939	7083084487	SHIPPING METHOD:
BIRTH	PHONE NUMBER	<ul> <li></li></ul>
HILL	IL 60403	
	STATE & ZIPCODE	
	SECONDARY INSURANCE	
	MEMBER ID	
	1396788683	
	NPI#	
	815-725-2121	
1435	PHONE NUMBER	
2100 GLENWOOD AVENUE JOLIET IL 60435  PRACTICE LOCATION 815-741-6303		
FAX NUMBER		
Size: ) Size: ) Size: ) : ) : ) : ) sion (Side: □ L □ R)	□ L3916 − Wrist Har □ L3915 - Wrist Han □ L1852 − Knee Bra □ L1851 − Knee Bra □ L1833 − Knee Bra □ L2397 − Knee Sle □ E0100 − Cane □ L2425 − Dial Lock □ L2820 − Lower Ex □ L1906 / L1971 − A	tremity Ortho Ankle Brace (Side: □ L □ R) (Shoe Size: )
knee knee	<ul> <li>         □ M25.522 Pain in M25.521 Pain in M54.2-Cervicale</li> </ul>	in right wrist oarthritis Left Ankle oarthritis Right Ankle n left elbow n right elbow
	Size: )	MI

### FIRST STEP DME INC.

# **MEDICAL HISTORY**

**Previous treatments: TAKING MEDICATION** 

**Doctor's Notes:** The patient reports chronic **LOWER BACK**, **LEFT KNEE**, **RIGHT KNEE** pain for **MORE THAN A YEAR**. Patient states pain is **ACHY** with a pain scale of **8** and pain worsens with movements. Pain is caused by **ARTHRITIS** and is experienced **CONSTANTLY**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE			
<b>Physician Verification:</b> By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.			
		LIJI MATHEW, MD	
PHYSICIAN SIGNATURE:	PHYSICIAN NAME:		DATE:

Patient Name: DOROTHY RADCLIFF

Patient Address: 1709 LYNWOOD ST CREST HILL IL 60403

Patient Phone: 7083084487

Physician Name: LIJI MATHEW, MD

Address: 2100 GLENWOOD AVENUE JOLIET IL 60435

Telephone: 815-725-2121 Fax: 815-741-6303 Patient: DOROTHY RADCLIFF
Date of Birth: 02/09/1939
Visit Date: WITHIN A YEAR
Reason for visit: REGULAR CHECK-UP

# **Clinical Summary**

**Patient Demographics** 

r atient beinograpinos			
Patient Name:	DOROTHY RADCLIFF	Date of Birth:	02/09/1939
Age:	85	Phone Number:	7083084487
Address:	1709 LYNWOOD ST	City:	CREST HILL
State:	IL	Zip Code:	60403
Gender:	FEMALE	Height:	5'9
Weight:	178	Waist Size	32

## **Patient Insurance**

Provider:	MEDICARE	Member ID:	8CH0EK9PC16
-----------	----------	------------	-------------

#### **Medications**

Current Medication	NONE
Medical History	DIABETES

# **Medical Diagnosis**

The pain level was indicated on a scale	e of 1-10 as the following: 8
---	-------------------------------

The patient's pain started on or around MORE THAN A YEAR AGO

The surgery addressed the following: NA

The pain is experienced CONSTANTLY

The patient has attempted the following previous treatments/therapies: TAKING MEDICATION

The patient described their pain as the following: ACHY

The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES

The pain is located in the patient's LOWER BACK, LEFT KNEE, RIGHT KNEE

The patient's pain is caused by ARTHRITIS

The last time the patient has seen the doctor was on WITHIN A YEAR

# **Chief Complaint**

The patient's main complaint is that they experience chronic pain located in the following location(s): LOWER BACK, LEFT KNEE, RIGHT KNEE

# **Subjective Notes**

The patient reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE pain for MORE THAN A YEAR. Patient states pain is ACHY with a pain scale of 8 and pain worsens with movement. The pain is caused by ARTHRITIS and is experienced CONSTANTLY. Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.

# **Objective of Assessment (Review of Symptoms)**

Patient has chronic pain for MORE THAN A YEAR located in their LOWER BACK, LEFT KNEE, RIGHT KNEE related to M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee. Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.

Patient's chronic pain is described **ACHY** and occurs **CONSTANTLY**. The patient rated their pain on a scale of 1-10 (10 being the worst) on a level **8**. The following activities make the patient's pain worse: **DOING DAILY ACTIVITIES**. Patient needs a **LOWER BACK**, **LEFT KNEE**, **RIGHT KNEE** Brace to provide support and reduce pain level.

#### Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) L0457 - TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF, L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

### ICD 10 (Diagnostic Codes)

M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left

### Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information Provider Name: LIJI MATHEW. MD Address: 2100 GLENWOOD AVENUE JOLIET IL 60435 Physician's Signature: Date:

Patient Name: DOROTHY RADCLIFF

Patient Address: 1709 LYNWOOD ST CREST HILL IL 60403

Patient Phone: 7083084487

### LETTER OF MEDICAL NECESSITY

Re: DOROTHY RADCLIFF
Orthotic Device Need Assessment

Exam Date: **08/17/2024** Height: **5'9** 

Weight: **178** DOB: **02/09/1939** 

Ms RADCLIFF is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: LOWER BACK, LEFT KNEE, RIGHT KNEE.

Ms RADCLIFF reports chronic LOWER BACK, LEFT KNEE, RIGHT KNEE pain for MORE THAN A YEAR. Patient states pain is ACHY with a pain scale of 8 and pain worsens with DOING DAILY ACTIVITIES. Pain is experienced CONSTANTLY. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: M54.50- Low back pain, unspecified, M17.11-Unilateral primary osteoarthritis right knee, M17.12-Unilateral primary osteoarthritis left knee. Based on my conversation with Ms RADCLIFF and evaluation of his/her condition, I am ordering the following: L0457 - TLSO, FLEXIBLE, PROVIDES TRUNK SUPPORT, THORACIC REGION, RIGID POSTERIOR PANEL AND SOFT ANTERIOR APRON, EXTENDS FROM THE SACROCOCCYGEAL JUNCTION AND TERMINATES JUST INFERIOR TO THE SCAPULAR SPINE, RESTRICTS GROSS TRUNK MOTION IN THE SAGITTAL PLANE, PRODUCES INTRACAVITARY PRESSURE TO REDUCE LOAD ON THE INTERVERTEBRAL DISKS, INCLUDES STRAPS AND CLOSURES, PREFABRICATED, OFF-THE-SHELF, L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE.

Patient is ambulatory and has weakness of the LOWER BACK, LEFT KNEE, RIGHT KNEE requiring stabilization for improvement of functionality. I am prescribing this BACK, KNEE orthosis for the following indication(s): to aid when the patient is DOING DAILY ACTIVITIES, to aid in stabilization of the BACK, KNEE. My treatment goal(s) for the use of the prescribed BACK, KNEE orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms RADCLIFF** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms RADCLIFF** continue medical follow-up as part of an ongoing plan of care.

assessment of the patient for the p	DOB: February 09, 1939  firm this order for the above-named patient, and certify that I have personally performed the scribed treatment and device and verify that it is reasonably and medically necessary, nedical practice within the community, for this patient's medical condition.
<i>LIJI MATHEW, MD</i> Signature	Date Signed:

# <u>Comprehensive Knee Laxity Test (Check All Applicable)</u>

**Objective Tests:** (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

**Pivot Shift Test** (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

# Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive