

RX / MEDICAL NECESSITY FORM**PATIENT INFORMATION****YOHA**

LAST NAME

BARBARA

FIRST NAME

MI

FEMALE

GENDER

01/04/1950

DATE OF BIRTH

5204449769

PHONE NUMBER

7724 E 33RD ST

ADDRESS

TUCSON

CITY

AZ 85710

STATE & ZIPCODE

SHIPPING METHOD:

- ☒ SHIP TO PATIENT'S HOME ADDRESS
☐ SHIP TO PATIENT'S PHYSICIAN CLINIC

INSURANCE INFORMATION**MEDICARE**

PRIMARY INSURANCE

1E67N57PF79

MEMBER ID

SECONDARY INSURANCE

MEMBER ID

PHYSICIAN INFORMATION**MOIRA WRISTEN MD**

PHYSICIAN NAME

1689653024

NPI #

5202980147

PHONE NUMBER

6565 E CARONDELET DR STE 275 TUCSON AZ 85710

PRACTICE LOCATION

5202987404

FAX NUMBER

PRESCRIPTION SELECTION

- ☐ **L3670** – Shoulder Brace (Side: ☐ L ☐ R) (Size:)
☐ **L3960** – Shoulder Brace (Side: ☐ L ☐ R) (Size:)
☐ **L3660** – Shoulder Brace (Side: ☐ L ☐ R) (Size:)
☐ **L0650** – Lumbar Brace (Waist:)
☐ **L0642** – Lumbar Brace (Waist:)
☐ **L0457** – Lumbar Brace (Waist:)
☐ **L0648** – Lumbar Brace (Waist:)
☐ **E0100** – Electric Heat Pad
☐ **L1690** – Hip Brace (Side: ☐ L ☐ R) (Waist:)
☐ **L1686** – Hip Brace (Side: ☐ L ☐ R) (Waist:)
☐ **L2624** – Hip Joint Adjustable Flexion, Extension (Side: ☐ L ☐ R)
☐ **L3760** – Elbow Brace (Side: ☐ L ☐ R)

- ☐ **L3761** – Elbow Brace (Side: ☐ L ☐ R) (Size:)
☒ **L3916** – Wrist Hand Finger (Side: ☒ L ☒ R) (Size: **MEDIUM**)
☐ **L3915** – Wrist Hand Finger (Side: ☐ L ☐ R) (Size:)
☒ **L1852** – Knee Brace (Side: ☒ L ☒ R) (Size: **MEDIUM**)
☐ **L1851** – Knee Brace (Side: ☐ L ☐ R) (Size:)
☐ **L1833** – Knee Brace (Side: ☐ L ☐ R) (Size:)
☒ **L2397** – Knee Sleeve (Size: **MEDIUM**) (Qty: 2)
☐ **E0100** – Cane
☐ **L2425** – Dial Lock Hinge ROM
☐ **L2820** – Lower Extremity Ortho
☐ **L1971** – Ankle Brace (Side: ☐ L ☐ R) (Shoe Size:)
☐ **L1906** – Ankle Brace (Side: ☐ L ☐ R) (Shoe Size:)
☐ **L0174** – Cervical Brace
☐ **L3170** – Heel Stabilizer (Side: ☐ L ☐ R)

MEDICAL INFORMATION**ICD 10 (Diagnosis Code(s)):**

- ☐ M54.50- Low back pain, unspecified
☒ M17.12- Unilateral primary osteoarthritis left knee
☒ M17.11- Unilateral primary osteoarthritis right knee
☐ M25.512- Pain in the left shoulder
☐ M25.511- Pain in the right shoulder
☐ M25.552- Pain in Left Hip
☐ M25.551- Pain in Right Hip

- ☒ M25.532- Pain in left wrist
☒ M25.531 - Pain in right wrist
☐ M19.072- Osteoarthritis Left Ankle
☐ M19.071- Osteoarthritis Right Ankle
☐ M25.522 Pain in left elbow
☐ M25.521 Pain in right elbow
☐ M54.2- Cervicalgia Pain in Neck

Length of Need: ☒ 12+ months (long term) ☐ _____ # of months (1-11)

MEDICAL HISTORY

Previous treatments: **TAKING MEDICATION**

Doctor's Notes: The patient reports chronic **LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST** pain for **20 YEARS**. Patient states pain is **SHARP, DULL** with a pain scale of **6** and pain worsens with movements. Pain is caused by **WEAR AND TEAR** and is experienced **SOMETIMES**. Previous treatments with heat, ice and rest have been unsuccessful to control pain level.

PHYSICIAN SIGNATURE

Physician Verification: By my signature, I am prescribing the items listed above and certifying that the above-prescribed item(s) is medically indicated and necessary and consistent with current accepted standards of medical practice and treatment of this patient's physical condition.

MOIRA WRISTEN MD

PHYSICIAN SIGNATURE: _____ PHYSICIAN NAME: _____ DATE: _____

FIRST STEP DME INC.

Patient Name: **BARBARA YOHA**
Patient Address: **7724 E 33RD ST TUCSON AZ 85710**
Patient Phone: **5204449769**

Physician Name: **MOIRA WRISTEN MD**
Address: 6565 E CARONDELET DR STE 275 TUCSON AZ 85710
Telephone: 5202980147
Fax: 5202987404

Patient: **BARBARA YOHA**
Date of Birth: **01/04/1950**
Visit Date: **07/16/2024**
Reason for visit: **CHECK-UP**

Clinical Summary

Patient Demographics

Patient Name:	BARBARA YOHA	Date of Birth:	01/04/1950
Age:	74	Phone Number:	5204449769
Address:	7724 E 33RD ST	City:	TUCSON
State:	AZ	Zip Code:	85710
Gender:	FEMALE	Height:	5'5
Weight:	155	Waist Size	M

Patient Insurance

Provider:	MEDICARE	Member ID:	1E67N57PF79
-----------	-----------------	------------	--------------------

Medications

Current Medication	ATORVASTIN 40ML, ATENOLOL 25ML, TWICW A DAY, ZOLTIDEM 5ML 1
Medical History	HIGH BLOOD PRESSURE, DIABETES

Medical Diagnosis

The pain level was indicated on a scale of 1-10 as the following: 6
The patient's pain started on or around 20 YEARS
The surgery addressed the following: NA
The pain is experienced SOMETIMES
The patient has attempted the following previous treatments/therapies: TAKING MEDICATION
The patient described their pain as the following: SHARP, DULL
The activities that make the patient's pain worse is as follows: DOING DAILY ACTIVITIES
The pain is located in the patient's LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST
The patient's pain is caused by WEAR AND TEAR
The last time the patient has seen the doctor was on 07/16/2024

Chief Complaint

The patient's main complaint is that they experience chronic pain located in the following location(s): LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST

Subjective Notes

The patient reports chronic LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST pain for 20 YEARS . Patient states pain is SHARP, DULL with a pain scale of 6 and pain worsens with movement. The pain is caused by WEAR AND TEAR and is experienced SOMETIMES . Previous treatments with heat, ice, and rest have been unsuccessful to control pain level.
--

Objective of Assessment (Review of Symptoms)

Patient has chronic pain for 20 YEARS located in their LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST related to M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist . Patient has been to a physical therapist and hasn't had previous surgery to treat this pain.
Patient's chronic pain is described SHARP, DULL and occurs SOMETIMES . The patient rated their pain on a scale of 1-10 (10 being the worst) on a level 6 . The following activities make the patient's pain worse: DOING DAILY ACTIVITIES . Patient needs a LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST Brace to provide support and reduce pain level.

Plan & Treatment Goals

Based on my evaluation of the patient's condition, I am ordering the following device(s) **L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF)**, including fitting and adjustment if needed. The patient has been instructed to wear the device daily, as needed. The benefits of this device, which is an alternative, non-invasive method to potentially relieve pain, has been explained to the patient who is interested in this treatment. Based on my assessment, I have determined it is medically necessary and appropriate to prescribe treatment today. For the patient's complaint, I am prescribing this device. The patient will benefit by helping her address any of the following: give support to weak muscles, improve patient's pain, improve patient's function, increase performance in activities of daily living, improve ambulation, reduce medications, slow degeneration, provide stability, provide support. Reduce pain by restricting the mobility of the trunk; reduce the risk of medical problems escalating the patient's present condition, facilitate healing following an injury or surgical procedure to the spine or related soft tissues; To support weak spinal muscles and/or a deformed spine. If the patient's pain persists or worsens and/or there is an acute trauma or injury related to this pain, the patient agrees and understands to go to the Emergency Room or follow-up with their Primary Care Physician for further testing and imaging that may be immediately necessary.

ICD 10 (Diagnostic Codes)

M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist

Agreements

We understand that you are choosing to use our professional medical services to receive a prescription for your new brace.

Physician Information

Provider Name: **MOIRA WRISTEN MD**

Address: **6565 E CARONDELET DR STE 275 TUCSON AZ 85710**

Physician's Signature:

Date:

Patient Name: **BARBARA YOHA**

Patient Address: **7724 E 33RD ST TUCSON AZ 85710**

Patient Phone: **5204449769**

LETTER OF MEDICAL NECESSITY

Re: **BARBARA YOHA**
Orthotic Device Need Assessment
Exam Date: **07/23/2024**
Height: **5'5**
Weight: **155**
DOB: **01/04/1950**

Ms YOHA is inquiring about utilizing orthotic bracing for his/her current conditions. His/her chief complaint at the time of this assessment is: **LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST**.

Ms YOHA reports chronic **LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST** pain for **20 YEARS**. Patient states pain is **SHARP, DULL** with a pain scale of 6 and pain worsens with **DOING DAILY ACTIVITIES**. Pain is experienced **SOMETIMES**. Previous treatments with heat, ice, medication and rest have been unsuccessful to control pain levels.

Diagnosis includes: **M17.11-Unilateral primary osteoarthritis right knee, M17.12- Unilateral primary osteoarthritis left knee, M25.532- Pain in left wrist, M25.531- Pain in right wrist**. Based on my conversation with **Ms YOHA** and evaluation of his/her condition, I am ordering the following: **L1852 KNEE BRACE - KNEE ORTHOSIS (KO), DOUBLE UPRIGHT, THIGH AND CALF, WITH ADJUSTABLE FLEXION AND EXTENSION JOINT (UNICENTRIC OR POLYCENTRIC), MEDIAL-LATERAL AND ROTATION CONTROL, WITH OR WITHOUT VARUS/VALGUS ADJUSTMENT, PREFABRICATED, OFF-THE-SHELF WHICH INCLUDES L2397 SUSPENSION SLEEVE, L3916 (WRIST HAND ORTHOSIS, INCLUDES ONE OR MORE NONTORSION JOINT(S), ELASTIC BANDS, TURNBUCKLES, MAY INCLUDE SOFT INTERFACE, STRAPS, PREFABRICATED, OFF-THE-SHELF).**

Patient is ambulatory and has weakness of the **LEFT KNEE, RIGHT KNEE LEFT WRIST AND RIGHT WRIST** requiring stabilization for improvement of functionality. I am prescribing this **KNEE AND WRIST** orthosis for the following indication(s): to aid when the patient is **DOING DAILY ACTIVITIES**, to aid in stabilization of the **KNEE AND WRIST**. My treatment goal(s) for the use of the prescribed **KNEE AND WRIST** orthosis are: improvement in patient's function, improvement in patient's pain. The patient has been instructed to use the brace(s) daily, as needed.

Custom fitting of the orthosis is not required and the patient or an assisting caregiver can apply the prescribed orthotic device with minimal self-adjustment. **Ms YOHA** has been provided a phone number to call if there are any additional comments or questions regarding this examination, and I have recommended that **Ms YOHA** continue medical follow-up as part of an ongoing plan of care.

Re: **BARBARA YOHA**..... DOB: **January 04, 1950**

I, **DR. MOIRA WRISTEN MD**, verify and confirm this order for the above-named patient, and certify that I have personally performed the assessment of the patient for the prescribed treatment and device and verify that it is reasonably and medically necessary, according to accepted standards of medical practice within the community, for this patient's medical condition.

DR. MOIRA WRISTEN MD
Signature

Date Signed: _____

Comprehensive Knee Laxity Test (Check All Applicable)

Objective Tests: (Check ALL applicable, a minimum of 2 tests is required for each knee with a brace prescribed.)

Caution: Advise Patients to stabilize themselves properly during any standing test to avoid a fall injury.

Pivot Shift Test (Stabilization to avoid fall advised for this test. Patient can stabilize themselves by holding onto a chair or kitchen counter.)

Positive: Patient knee gives out while pivoting or twisting indication joint laxity

Negative: Patient knee DOES NOT give out while pivoting or twisting.

LEFT:	Positive
RIGHT:	Positive

Cabot's Maneuver (figure of "4" knee bend)

Positive: Patient indicates lateral joint line pain, LCL instability and ligament laxity

Negative: Patient knee DOES NOT produce lateral knee pain

(Leave positive and negative both unchecked for the knee if did not perform this test on the knee.)

LEFT:	Positive
RIGHT:	Positive