From calling Claude to operating an agent

Claude Managed Agents, through a Documentation Drift Agent

20 minutes of concepts and a live demo, then a 60-minute hands-on lab

Three ways to put Claude to work


	Messages API	Agent SDK	Managed Agents
Who runs the loop	You	The SDK, in your process	Anthropic
Where tools run	Your code	Your machine or servers	A sandbox per session, hosted by Anthropic
Where state lives	You resend the history	Your process	On the server: history, sandbox files, outputs
What you hold	A response	A running program	A **session ID**

The test: must an agent *do* things somewhere, for a while, without you hosting it?

When not to use it: low-latency single calls, when you need control of every step of the loop, or when ZDR or HIPAA coverage is required.

Our example: check whether a library's docs still match its code by **running** every sample.

The resource model




Least privilege: decide what it can touch

- The defaults are permissive: the toolset includes web search and web fetch, and an environment created through the API has **unrestricted** networking.
- The drift task needs to run code and read and write files. It needs nothing from the internet.
- So the lab's agent gets **no web tools** and **no network access out of the sandbox**.
- In testing, the agent tried `pip install jsonschema`. With no egress, the install failed and it checked the schema by hand instead.

Step 1 of the lab is the one you work out yourself.

Start the session, then watch it



The agent loop runs on Anthropic's side. Your watcher is only a view of it.

Detach, reattach, recover


- Closing the watcher (Ctrl+C) **does not stop, pause, or interrupt** the session.
- The stream has **no replay**. To reattach: open the stream, list the history, skip events you've seen.

```
with client.beta.sessions.events.stream(session_id) as stream:
    seen = {event.id for event in client.beta.sessions.events.list(session_id)}
    for event in stream:
        if event.id not in seen: ...
```


- An idle session sends no new events: check its status before you wait on the stream.
- The drift run often finishes in **under a minute**. Reattaching afterward still shows everything it did.

Send more work to the same session

1. Sent while the agent is running



2. Sent after the agent finished



3. Interrupt (optional drill)



idle in about a second; the in-flight tool result is marked as an error;
stop reason is end_turn, and the session stays usable

A message is not an interrupt. Either way, it's the **same session**.

Claims versus evidence

The agent's report (claims)	`check.py` (verification)
`drift-report.json`: one result per sample, with the command, exit status, stdout, stderr, and kind	**PASS / NOT YET:** did *you* operate the platform correctly?
Schema-valid means well-formed, **not true**	**AGENT:** compares the report with ground truth from running the trusted fixture samples locally
Written by the agent inside the sandbox	Never runs anything from the report

Outputs come back through the Files API, listed by session (skip `downloadable: false`: your own uploads). In testing: 3 of 3 drifts and the decoy passed, in **two runs**. Evidence, not a guarantee.

Done running is not done

- A finished run is **idle**: no runtime charge, but its history, sandbox, and outputs remain until you delete it.
- Every lab session has a **spend cap** ($0.50). At the cap it pauses (`budget_reached`) and refuses new messages. The last request can overshoot it slightly.
- **Operationally finished** means: outputs downloaded, a local recording saved, the session deleted (404), uploads deleted.
- Delete is permanent, and a running session must be interrupted first.
- Agents can be archived but not deleted, so reuse them.

One lab run on `claude-haiku-5-5` cost about **$0.01** in testing.

Your turn: the lab (60 minutes)

Step	You do	Platform checkpoint
0 Setup	`uv sync`, add your key	API reachable
1 Define (**work it out**)	Choose tools and network access	bash on, web off, no egress
2 Start	Create the session with a budget	Files mounted, cap set
3 Watch	Ctrl+C, then reopen	Watched twice, saw a sample error
4 Continue	`uv run steer.py`	Second message handled, same session
5 Collect	Download the reports	Schema-valid; `AGENT:` lines are information only
6 Clean up	Delete the session	Session 404, recording kept
Stretch (optional)	`uv run check.py stretch`	Fixed docs checked by reading, not running

Open a watch terminal and a command terminal, both in the repository folder. A `YOUR TURN` stop is expected until you fill in that step's function.