Android Fundamentals Project Self-Evaluation

Instructions: Once you've completed your Final Project, please evaluate it against the components of the rubric below. For each criteria that you met, put an "X" in either the "Does Not Meet Specifications" or the "Meets Specifications" box. For some criteria, we ask you to provide an explanation of where and how it was implemented in your app. This is a chance for you to briefly explain to the grader your thought-process during development. Once you are done, include this with the source code and accompanying files you are submitting. Then, give yourself a pat on the back for making a great app!

Required Components

To "meet specifications", your app must fulfill all of the criteria listed in this section of the rubric.

Criteria	Does Not Meet Specifications	Meets Specifications
Standard Design		
App does not redefine the expected function of a system icon (such as the Back button).		x
App does not replace a system icon with a completely different icon if it triggers the standard UI behavior.		x
App does not redefine or misuse Android UI patterns, such that icons or behaviors could be misleading or confusing to users.		x
App includes a tablet layout which takes advantage of the additional space (if possible).		x
App includes at least two distinct views and uses intents properly to move between these views.		x

pp supports standard system Back button navigation and does not make use of any custom, on-screen "Back utton" prompts. Il dialogs are dismissible using the Back button. x tressing the Home button at any point navigates to the Home screen of the device. x Permissions pp requests only the absolute minimum permissions that it needs to support core functionality. x pp does not request permissions to access sensitive data or services that can cost the user money, unless lated to a core capability of the app. lease elaborate on why you chose these permissions: the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the istaurant and get some details about the restaurant or make an order in advance. the app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites Performance and Stability upp does not crash, force close, freeze, or otherwise function abnormally on any targeted device. x ContentProvider		
utton" prompts. Ill dialogs are dismissible using the Back button. x ressing the Home button at any point navigates to the Home screen of the device. x x ressing the Home button at any point navigates to the Home screen of the device. x preficiency prequests only the absolute minimum permissions that it needs to support core functionality. x prodoes not request permissions to access sensitive data or services that can cost the user money, unless lated to a core capability of the app. lease elaborate on why you chose these permissions: the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the instaurant and get some details about the restaurant or make an order in advance. the app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites Performance and Stability pp does not crash, force close, freeze, or otherwise function abnormally on any targeted device. x ContentProvider	Navigation	
ressing the Home button at any point navigates to the Home screen of the device. **Permissions** **pp requests only the absolute minimum permissions that it needs to support core functionality. **pp does not request permissions to access sensitive data or services that can cost the user money, unless elated to a core capability of the app. **Rease elaborate on why you chose these permissions:** **he app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the estaurant and get some details about the restaurant or make an order in advance. **he app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites **Performance and Stability** **pp does not crash, force close, freeze, or otherwise function abnormally on any targeted device. **x** **ContentProvider**	App supports standard system Back button navigation and does not make use of any custom, on-screen "Back button" prompts.	X
pp requests only the absolute minimum permissions that it needs to support core functionality. x pp does not request permissions to access sensitive data or services that can cost the user money, unless lated to a core capability of the app. Rease elaborate on why you chose these permissions: the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the instaurant and get some details about the restaurant or make an order in advance. The app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites Performance and Stability App does not crash, force close, freeze, or otherwise function abnormally on any targeted device. ContentProvider	All dialogs are dismissible using the Back button.	X
pp requests only the absolute minimum permissions that it needs to support core functionality. x pp does not request permissions to access sensitive data or services that can cost the user money, unless x lease elaborate on why you chose these permissions: the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the instaurant and get some details about the restaurant or make an order in advance. the app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites Performance and Stability app does not crash, force close, freeze, or otherwise function abnormally on any targeted device. x ContentProvider	Pressing the Home button at any point navigates to the Home screen of the device.	x
pp does not request permissions to access sensitive data or services that can cost the user money, unless Sease elaborate on why you chose these permissions: Sease elaborate on why you chose these permissi	Permissions	
lease elaborate on why you chose these permissions: the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the estaurant and get some details about the restaurant or make an order in advance. the app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites Performance and Stability upp does not crash, force close, freeze, or otherwise function abnormally on any targeted device. ContentProvider	App requests only the absolute minimum permissions that it needs to support core functionality.	х
the app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the estaurant and get some details about the restaurant or make an order in advance. The app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end ser can access updates from different websites **Performance and Stability** The property does not crash, force close, freeze, or otherwise function abnormally on any targeted device. **ContentProvider**	App does not request permissions to access sensitive data or services that can cost the user money, unless related to a core capability of the app.	X
Performance and Stability app does not crash, force close, freeze, or otherwise function abnormally on any targeted device. ContentProvider	Please elaborate on why you chose these permissions: The app uses (android.permission.CALL_PHONE) to enable the end user to be able to call the help desk of the restaurant and get some details about the restaurant or make an order in advance. The app also uses (android.permission.INTERNET) to be able to load rss feeds from the internet where the end user can access updates from different websites	
ContentProvider	Performance and Stability	
		X
op implements a ContentProvider to access locally stored data.	ContentProvider	
	App implements a ContentProvider to access locally stored data.	х
it regularly pulls or sends data to/from a web service or API, app updates data in its cache at regular intervals	If it regularly pulls or sends data to/from a web service or API, app updates data in its cache at regular intervals	x

using a SyncAdapter.	
If it needs to pull or send data to/from a web service or API only once, or on a per request basis (such as a search application), app uses an IntentService to do so.	
App uses a Loader to move its data to its views.	х
1) What's the content provider called, and how is it backed? 2) What backend does it talk to? What is the SyncAdapter called? What mechanism is used to actually talk over the network? 3) What loaders/adaptors are used? Its implemented in the FeedService class The loader communicates with the rss from a website specified by the end-user to load rss feeds and display them to the user.	
User/App State	
App correctly preserves and restores user or app state.	х
When the app is resumed after the device wakes from sleep (locked) state, the app returns the user to the exact state in which it was last used.	х
When the app is relaunched from Home or All Apps, the app restores the app state as closely as possible to the previous state.	х
Please elaborate on how/where your app correctly preserves and restores user or app state: For instance when a user was filling the form and by any chance he receives an incoming call, the app is able to return back where the user was after the call completion. Another instance is when the user was trying to fill the details of the restaurant and decides to go back to the home page of the device, when he goes back to the app it will take the user back to the state he was before going to the home page of the device	

Optional Components

To receive "exceeds specifications", your app must fully implement all of the criteria listed under at least two of the four categories below (e.g. Notifications, ShareActionProvider, Broadcast Events, and Custom Views).

Criteria	Does Not Exceed Specifications	Exceeds Specifications
Notifications		
Notifications do not contain advertising or content unrelated to the core function of the app.		x
Notifications are persistent only if related to ongoing events (such as music playback or a phone call).		x
Multiple notifications are stacked into a single notification object, where possible.		x
App uses notifications only to indicate a context change relating to the user personally (such as an incoming message).		x
App uses notifications only to expose information/controls relating to an ongoing event (such as music playback or a phone call).		x
Please elaborate on how/where you implemented Notifications in your app: I implemented notification in my app, whereby the user has the capability under settings to choose a specified time for the notification and the ringtone to be used during the notification. When the specified time reaches, the application automatically notifies the user using the ringtone specified. I attached a screenshot explaining the concept of notification		

ShareActionProvider	
Uses ShareActionProvider to share content with an outside application.	
Makes use of Intent Extras to send rich content (i.e. a paragraph of content-specific text, a link and description, an image, etc).	
Please elaborate on how/where you implemented ShareActionProvider:	
Broadcast Events	
App intercepts broadcast events.	x
App responds to Broadcast events in a meaningful way.	х
Please elaborate on how/where you implemented Broadcast Events: My OnAlarmReceiver class extends BroadcastReceiver . these class is the class that gives the notification message to the user incase the specified time set by the user reaches.the user receives the notification message alongside with a ringtone.	
Custom Views	
App creates and uses a custom View.	

App uses a novel View that couldn't sufficiently be satisfied by the core Views in Android.	
Please elaborate on how/where you implemented Custom Views:	