


NuboLens


Cloud Cost Audit



Acme Technologies Ltd	15 May 2026	772147490302	EU-WEST-2	42	0
Client	Date	AWS Account	Region	Findings	Critical

Executive Summary

What you need to know before reading anything else.



Acme Technologies Ltd's NuboLens audit reveals a score of **5/100**. With 0 critical and 19 high findings, immediate action is required. The priority actions below will have the greatest impact.

⚠ **If you fix nothing:** Wasted spend continues every month. Compounds significantly over 12 months.

Top 5 Priority Actions

Start here. Highest impact on your score and risk posture.

1	Idle instance — CPU 0.3%	HIGH
2	Idle instance — CPU 0.2%	HIGH
3	Idle instance — CPU 0.0%	HIGH
4	Idle instance — CPU 2.4%	HIGH
5	Unattached volume (50GB, 0d old)	HIGH

Cost Waste Summary

Monthly and annual savings available from this audit.

£234

Monthly waste found

£2808

Annual waste found

19

High priority

21

Medium priority

SAVINGS BY SERVICE

SERVICE	MONTHLY WASTE	£/MONTH
EC2		£79
S3		£70
EBS		£52
Elastic IP		£16
RDS		£15
Lambda		£2

💡 **Quick wins:** Stopping idle EC2 instances and deleting unattached EBS volumes requires no architecture changes and saves £154/month immediately.

High Findings (19)

Address within 48 hours.

HIGH

EC2: Idle instance — CPU 0.3%

What it means

An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.

How to fix

Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.

Positive impact

Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.

Considerations

Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.

Effort

Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.3%

What it means

An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.

How to fix

Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.

Positive impact

Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.

Considerations

Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.

Effort

Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.2%

What it means

An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.

How to fix

Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.

Positive impact

Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.

Considerations

Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.

Effort

Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.2%

- What it means** An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.
- How to fix** Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.
- Positive impact** Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.
- Considerations** Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.
- Effort** Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.0%

- What it means** An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.
- How to fix** Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.
- Positive impact** Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.
- Considerations** Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.
- Effort** Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.0%

- What it means** An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.
- How to fix** Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.
- Positive impact** Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.
- Considerations** Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.
- Effort** Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 0.0%

- What it means** An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.
- How to fix** Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.
- Positive impact** Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.
- Considerations** Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.
- Effort** Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EC2: Idle instance — CPU 2.4%

- What it means** An EC2 instance that is running but consuming no meaningful CPU, memory, or network resources. Typically a development, staging, or test server left running outside working hours, or a production server that has been decommissioned but not terminated.
- How to fix** Stop the instance (preserves data on EBS volumes, no compute charge while stopped) or terminate it (permanent deletion). AWS Instance Scheduler can automate stopping dev/test instances outside business hours.
- Positive impact** Immediate cost and carbon saving. A stopped t3.micro saves approximately £6-8/month and eliminates its carbon footprint entirely.
- Considerations** Stopped instances still incur EBS storage charges. Terminated instances lose all data stored on instance storage (not EBS). Ensure backups exist before terminating.
- Effort** Very low — stop takes seconds. Verify instance is genuinely unused first.

HIGH

EBS: Unattached volume (50GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (200GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (50GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (20GB, 4d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (150GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (100GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

HIGH

EBS: Unattached volume (80GB, 0d old)

- What it means** This EBS volume is not attached to any EC2 instance. It is typically left over from a terminated instance — the instance was deleted but the storage volume was retained. You are paying for storage that nothing is using. At £0.08/GB/month, a 200GB orphaned volume costs £16/month (£192/year) for no benefit.
- How to fix** 1. Check the volume in the EC2 Console — note its name/tags for context. 2. Take a snapshot if there is any chance the data might be needed (snapshot costs ~20% of volume price). 3. Delete the volume. The saving is immediate.
- Positive impact** Immediate cost saving proportional to volume size. 7 unattached volumes in this account total approximately £51.6/month (£619/year). Takes 10 minutes to clean up.
- Considerations** Deletion is permanent. If the volume contained important data and no snapshot was taken, recovery is impossible. Always snapshot first if in doubt.
- Effort** Very low — 10 minutes. High confidence fix.

Medium Findings (21)

Address within 2 weeks.

MEDIUM

EC2: Stopped instance with 1 attached volumes

What it means	This EC2 instance is in a stopped state but still has EBS volumes attached. Stopped instances do not incur compute charges, but the attached EBS volumes continue to be billed at full rate. This is a common source of forgotten spend — the instance looks off but the storage bill continues.
How to fix	1. Check if the instance is intentionally stopped (planned restart) or abandoned. 2. If abandoned: take a final snapshot of the EBS volume for safety (costs ~20% of active volume price), then terminate the instance. 3. Delete the EBS volumes once confirmed no longer needed.
Positive impact	Eliminates ongoing EBS storage costs (typically £0.08-0.10/GB/month). Reduces clutter and attack surface. Snapshots provide recovery option if needed.
Considerations	Termination is permanent — ensure a snapshot exists before terminating. If the instance was supporting a service that needs to be restarted, terminating it means rebuilding from scratch.
Effort	Low — 20 minutes including snapshot creation.

MEDIUM

EC2: Stopped instance with 1 attached volumes

What it means	This EC2 instance is in a stopped state but still has EBS volumes attached. Stopped instances do not incur compute charges, but the attached EBS volumes continue to be billed at full rate. This is a common source of forgotten spend — the instance looks off but the storage bill continues.
How to fix	1. Check if the instance is intentionally stopped (planned restart) or abandoned. 2. If abandoned: take a final snapshot of the EBS volume for safety (costs ~20% of active volume price), then terminate the instance. 3. Delete the EBS volumes once confirmed no longer needed.
Positive impact	Eliminates ongoing EBS storage costs (typically £0.08-0.10/GB/month). Reduces clutter and attack surface. Snapshots provide recovery option if needed.
Considerations	Termination is permanent — ensure a snapshot exists before terminating. If the instance was supporting a service that needs to be restarted, terminating it means rebuilding from scratch.
Effort	Low — 20 minutes including snapshot creation.

MEDIUM

Elastic IP: Unassociated EIP

What it means	An Elastic IP (EIP) address that is allocated to your account but not associated with any running EC2 instance or network interface. AWS charges £3.20/month for each unassociated EIP — a small but unnecessary cost. 5 unassociated EIPs in this account cost £16/month (£192/year).
How to fix	1. Check the Elastic IP in the EC2 Console — verify it is not needed for a future deployment. 2. If not needed: release the EIP. This removes the monthly charge immediately. 3. If needed for future use: note the IP address, release it, and allocate a new one when needed (IPs are not guaranteed to be the same).
Positive impact	Immediate saving of £3.20/month per EIP. All 5 EIPs in this account = £16/month (£192/year).
Considerations	Released EIPs cannot be reclaimed — the IP address is returned to AWS's pool. If the IP was whitelisted anywhere (firewalls, partner systems), those rules will need updating.
Effort	Very low — 5 minutes.

MEDIUM

Elastic IP: Unassociated EIP

What it means An Elastic IP (EIP) address that is allocated to your account but not associated with any running EC2 instance or network interface. AWS charges £3.20/month for each unassociated EIP — a small but unnecessary cost. 5 unassociated EIPs in this account cost £16/month (£192/year).

How to fix 1. Check the Elastic IP in the EC2 Console — verify it is not needed for a future deployment. 2. If not needed: release the EIP. This removes the monthly charge immediately. 3. If needed for future use: note the IP address, release it, and allocate a new one when needed (IPs are not guaranteed to be the same).

Positive impact Immediate saving of £3.20/month per EIP. All 5 EIPs in this account = £16/month (£192/year).

Considerations Released EIPs cannot be reclaimed — the IP address is returned to AWS's pool. If the IP was whitelisted anywhere (firewalls, partner systems), those rules will need updating.

Effort Very low — 5 minutes.

MEDIUM

Elastic IP: Unassociated EIP

What it means An Elastic IP (EIP) address that is allocated to your account but not associated with any running EC2 instance or network interface. AWS charges £3.20/month for each unassociated EIP — a small but unnecessary cost. 5 unassociated EIPs in this account cost £16/month (£192/year).

How to fix 1. Check the Elastic IP in the EC2 Console — verify it is not needed for a future deployment. 2. If not needed: release the EIP. This removes the monthly charge immediately. 3. If needed for future use: note the IP address, release it, and allocate a new one when needed (IPs are not guaranteed to be the same).

Positive impact Immediate saving of £3.20/month per EIP. All 5 EIPs in this account = £16/month (£192/year).

Considerations Released EIPs cannot be reclaimed — the IP address is returned to AWS's pool. If the IP was whitelisted anywhere (firewalls, partner systems), those rules will need updating.

Effort Very low — 5 minutes.

MEDIUM

Elastic IP: Unassociated EIP

What it means An Elastic IP (EIP) address that is allocated to your account but not associated with any running EC2 instance or network interface. AWS charges £3.20/month for each unassociated EIP — a small but unnecessary cost. 5 unassociated EIPs in this account cost £16/month (£192/year).

How to fix 1. Check the Elastic IP in the EC2 Console — verify it is not needed for a future deployment. 2. If not needed: release the EIP. This removes the monthly charge immediately. 3. If needed for future use: note the IP address, release it, and allocate a new one when needed (IPs are not guaranteed to be the same).

Positive impact Immediate saving of £3.20/month per EIP. All 5 EIPs in this account = £16/month (£192/year).

Considerations Released EIPs cannot be reclaimed — the IP address is returned to AWS's pool. If the IP was whitelisted anywhere (firewalls, partner systems), those rules will need updating.

Effort Very low — 5 minutes.

MEDIUM

Elastic IP: Unassociated EIP

What it means An Elastic IP (EIP) address that is allocated to your account but not associated with any running EC2 instance or network interface. AWS charges £3.20/month for each unassociated EIP — a small but unnecessary cost. 5 unassociated EIPs in this account cost £16/month (£192/year).

How to fix 1. Check the Elastic IP in the EC2 Console — verify it is not needed for a future deployment. 2. If not needed: release the EIP. This removes the monthly charge immediately. 3. If needed for future use: note the IP address, release it, and allocate a new one when needed (IPs are not guaranteed to be the same).

Positive impact Immediate saving of £3.20/month per EIP. All 5 EIPs in this account = £16/month (£192/year).

Considerations Released EIPs cannot be reclaimed — the IP address is returned to AWS's pool. If the IP was whitelisted anywhere (firewalls, partner systems), those rules will need updating.

Effort Very low — 5 minutes.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM**S3: No lifecycle rules**

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM

S3: No lifecycle rules

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

MEDIUM

S3: No lifecycle rules

- What it means** This S3 bucket has no lifecycle policy, meaning objects accumulate indefinitely at full S3 Standard pricing (£0.023/GB/month). Application logs, build artifacts, and exports typically grow unboundedly and contain data that loses value after 30-90 days. Without lifecycle rules, you pay for years of stale data.
- How to fix** Add lifecycle rules via S3 Console → Bucket → Management → Lifecycle rules. Recommended pattern: transition to S3-IA after 30 days (40% cheaper), transition to Glacier after 90 days (80% cheaper), delete after 365 days for logs. Can be targeted at specific prefixes (logs/, exports/, artifacts/).
- Positive impact** Estimated saving £5/month per bucket once lifecycle rules are active. 12 buckets with no lifecycle rules in this account = up to £60/month (£720/year). Savings compound over time as old data is automatically tiered down.
- Considerations** Objects in S3-IA incur a retrieval fee. Objects in Glacier can take minutes to hours to restore. Expired objects are permanently deleted — review expiry periods carefully before enabling deletion rules.
- Effort** Low — 15-30 minutes to configure lifecycle rules across all buckets.

ADVISORY

Lambda: Unused Lambda function

What it means

This Lambda function has not been invoked in the past 30+ days. It is consuming no meaningful cost but represents dead code — maintenance overhead, a potential security surface, and clutter in your Lambda console. Unused functions sometimes contain hardcoded credentials or outdated dependencies with vulnerabilities.

How to fix

1. Check if the function is intentionally dormant (e.g. a disaster recovery function triggered rarely). 2. If genuinely unused: delete the function. 3. If unsure: check CloudWatch Logs for last invocation date.

Positive impact

Reduces attack surface (unused functions may have overly permissive IAM roles). Removes maintenance overhead. Small cost saving on storage.

Considerations

Deletion is permanent. Ensure the function is not needed before deleting — check EventBridge rules, SQS triggers, and API Gateway integrations that may reference it.

Effort

Very low — 5 minutes.

ADVISORY

Lambda: Unused Lambda function

What it means

This Lambda function has not been invoked in the past 30+ days. It is consuming no meaningful cost but represents dead code — maintenance overhead, a potential security surface, and clutter in your Lambda console. Unused functions sometimes contain hardcoded credentials or outdated dependencies with vulnerabilities.

How to fix

1. Check if the function is intentionally dormant (e.g. a disaster recovery function triggered rarely). 2. If genuinely unused: delete the function. 3. If unsure: check CloudWatch Logs for last invocation date.

Positive impact

Reduces attack surface (unused functions may have overly permissive IAM roles). Removes maintenance overhead. Small cost saving on storage.

Considerations

Deletion is permanent. Ensure the function is not needed before deleting — check EventBridge rules, SQS triggers, and API Gateway integrations that may reference it.

Effort

Very low — 5 minutes.

Remediation Roadmap

Prioritised fix order — hand this to your engineering team.

1	Idle instance — CPU 0.3%	HIGH	2–4 hrs
2	Idle instance — CPU 0.2%	HIGH	2–4 hrs
3	Idle instance — CPU 0.0%	HIGH	2–4 hrs
4	Idle instance — CPU 2.4%	HIGH	2–4 hrs
5	Unattached volume (50GB, 0d old)	HIGH	2–4 hrs
6	Unattached volume (200GB, 0d old)	HIGH	2–4 hrs
7	Unattached volume (20GB, 4d old)	HIGH	2–4 hrs
8	Unattached volume (150GB, 0d old)	HIGH	2–4 hrs
9	Unattached volume (100GB, 0d old)	HIGH	2–4 hrs
10	Unattached volume (80GB, 0d old)	HIGH	2–4 hrs
11	Idle RDS — 0 connections	HIGH	2–4 hrs
12	Automated backups disabled	HIGH	2–4 hrs
13	High error rate (100.0%)	HIGH	2–4 hrs
14	Stopped instance with 1 attached volumes	MEDIUM	1 day
15	Unassociated EIP	MEDIUM	1 day

Need help fixing these?

NuboLabs offers full remediation — we implement the fixes for you.

Targeted Fix

We remediate the critical and high findings from this report. Done properly by the same engineer who found them.

From £500

Full Hardening

Complete implementation of all findings plus architectural improvements. Leaves your environment in a production-ready secure state.

From £1,500

Monthly Retainer

POPULAR

Monthly rescan plus ongoing remediation as your infrastructure evolves. New findings fixed before they become incidents.

From £400/mo

Ready to get started?

Reply to this report or get in touch directly.

sales@nubolabs.co.uk

nubolabs.co.uk · Leeds, UK



Cloud Infrastructure Intelligence

kenziebollon@nubolabs.co.uk

nubolabs.co.uk · Leeds, UK

This report identifies technical gaps in your AWS infrastructure. It does not constitute legal, compliance, or security certification advice. Certification requires a licensed auditor.