NEMIX Demo Test Script

Inventory, RFID, and Reports | Suggested duration: 25-35 minutes

This is a presenter-led manual demo and acceptance test script based on the current project implementation. Expected results are acceptance criteria; the scenarios have not been executed as part of preparing this document.

1. Preparation

- Use a demo environment with permission to create inventory, requests, receipts, and reports.
- Prepare separate browser sessions for a **Supply Coordinator** and **Property Custodian**, plus an administrator or inventory operator with item, receiving, RFID, and reporting permissions. Check ownership restrictions as well as role permissions.
- Prepare an active supplier named **Demo Office Supplies** and the required report signatories and institution details.
- Use a recognized unit such as **ream**. Enable **Stock safeguard** for the insufficient-stock tests.
- Use a new item name for each rehearsal, such as **DEMO A4 Bond Paper - RUN01**, so previous runs do not affect balances. Do not use an existing item with prior transactions.
- Keep all demo transactions within the report period. Use today's application date for the receipts and release, and select that month and year for reports. Record the actual dates below.
- For hardware testing, prepare an enabled, provisioned reader with a current heartbeat, the correct station, and a physical tag. Record the tag's actual identifier; the example identifier below is only for manual-entry practice.
- Keep a second untagged item available for the duplicate-assignment test. Do not receive or issue that second item during the main scenario.

Demo field	Value
Run identifier	RUN01, or a new unique suffix
Main item	DEMO A4 Bond Paper - RUN01
Unit	ream, or the configured equivalent
Supplier	Demo Office Supplies
Office / purpose	Demo Administration Office / Office printing supplies
Initial batch	100 units at PHP 250.00
Second manual receipt	20 units at PHP 260.00
Requested and approved quantity	30 units
RFID receipt	10 units at PHP 270.00
RFID tag	Actual physical tag; manual example: DEMO-RFID-RUN01
Demo date / report period	_____
Generated stock number / RIS reference	_____

Balance checkpoints:

Point in the demo	On hand	Reserved for this request	Available after this reservation
Initial batch saved	100	0	100
Manual receipt saved	120	0	120
Request submitted	120	0	120
Request approved	120	30	90
Request released	90	0	90
RFID receipt saved	100	0	100

These figures assume no other transactions or reservations for the demo item. Verify available stock wherever displayed; on-hand stock alone does not show reservations.

2. Opening narration - 1 minute

Say: "Today I will demonstrate how NEMIX manages supplies from receiving to release, how RFID helps identify items during receiving, and how the recorded transactions become inventory and compliance reports. We will follow one item and check its balance at every stage."

Do: Sign in and open **Dashboard**. Identify the inventory summary, stock alerts, and recent activity. Explain that access to actions depends on the user's permissions.

Expected: The dashboard loads for the signed-in account. Do not compare organization-wide totals with this one item's balance.

3. Inventory workflow - 10-12 minutes

INV-01 - Create an item and its initial batch

Say: "We begin with an item master. Its identity is separate from the receiving batches that hold quantities and costs."

1. As the authorized inventory operator, open **Inventory > All Items** (/inventories) and open the new-item form.
2. Enter the unique demo item name, recognized unit, and a short description.
3. Under **Initial Receiving Batch**, select the demo supplier and enter **100** units at **PHP 250.00** each.
4. Select **Save Item Master**. Search for the item and open its details.
5. Record its generated stock number and inspect **Receiving History & Active Batches**.

Expected: One item exists, on hand is **100**, and the initial batch value is **PHP 25,000.00**. Its supplier, quantity, and unit cost match the form.

Evidence: Item details and initial batch. Result: Pass / Fail / Not run: _____

INV-02 - Record an additional delivery

Say: "An additional delivery increases the balance while keeping its supplier and purchase cost in a separate batch."

1. Open **Inventory > Receiving** (/inventory/receiving) and select **Record Receiving**.
2. Select the same item and demo supplier. Check the generated supplier stock number.
3. Enter quantity **20**, unit cost **PHP 260.00**, and the demo receiving date.
4. Check the batch total of **PHP 5,200.00**, then select **Save Receiving**.
5. Open the new receiving record and then the item's batch details.

Expected: On hand becomes **120**. Both batches remain identifiable, and their combined remaining value is **PHP 30,200.00**.

Evidence: Receiving reference and the two batches. Result: _____

INV-03 - Submit a supply request

Say: "The Supply Coordinator requests supplies for an office. Submitting a request does not deduct or reserve stock."

1. Switch to the **Supply Coordinator** session.
2. Open **My Requests** (/inventory/my-requests) and create a request.
3. Enter the demo office, purpose, item, and requested quantity **30**. Complete other required fields and submit.
4. Open the request details and record the request reference.

Expected: Status is **Pending**. On hand remains **120**, with no reservation from this request. The coordinator can edit or cancel their pending request.

Evidence: Pending request details. Result: _____

INV-04 - Approve and preview the RIS

Say: "Approval reserves the supplies for pickup. The physical balance changes only when the custodian confirms release."

1. Switch to the **Property Custodian** session and open **Inventory > Issuance** (/inventory/issuance).
2. Review the request in **Awaiting approval** and approve **30** units.
3. Confirm it appears under **Approved - Awaiting Release** and record its RIS reference.
4. Return to the coordinator's **My Requests**, refresh, and preview the approved **Requisition and Issue Slip (RIS)**.
5. Demonstrate its PDF/print controls. Check item, office, purpose, requested quantity, approved quantity, and approval details.

Expected: Status is **Approved**; on hand stays **120**, reserved quantity is **30**, and available quantity is **90**. Before handover, the RIS leaves issue/receipt entries blank as appropriate. Approval alone does not create a released issuance.

Evidence: Approval, RIS preview, and unchanged on-hand balance. Result: _____

INV-05 - Release supplies and check FIFO

Say: "After the signed RIS is checked and the supplies are handed over, the custodian confirms release. NEMIX records the issuance and uses the oldest available batches first."

1. Return to the custodian's approved-request queue and open the release action.
2. Confirm the signed RIS and physical handover using the required confirmation, then release the request once.
3. Open the linked issuance and check the item, quantity, recipient/office, date, and RIS reference.
4. Open the item's batch history.

Expected: Status becomes **Issued**. Exactly one linked issuance deducts **30**, leaving **90** on hand and no remaining reservation for this request. FIFO consumes 30 from the original 100-unit batch: **70 at PHP 250.00** and **20 at PHP 260.00** remain. Issued cost is **PHP 7,500.00**; remaining batch value is **PHP 22,700.00**.

Evidence: Issued request, linked issuance, and remaining batches. Result: _____

4. RFID workflow - 7-9 minutes

RFID-01 - Assign a tag to the item

Say: "The RFID tag identifies an inventory item type. Scanning it helps select the item; staff still enter the inspected quantity and actual delivery cost."

1. As the authorized operator, open **RFID Scanner** (/rfid-scanner), or use **Tag RFID** from the item's details.
2. Select the demo item and scan or enter the intended tag identifier. Complete the assignment action.
3. Verify the stored tag belongs to the correct item.
4. For a hardware demo, inspect reader status under the RFID workspace or **System Settings > RFID**. Confirm the intended reader/station is online before continuing.

Expected: The tag resolves to the demo item. Assignment alone leaves stock at **90**. A current heartbeat indicates connectivity; the next test verifies actual scan delivery.

Evidence: Assigned tag, item identity, and device status. Result: _____

RFID-02 - Scan and inspect a delivery

Say: "We scan the tag to identify the delivered item, then enter the quantity actually inspected. Repeated scans must not multiply the delivery quantity."

1. Open **Inventory > Receiving > Scan RFID**.
2. Select the correct station/hardware where available, then scan the assigned physical tag.
3. Verify the identified item. Scan the same tag again before saving.
4. Confirm a duplicate notice appears and the item is not added as another receiving line.
5. On the item row, choose the active demo supplier, enter inspected quantity **10**, actual unit cost **PHP 270.00**, and the demo receiving date.
6. Check the line total of **PHP 2,700.00**. Before saving, verify that on hand is still **90**.

Expected: One receiving line identifies the correct item. Repeated scans do not add stock or increase the entered quantity automatically.

Evidence: Scan result, duplicate notice, and inspected quantity. Result: _____

RFID-03 - Save and trace the receipt

Say: "Stock increases when the inspected receiving transaction is saved. The receipt preserves the scanned tag for traceability."

1. Select **Receive Items** once and wait for success.
2. Open the created receiving record and inspect the item, scanned tag, supplier, quantity, unit cost, and date.
3. Open the item's details and confirm the new batch.
4. Refresh the receiving page and confirm no additional receipt appears merely from refreshing.

Expected: On hand rises from **90 to 100**, with one **10-unit** receipt. Remaining batch value becomes **PHP 25,400.00**: 70 × 250 + 20 × 260 + 10 × 270. The RFID-origin receipt remains tied to its scanned item.

Hardware fallback: If hardware scan delivery fails, mark the physical scan test **Blocked**, record the reason, and demonstrate manual entry using the same assigned tag and **Add Tag**. This demonstrates lookup and receiving; it does not establish that the reader integration passed. Avoid saving a second receipt if the first attempt already succeeded.

Evidence: RFID receiving reference, scanned tag, and final batch balance. Result: _____

5. Report workflow - 7-9 minutes

REP-01 - Generate a Stock Card

Say: "The Stock Card connects the receipts and release into a chronological ledger. Its balance should agree with the item we just checked."

1. Open **Compliance > Manage Reports** (/compliance/reports) and open report generation.
2. Choose **Stock Card**, select the exact demo item, and use **All Records / Full Ledger** for this new item. Complete required report details.
3. Select **Preview Official Report**.
4. Check the receipts of **100**, **20**, and **10**, the issuance of **30**, the transaction references, and the running balances.
5. Select **Save & Record Document**, then locate and view the report in the registry.

Expected: Total receipts are **130**, issues are **30**, and final balance is **100**. If same-day transactions are grouped or ordered differently on the form, reconcile their references and totals. Saving the report does not change stock.

Evidence: Saved Stock Card and its final balance. Result: _____

REP-02 - Generate the RSMI

Say: "The Report of Supplies and Materials Issued summarizes actual issuances. A pending or approved request awaiting pickup is not a released distribution."

1. Generate **RSMI - Report of Supplies and Materials Issued**.
2. Select **Monthly** and the month/year containing the demo release. Complete the required header and signatory fields.
3. Preview and find the demo item's released transaction using its RIS reference.
4. Verify quantity **30**, unit/cost information, and the demo issue amount of **PHP 7,500.00**.
5. Save and open the recorded report.

Expected: The demo release appears once. The manual and RFID receipts are not counted as issued quantities. Other items may appear in the same report, so compare the demo line rather than the organization-wide grand total.

Evidence: RSMI row and RIS reference. Result: _____

REP-03 - Generate the RPCI

Say: "The Report on the Physical Count of Inventories presents inventory balances for checking against a physical count."

1. Generate **RPCI - Report on the Physical Count of Inventories** for a period or as-of date that includes all demo transactions.
2. Preview and locate the demo item by its stock number.
3. Check its book quantity of **100**, unit, and reported valuation against the report's displayed basis.
4. Save and view the recorded report.

Expected: The demo item's book quantity agrees with inventory. Live-generated RPCI rows currently initialize on-hand count from book balance; a matching count or blank variance is not evidence that a separate physical count occurred. The batch reconciliation target is **PHP 25,400.00**; investigate any displayed value difference against the report's valuation basis rather than assuming a reference unit cost equals FIFO batch value.

Evidence: RPCI row and count/valuation comparison. Result: _____

REP-04 - Memorandum Receipt and document output

Say: "NEMIX also provides Memorandum Receipts for the appropriate accountable officer and property records. Recorded forms can be downloaded and printed."

1. If a suitable property/equipment issuance exists in the demo environment, generate **Memorandum Receipt**, choose its **End User / Accountable Officer**, and select the matching period. Use that issuance as the expected source; the paper consumable example is not the basis for demonstrating property accountability.
2. Check the selected officer, item, quantity, dates, and signatories; then save and view the report. If no suitable issuance exists, mark this part **Not run**.
3. Open the saved demo Stock Card or RSMI and choose **Download PDF**. Open the downloaded file.
4. Choose **Print Form** and inspect the print preview; cancel after checking if no paper copy is needed.
5. Return to the report registry and locate the saved report using its title/type filters.

Expected: The downloaded and print versions agree with the preview. Headers, rows, references, totals, and signature sections are readable and not clipped. Saved reports are accessible in the registry. Report generation leaves inventory at **100**.

Evidence: PDF filename and print preview. Result: _____

6. Validation tests - rehearse separately or add 5-10 minutes

Run these after the main report demonstration, or on separate test items, so extra transactions do not invalidate the main scenario's totals.

ID	Action	Expected result
VAL-01	With Stock safeguard enabled, attempt to approve more than the item's available stock.	Validation rejects the approval; no stock or reservation change.
VAL-02	On a separate request, approve 5 units, verify on hand is unchanged, then cancel as an authorized user.	Status becomes Cancelled; the 5-unit reservation is removed; on hand is unchanged.
VAL-03	Reject a separate pending request with a reason.	Status becomes Rejected; reason is recorded; no stock deduction.
VAL-04	Reopen or refresh the released main request and attempt release again if the action is offered.	Repeat release is unavailable or refused; there remains one linked issuance and no second deduction.
VAL-05	Attempt to assign the main tag to the second active item.	Assignment is refused; the original item keeps the tag.
VAL-06	In a new RFID receiving session, scan or enter a valid-format tag that is not assigned to an item.	Unassigned-tag notice; no receivable item or stock addition.
VAL-07	In an unsaved RFID session, leave supplier blank, enter quantity 0, or enter a negative cost. Cancel after checking.	Receive action is blocked or validation rejects the input; stock is unchanged.
VAL-08	With an account lacking receiving, RFID assignment, or report-create permissions, attempt the corresponding action.	Protected actions are hidden or denied; no record is created.
VAL-09	Generate a Stock Card preview with a date range excluding all main demo transactions.	Demo transactions do not appear as in-period movements. Any brought-forward balance follows the selected period.
VAL-10	Using a separate disposable item, set up quantities above low-stock, at low-stock, at critical-stock, and at zero under the configured thresholds.	Status follows In Stock / Low Stock / Critical Stock / Out of Stock as applicable. For an email check, enable notifications, recipients, mail delivery, and the queue before testing.

For a deeper retry test in a controlled test environment, repeat the exact RFID receiving submission with the same submission key and unchanged payload. Expected: no extra receipt or stock; the response identifies the already-received session. Opening a new session generates a new submission key and is a new receipt, so it is not a retry test.

7. Closing narration - 1 minute

Say: "We received 130 units in total and released 30, leaving 100. Approval reserved stock without changing the physical balance; release deducted it once. RFID identified the item while staff confirmed the delivery details. The Stock Card, issuance report, and inventory report let us trace and check the same records."

Show the final item balance, its three receiving batches, linked issuance/RIS, RFID receipt, and saved reports.

8. Test record

Record actual observations; do not mark a test passed from the expected result alone.

Test ID	Actual result / reference / evidence	Status: Pass, Fail, Blocked, Not run	Tester / date
INV-01 to INV-05 (record each separately)			
RFID-01 to RFID-03 (record each separately)			
REP-01 to REP-04 (record each separately)			
VAL-01 to VAL-10 (record each separately)			

Core completion criteria: Item creation, manual receiving, request submission, approval, release, RFID assignment/receiving, Stock Card, RSMI, RPCI, and document output have observed results and evidence. Record hardware delivery separately from manual tag entry, and record any optional tests not run. Stop on an unexplained stock mismatch and resolve it before presenting the reports as reconciled.

9. Project references used to prepare this script

- docs/SUPPLY_REQUEST_WORKFLOW.md - roles, approval, reservations, release, and RIS behavior.
- docs/INVENTORY_POLICY_SETTINGS.md - stock safeguard, units, and stock thresholds.
- docs/manuals/build_manuals.py - inventory and receiving navigation and form labels.
- Modules/Inventory/routes/web.php and Modules/Inventory/app/Http/Controllers/InventoryController.php - receiving, issuance, and RFID receiving validation and retry behavior.
- app/Http/Controllers/Inventory/RfidScannerController.php - assignment, lookup, and scan delivery.
- resources/js/Pages/Compliance/Reports/constants.ts and report dialog components - supported reports, periods, preview, registry, download, and print actions.
- app/Services/Compliance/ComplianceReportDataService.php - report datasets and RPCI count initialization.