

# **VISHNU - IMS - Tests report**



Copyright © 2011 SysFera SAS

This report is provided under the following conditions:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

This software is governed by the CECILL licence under French law and abiding by the rules of distribution of free software. You can use, modify and/ or redistribute the software under the terms of the CeCILL license as circulated by CEA, CNRS and INRIA at the following URL "<http://www.cecill.info>".

As a counterpart to the access to the source code and rights to copy, modify and redistribute granted by the license, users are provided only with a limited warranty and the software's author, the holder of the economic rights, and the successive licensors have only limited liability.

In this respect, the user's attention is drawn to the risks associated with loading, using, modifying and/or developing or reproducing the software by the user in light of its specific status of free software, that may mean that it is complicated to manipulate, and that also therefore means that it is reserved for developers and experienced professionals having in-depth computer knowledge. Users are therefore encouraged to load and test the software's suitability as regards their requirements in conditions enabling the security of their systems and/or data to be ensured and, more generally, to use and operate it in the same conditions as regards security.

**COLLABORATORS**

	<i>TITLE :</i> VISHNU - IMS - Tests report		
<i>ACTION</i>	<i>NAME</i>	<i>DATE</i>	<i>SIGNATURE</i>
WRITTEN BY	Benjamin Isnard, Daouda Traoré, Eugène Pamba Capo-Chichi, Kevin Coulomb, and Ibrahima Cissé	May 2011	

**REVISION HISTORY**

NUMBER	DATE	DESCRIPTION	NAME
1	06/06/2011	Deliverable version	SYSFERA SA
2	27/03/2012	Ajout de define auth system	K. COULOMB

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Functional tests</b>	<b>2</b>
2.1	I2-B: Get metric data . . . . .	2
2.2	I4-B: Get data on the infrastructure . . . . .	2
2.3	IA2.1-B: Get a system load threshold . . . . .	2
2.4	IA2-B[1-3]: Define a system load threshold (CPUUSE, FREE_DISK_SPACE and FREE_MEMORY) . . . . .	3
2.5	I1-B: Get the update frequency . . . . .	3
2.6	IA6-B: Set the update frequency . . . . .	3
2.7	IA3-B: Define User/Machine/Job/FileTransfer/Authentication identifier . . . . .	3
2.8	I5-B: Get system info . . . . .	4
2.9	IA5-B: Set system info . . . . .	4
2.10	IA1-B: Get the running processes . . . . .	4
2.11	IA4.1-B: Load scheduling . . . . .	4
2.12	IA9-B: Restart . . . . .	5
2.13	IA9-B: Stop . . . . .	5
2.14	I3-B: Export and replay commands . . . . .	5
<b>3</b>	<b>Stress tests</b>	<b>6</b>
<b>4</b>	<b>Load tests</b>	<b>7</b>
<b>5</b>	<b>Performance tests</b>	<b>8</b>

# Chapter 1

## Introduction

Author of the test code : Eugène PAMBA CAPO-CHICHI

Author of the test report : Eugène PAMBA CAPO-CHICHI

The tests which follows have been done in the following environment:

- Database used : PostgreSQL 8.4
  - OS used for the test : Ubuntu 10.10
  - Cmake version : V2.6
  - gcc version : V4.3.3
  - DIET version : V2.6.1
  - Batch scheduler : TORQUE V2.5
  - RAM memory : 2Gb
-

## Chapter 2

# Functional tests

### 2.1 I2-B: Get metric data

API command: *getMetricHistory*

ID test	Description of the test cases	Output expected	Output gotten	Error
I2-B	Normal execution of <i>getMetricHistory</i>	The list of FREEMEMORY metric is returned	The list of FREEMEMORY metric is returned	0
I2-E1	Bad machine Identifier	VishnuException	VishnuException	0
I2-E2	Bad metric type	VishnuException	VishnuException	0

### 2.2 I4-B: Get data on the infrastructure

API command: *getMetricCurrentValue*

ID test	Description of the test cases	Output expected	Output gotten	Error
I4-B	Normal execution of <i>getMetricCurrentValue</i>	The list of current value of metric is returned	The list of current value of metric is returned	0

### 2.3 IA2.1-B: Get a system load threshold

API command: *getSystemThreshold*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA2.1-B	Normal execution of <i>getSystemThreshold</i>	The threshold of the metric FREEDISKSPACE is returned	The threshold of the metric FREEDISKSPACE is returned	0
IA2.1-E1	Bad machine Identifier	VishnuException	VishnuException	0
IA2.1-E2	Bad metric value	VishnuException	VishnuException	0
IA2.1-E3	<i>getSystemThreshold</i> is launched by a user who is not an administrator	VishnuException	VishnuException	0

## 2.4 IA2-B[1-3]: Define a system load threshold (CPUUSE, FREE\_DISK\_SPACE and FREE\_MEMORY)

API command: *setSystemThreshold*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA2-B[1-3]	Normal execution of setSystemThreshold	The threshold for the corresponding metric is set	The threshold for the corresponding metric is set	0
IA2-E1	Bad machine Identifier	VishnuException	VishnuException	0
IA2-E2	Bad metric value	VishnuException	VishnuException	0
IA2-E3	getSystemThreshold is launched by a user who is not an administrator	VishnuException	VishnuException	0

## 2.5 I1-B: Get the update frequency

API command: *getUpdateFrequency*

ID test	Description of the test cases	Output expected	Output gotten	Error
I1-B	Normal execution of getUpdateFrequency	The update frequency value is returned	The update frequency value is returned	0

## 2.6 IA6-B: Set the update frequency

API command: *setUpdateFrequency*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA6-B	Normal execution of setUpdateFrequency	The update frequency value is set	The update frequency value is set	0
IA6-E1	The frequency is zero	VishnuException	VishnuException	0
IA6-E2	The frequency is negative	VishnuException	VishnuException	0
IA2-E3	setUpdateFrequency is launched by a user who is not an administrator	VishnuException	VishnuException	0

## 2.7 IA3-B: Define User/Machine/Job/FileTransfer/Authentication identifier

API command: *define[User|Machine|Job|Transfer|Auth]Identifier*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA3-B	Normal execution of de- fine[User Machine Job Transfer Auth]Identifier	The corresponding identifier is set	The corresponding identifier is set	0
IA3-E1	Bad format identifier	VishnuException	VishnuException	0
IA3-E2	define[User Machine Job Transfer Auth]Identifier is launched by a user who is not an administrator	VishnuException	VishnuException	0

**Remarks IA3-B :** In this version of tests, only define[User|Machine|Job|Transfer|Auth]Identifier is tested.

## 2.8 I5-B: Get system info

API command: *getSystemInfo*

ID test	Description of the test cases	Output expected	Output gotten	Error
I5-B	Normal execution of getSystemInfo	The system information (disk space and memory) is returned	The system information (disk space and memory) is returned	0
I5-E1	Bad machine Identifier	VishnuException	VishnuException	0

## 2.9 IA5-B: Set system info

API command: *setSystemInfo*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA5-B	Normal execution of setSystemInfo	The memory and the disk space of the corresponding machine is set	The memory and the disk space of the corresponding machine is set	0
IA5-E1	Bad machine Identifier	VishnuException	VishnuException	0
IA5-E2	Bad metric value (negative memory and disk space)	VishnuException	VishnuException	0
IA5-E3	setSystemInfo is launched by a user who is not an administrator	VishnuException	VishnuException	0

## 2.10 IA1-B: Get the running processes

API command: *getProcesses*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA5-B	Normal execution of getProcesses	The list of running processes is returned	The list of running processes is returned	0
IA5-E1	Bad machine Identifier	VishnuException	VishnuException	0
IA5-E2	getProcesses is launched by a user who is not an administrator	VishnuException	VishnuException	0

## 2.11 IA4.1-B: Load scheduling

API command: *loadShed*

ID test	Description of the test cases	Output expected	Output gotten	Error
IA5-B Soft Load scheduling	Normal execution of loadShed with LoadShedType SOFT	The jobs launched on the corresponding batch scheduler are stopped	The jobs launched on the corresponding batch scheduler are stopped	0
IA5-B Hard Load scheduling	Normal execution of loadShed with LoadShedType HARD	All VISHNU elements are stopped	All VISHNU elements are stopped	0

**Remarks IA5-B Hard Load scheduling :** It has been tested manually with a remote machine.



## 2.12 IA9-B: Restart

API command: restart

ID test	Description of the test cases	Output expected	Output gotten	Error
IA9-B	Normal execution of restart	The sed UMS is restarted	The sed UMS is restarted	0

**Remarks IA9-B Restart:** It works locally but there is a problem when we restart processes on a remote machine.

## 2.13 IA9-B: Stop

API command: stop

ID test	Description of the test cases	Output expected	Output gotten	Error
IA9-B	Normal execution of stop	The sed UMS on the remote machine is stopped	The sed UMS on the remote machine is stopped	0
IA9-E1	Bad machine Identifier	VishnuException	VishnuException	0
IA9-E2	The remote process to stop is unknown	VishnuException	VishnuException	0
IA9-E3	stop is launched by a user who is not an administrator	VishnuException	VishnuException	0

**Remarks IA9-B Stop :** It has been tested manually with a remote machine.

## 2.14 I3-B: Export and replay commands

API command: exportCommands

ID test	Description of the test cases	Output expected	Output gotten	Error
I3-B	Normal execution of exportCommands	The commands launched within an old session is exported	The commands launched within an old session is exported	0
I3-E1	Bad old session Identifier	VishnuException	VishnuException	0
I3-E2	Bad file path	VishnuException	VishnuException	0

## Chapter 3

### Stress tests

ID test	Date	Test description	Command(s) tested	Results
STR-SERV-DOWN	06/06/11	The ims sed is stopped and restarted	setUpdateFrequency	Success - normal update frequency setting
STR-AGENT-DOWN	06/06/11	The SysFera-DS Agent is stopped and restarted		failure
STR-DB-DOWN	06/06/11	The VISHNU database is stopped and restarted	getUpdateFrequency	Success - the corresponding error message is returned

## Chapter 4

### Load tests

ID test	Date	Test description	Command(s) tested	Results
LOAD-2.1- getMetricCurrentValue	06/06/11	Simultaneous launch of 100 commands	getMetricCurrentValue	Success - normal execution of all commands launched
LOAD-2.1- getMetricHistory	06/06/11	Success - Simultaneous launch of 100 commands	getMetricHistory	Success - normal execution of all commands launched

## Chapter 5

### Performance tests

ID test	Test description	Command(s) tested	VISHNU execution time	SSH execution time	Results
CDP-3.1-getMetricCurrentValue	comparison with " ssh host ps -efl "	getMetricCurrentValue	0,156s	0,280s	Success
CDP-3.1-getMetricHistory	comparison with " ssh host ps -efl "	getMetricHistory	0,116s	0,280s	Success

ID test	Test description	Command(s) tested	Consumption	Results
CDP-3.2.1-getMetricCurrentValue	memory consumption less than 500 Mb	getMetricCurrentValue	1,3% of the RAM	Success
CDP-3.2.1-getMetricHistory	memory consumption less than 500 Mb	getMetricHistory	1,6% of the RAM	Sucess
CDP-3.2.2-getMetricCurrentValue	CPU consumption less than 10%	getMetricCurrentValue	0,7% of the CPU	Sucess
CDP-3.2.2-getMetricHistory	CPU consumption less than 10%	getMetricHistory	0,7% of the CPU	Sucess
CDP-Memserver	Memory consumption of ims server running during 24 hours	ims server	1,1% of the RAM	Sucess