- MORE THAN ONE LEVEL OF INDENTATION IN A FUNCTION
- USING THE ELSE KEYWORD.. USE EARLY RETURN
- WRAP ALL PRIMITIVES AND STRINGS INTO MEANINGFUL ENTITIES.
- USE FIRST CLASS COLLECTIONS (WRAP ALL COLLECTIONS)
- ONLY ONE DOT PER LINE: DOG.BODY.TAIL.WIGGLE() => DOG.EXPRESSHAPPINESS()
- CLASSES WITH MORE THAN 2-3 INSTANCE VARIABLES MEANS YOU'RE DOING TOO MUCH..
- PUBLIC GETTERS/SETTERS/PROPERTIES EXPOSE INTERNAL STATE,
- 50 LINES PER CLASS, 5 LINES PER METHOD, 2 ARGUMENTS PER METHOD

## OPEN / CLOSE PRINCIPLE

DOES MY INTERACTOR KNOW THAT DATA IS COMING FROM NETWORK OR PERSISTENCE?

DOES MY COORDINATOR KNOW HOW TO CONSTRUCT MY NEXT FEATURE TO NAVIGATE TO?

DOES MY PRESENTER HAVE ANY KNOWLEDGE OF UIKIT???

## DEPENDENCY INVERSION?