MENEDŻERSKA AKADEMIA NAUK STOSOWANYCH W WARSZAWIE 55 DPH COMPUTER ENGINEERING



PREPARED BY

Kerem Safa Akcay 77706


Advanced Software Development Techniqs

SUPERVISOR

Jakub Slowik

2024 POLAND, EU

1) I Created new repository



2) I added new branch with GITBASH

```
MINGW64:/c/Users/Kerem/ASDT 3
                                                                        ×
Kerem@DESKTOP-CGNNR58 MINGW64 ~ (feature_about_me_2)
$ git clone https://github.com/keremakcaay/ASDT_3.git
Cloning into 'ASDT_3'...
warning: You appear to have cloned an empty repository.
Kerem@DESKTOP-CGNNR58 MINGW64 ~ (feature_about_me_2)
$ cd ASDT_3
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (main)
$ echo README.md
README.md
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (main)
$ git checkout -b exercise2b
Switched to a new branch 'exercise2b'
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git checkout -b readme-branch
Switched to a new branch 'readme-branch'
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (readme-branch)
$ git checkout -b exercise2b
Switched to a new branch 'exercise2b'
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git add README.md
fatal: pathspec 'README.md' did not match any files
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ echo README.md
README.md
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
```


3) I pushed readme file at repository

```
MINGW64:/c/Users/Kerem/ASDT_3
                                                                           Х
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git init
Reinitialized existing Git repository in C:/Users/Kerem/ASDT_3/.git/
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git commit -m "first commit"
[exercise2b (root-commit) e409468] first commit
1 file changed, 1 insertion(+)
create mode 100644 README.md
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git branch -M exercise2b
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git remote add origin https://github.com/keremakcaay/ASDT_3.git
error: remote origin already exists.
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git push -u origin exercise2b
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 220 bytes | 220.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/keremakcaay/ASDT_3.git
* [new branch] exercise2b -> exercise2b
branch 'exercise2b' set up to track 'origin/exercise2b'.
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
```

4) I set README file with GITBASH NANO

```
MINGW64:/c/Users/Kerem/ASDT 3
                                                                                         \times
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
bash: cd: ASDT_3: No such file or directory
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ nano README.md
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the nex
t time Git touches it
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git commit -m "Second commit for readme file"
[exercise2b 353f703] Second commit for readme file
 1 file changed, 1 insertion(+), 1 deletion(-)
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$ git push origin exercise2b
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 344 bytes | 344.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/keremakcaay/ASDT_3.git
   e409468..353f703 exercise2b -> exercise2b
Kerem@DESKTOP-CGNNR58 MINGW64 ~/ASDT_3 (exercise2b)
$
```

There is the readme file



And I finally invited you Sir

