Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for https://kerenstevaux.github.io/LIMA/top10/

Checker Input

Show ☐ source   ☐ outline   ☐ image report | Options… |

Check by | address ∨ |

| https://kerenstevaux.github.io/LIMA/top10/ |

| Check |

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

| Message Filtering |

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 6

   `<html>↵↵<hea`

   For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

   If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** **Start tag seen without seeing a doctype first. Expected** `<!DOCTYPE html>`**.**

   From line 1, column 1; to line 1, column 6

   `<html>↵↵<hea`

3. **Error** **The only allowed value for the** `charset` **attribute for the** `meta` **element is** `utf-8`**.**

   From line 4, column 1; to line 4, column 23

   `>↵↵<head>↵<meta charset="UTF- 8">↵<titl`

4. **Error** **Stray end tag** `h1`**.**

   From line 9, column 39; to line 9, column 43

   `no verão!</h1> </p>↵`

5. **Error** **No** `p` **element in scope but a** `p` **end tag seen.**

From line 9, column 45; to line 9, column 48

```
rão!</hl> </p>↵↵<p>1
```

6. **Error** **Element `p` not allowed as child of element `h1` in this context. (Suppressing further errors from this subtree.)**

From line 9, column 45; to line 9, column 48

```
rão!</hl> </p>↵↵<p>1
```

Contexts in which element p may be used:

Where flow content is expected.

7. **Error** **Element `p` not allowed as child of element `h1` in this context. (Suppressing further errors from this subtree.)**

From line 11, column 1; to line 11, column 3

```
hl> </p>↵↵<p>1- Ir
```

Contexts in which element p may be used:

Where flow content is expected.

8. **Error** **Bad value `33%` for attribute `height` on element `img` : Expected a digit but saw `%` instead.**

From line 12, column 1; to line 12, column 49

```
raia.</p>↵<img src="imagem1.jfif" height="33%" width="33%">↵↵<p>2
```

9. **Error** **Bad value `33%` for attribute `width` on element `img` : Expected a digit but saw `%` instead.**

From line 12, column 1; to line 12, column 49

```
raia.</p>↵<img src="imagem1.jfif" height="33%" width="33%">↵↵<p>2
```

10. **Error** **An `img` element must have an `alt` attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.**

From line 12, column 1; to line 12, column 49

```
raia.</p>↵<img src="imagem1.jfif" height="33%" width="33%">↵↵<p>2
```

11. **Error** **Element `p` not allowed as child of element `h1` in this context. (Suppressing further errors from this subtree.)**

From line 14, column 1; to line 14, column 3

```
h="33%">↵↵<p>2- Jan
```

Contexts in which element p may be used:

Where flow content is expected.

12. **Error** **Bad value** `33%` **for attribute** `height` **on element** [img] **: Expected a digit but saw** `%` **instead.**

From line 15, column 1; to line 15, column 48

```
vete.</p>↵<img src="imagem2.jpg" height="33%" width="33%">↵↵<p>3
```

13. **Error** **Bad value** `33%` **for attribute** `width` **on element** [img] **: Expected a digit but saw** `%` **instead.**

From line 15, column 1; to line 15, column 48

```
vete.</p>↵<img src="imagem2.jpg" height="33%" width="33%">↵↵<p>3
```

14. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#)**.**

From line 15, column 1; to line 15, column 48

```
vete.</p>↵<img src="imagem2.jpg" height="33%" width="33%">↵↵<p>3
```

15. **Error** **Element** [p] **not allowed as child of element** [h1] **in this context. (Suppressing further errors from this subtree.)**

From line 17, column 1; to line 17, column 3

```
h="33%">↵↵<p>3- Cha
```

Contexts in which element p may be used:
    Where [flow content](#) is expected.

16. **Error** **Bad value** `33%` **for attribute** `height` **on element** [img] **: Expected a digit but saw** `%` **instead.**

From line 18, column 1; to line 18, column 47

```
açaí.</p>↵<img src="imagem.png" height="33%" width="33%">↵↵<p>4
```

17. **Error** **Bad value** `33%` **for attribute** `width` **on element** [img] **: Expected a digit but saw** `%` **instead.**

From line 18, column 1; to line 18, column 47

```
açaí.</p>↵<img src="imagem.png" height="33%" width="33%">↵↵<p>4
```

18. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#)**.**

From line 18, column 1; to line 18, column 47

```
açaí.</p>↵<img src="imagem.png" height="33%" width="33%">↵↵<p>4
```

19. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context. (Suppressing further errors from this subtree.)**

From line 20, column 1; to line 20, column 3

```
h="33%">↵↵<p>4- Com
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

20. **Error** **Bad value** `imagem4 (2).webp` **for attribute** `src` **on element** `img` **: Illegal character in path segment: space is not allowed.**

From line 21, column 1; to line 21, column 53

```
ncia.</p>↵<img src="imagem4 (2).webp" height="33%" width="33%">↵↵<p>5
```

21. **Error** **Bad value** `33%` **for attribute** `height` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 21, column 1; to line 21, column 53

```
ncia.</p>↵<img src="imagem4 (2).webp" height="33%" width="33%">↵↵<p>5
```

22. **Error** **Bad value** `33%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 21, column 1; to line 21, column 53

```
ncia.</p>↵<img src="imagem4 (2).webp" height="33%" width="33%">↵↵<p>5
```

23. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [**guidance on providing text alternatives for images**](#)**.**

From line 21, column 1; to line 21, column 53

```
ncia.</p>↵<img src="imagem4 (2).webp" height="33%" width="33%">↵↵<p>5
```

24. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context. (Suppressing further errors from this subtree.)**

From line 23, column 1; to line 23, column 3

```
h="33%">↵↵<p>5- Dei
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

25. **Error** **Bad value** `33%` **for attribute** `height` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 24, column 1; to line 24, column 49

```
lmço.</p>↵<img src="imagem9.webp" height="33%" width="33%">↵↵<p>6
```

26. **Error** **Bad value** `33%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 24, column 1; to line 24, column 49

```
lmço.</p>↵<img src="imagem9.webp" height="33%" width="33%">↵↵<p>6
```

27. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#)**.**

From line 24, column 1; to line 24, column 49

```
lmço.</p>↵<img src="imagem9.webp" height="33%" width="33%">↵↵<p>6
```

28. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context. (Suppressing further errors from this subtree.)**

From line 26, column 1; to line 26, column 3

```
h="33%">↵↵<p>6- Ouv
```

Contexts in which element p may be used:

Where [flow content](#) is expected.

29. **Error** **Bad value** `33%` **for attribute** `height` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 27, column 1; to line 27, column 49

```
gode.</p>↵<img src="images6.jfif" height="33%" width="33%">↵↵<p>7
```

30. **Error** **Bad value** `33%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 27, column 1; to line 27, column 49

```
gode.</p>↵<img src="images6.jfif" height="33%" width="33%">↵↵<p>7
```

31. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#)**.**

From line 27, column 1; to line 27, column 49

```
gode.</p>↵<img src="images6.jfif" height="33%" width="33%">↵↵<p>7
```

32. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context. (Suppressing further errors from this subtree.)**

From line 29, column 1; to line 29, column 3

```
h="33%">↵↵<p>7- Beb
```

Contexts in which element p may be used:

Where [flow content](#) is expected.

33. **Error** **Bad value** `33%` **for attribute** `height` **on element** [img]: **Expected a digit but saw** `%` **instead.**

From line 30, column 1; to line 30, column 49

```
gada.</p>↵<img src="imagem8.webp" height="33%" width="33%">↵↵<p>8
```

34. **Error** **Bad value** `33%` **for attribute** `width` **on element** [img] : **Expected a digit but saw** `%` **instead.**

From line 30, column 1; to line 30, column 49

```
gada.</p>↵<img src="imagem8.webp" height="33%" width="33%">↵↵<p>8
```

35. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#).

From line 30, column 1; to line 30, column 49

```
gada.</p>↵<img src="imagem8.webp" height="33%" width="33%">↵↵<p>8
```

36. **Error** **Element** [p] **not allowed as child of element** [h1] **in this context. (Suppressing further errors from this subtree.)**

From line 32, column 1; to line 32, column 3

```
h="33%">↵↵<p>8- Ar-
```

Contexts in which element p may be used:
   Where [flow content](#) is expected.

37. **Error** **Bad value** `33%` **for attribute** `height` **on element** [img] : **Expected a digit but saw** `%` **instead.**

From line 33, column 1; to line 33, column 48

```
nado.</p>↵<img src="imagem.webp" height="33%" width="33%">↵↵<p>9
```

38. **Error** **Bad value** `33%` **for attribute** `width` **on element** [img] : **Expected a digit but saw** `%` **instead.**

From line 33, column 1; to line 33, column 48

```
nado.</p>↵<img src="imagem.webp" height="33%" width="33%">↵↵<p>9
```

39. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult** [guidance on providing text alternatives for images](#).

From line 33, column 1; to line 33, column 48

```
nado.</p>↵<img src="imagem.webp" height="33%" width="33%">↵↵<p>9
```

40. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context.**

(Suppressing further errors from this subtree.)

From line 35, column 1; to line 35, column 3

```
h="33%">↵↵<p>9- Tom
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

41. **Error** **Bad value** `33%` **for attribute** `height` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 36, column 1; to line 36, column 49

```
oite.</p>↵<img src="imagem7.webp" height="33%" width="33%">↵↵<p>1
```

42. **Error** **Bad value** `33%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 36, column 1; to line 36, column 49

```
oite.</p>↵<img src="imagem7.webp" height="33%" width="33%">↵↵<p>1
```

43. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 36, column 1; to line 36, column 49

```
oite.</p>↵<img src="imagem7.webp" height="33%" width="33%">↵↵<p>1
```

44. **Error** **Element** `p` **not allowed as child of element** `h1` **in this context.**

(Suppressing further errors from this subtree.)

From line 38, column 1; to line 38, column 3

```
h="33%">↵↵<p>10- Fi
```

Contexts in which element `p` may be used:

Where [flow content](#) is expected.

45. **Error** **Bad value** `33%` **for attribute** `height` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 39, column 1; to line 39, column 49

```
mana.</p>↵<img src="imagens.webp" height="33%" width="33%">↵↵</b
```

46. **Error** **Bad value** `33%` **for attribute** `width` **on element** `img` **: Expected a digit but saw** `%` **instead.**

From line 39, column 1; to line 39, column 49

```
mana.</p>↵<img src="imagens.webp" height="33%" width="33%">↵↵</b
```

47. **Error** **An** `img` **element must have an** `alt` **attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).**

From line 39, column 1; to line 39, column 49

```
mana.</p>↵<img src="imagens.webp" height="33%" width="33%">↵↵↵</b
```

48. **Error** **End tag for** `body` **seen, but there were unclosed elements.**

From line 42, column 1; to line 42, column 7

```
="33%">↵↵↵</body>↵↵</ht
```

49. **Error** **Unclosed element** `h1` **.**

From line 9, column 1; to line 9, column 4

```
>↵↵<body>↵<h1>Top 10
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was utf-8.

Total execution time 24 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.8.2