1.3. Schedule of Activities (SoA)

This SoA shows visits and procedures unique to the intervention-specific appendix (ISA) H0P-MC-NP05 for LY3857210. Please refer to Master Protocol CPMP and the DPNP DSA CPMP(3) SoAs for additional information.

	Screening		Randomization to ISA	Double-Blind Treatment					F/U	Notes
	V1	**V2**	**V3**	**V4**	**V5**	**V6**	**V7**	**ED**	**V801**	
Study Week	Up to -6 months	-10 to -7 days for most participants	0	2	4	6	8		+2	
Visit Window (days)				±3					±3	
Confirm ISA inclusion and exclusion criteria	X	X	X							
Physical examination			X		X		X	X	X	Physical examination (see Section 8.2.1). Complete physical examination, including targeted examination specified below, should be performed at V3 and V801 or ED. Targeted physical examination for skin, gastrointestinal tract, mammary gland in males, and lymph nodes should also be performed at V5 and V7.
Neurological assessment			X	X	X	X	X	X	X	See Section 8.2.1.
Prespecified DPNP medical history			X							Includes diagnosis and symptom onset date.
Vital signs			X	X	X	X	X	X	X	At V3, vitals should be taken predose. Pulse rate, respiratory rate, blood pressure, and temperature taken with participant in a sitting position.
Concomitant medication									X	See footnote a.
AE									X	See footnote a.
ECG (single)					X		X	X	X	

	Screening		Randomization to ISA	Double-Blind Treatment					F/U	Notes
	V1	**V2**	**V3**	**V4**	**V5**	**V6**	**V7**	**ED**	**V801**	
Study Week	Up to -6 months	-10 to -7 days for most participants	0	2	4	6	8		+2	
Visit Window (days)				±3					±3	
Placebo response video training (participant)		X								Should view at the beginning of V2.
Study intervention administration			X	X	X	X				See Section 6.1. Participant should be instructed NOT to take study intervention on the day of V7.
Dispense study intervention to participant			X	X	X	X				
Participant returns unused study intervention				X	X	X	X	X		Participant to bring study intervention to every visit.
Intervention compliance				X	X	X	X	X		
Scales, Questionnaires, and Outcome Measures										
CCI										
C-SSRS Since Last Visit									X	See footnote a.
Self-Harm Supplement form									X	See footnote a.
Self-Harm Follow-Up form									X	See footnote a. Complete 1 form for each event identified on the Self-Harm Supplement form.
NRS for pain									X	See footnote a. Review eDiary compliance.
Reinforce pain assessment guidelines		X	X	X	X	X	X			Review assessment of pain. See MoO for additional details.
Rescue medication usage reporting									X	See footnote a.

	Screening		Randomization to ISA	Double-Blind Treatment					F/U	Notes
	V1	**V2**	**V3**	**V4**	**V5**	**V6**	**V7**	**ED**	**V801**	
Study Week	Up to -6 months	-10 to -7 days for most participants	0	2	4	6	8		+2	
Visit Window (days)				±3					±3	
PGI									X	See footnote a.
Clinical Laboratory Tests and Sample Collection										
Hematology				X	X	X	X		X	
Chemistry				X	X	X	X		X	
Lipid panel				X	X	X	X		X	
Urinalysis							X		X	
Urine pregnancy			X	X	X	X	X	X		For all WOCBP at V3: collect sample within 24 hours prior to dosing.
Urine drug screen			X		X		X	X		See Section 5.3.1.
CCI										
HbA1c			X				X	X		
LY3857210 PK sample			X	X	X	X	X	X		At V3, a PK sample should be taken any time **after** 1 hour postdose and prior to leaving the site. At V4, V5, V6, V7 and ED, a PK sample can be taken at any time during the site visit. The date and time of each PK sample collected will be recorded. The date and time of LY3857210 administration prior to the PK sample collection will be recorded.
CCI										

	Screening		Randomization to ISA	Double-Blind Treatment					F/U	Notes
	V1	V2	V3	V4	V5	V6	V7	ED	V801	
Study Week	Up to -6 months	-10 to -7 days for most participants	0	2	4	6	8		+2	
Visit Window (days)				±3					±3	
Participant Devices										
CCI										

Abbreviations: AE = adverse event; CCI ; DPMP = diabetic peripheral neuropathic pain; ECG = electrocardiogram; ED = early discontinuation; F/U = follow-up; HbA1c = hemoglobin A1c; ISA = intervention-specific appendix; MoO = Manual of Operations; NRS = numeric rating scale; PGI = patient's global impression of change; PK = pharmacokinetic; V = visit; WOCBP = women of childbearing potential.

a Collect in addition to schedule described in Master Protocol CPMP.